



PROTECTIVE INDUSTRIAL PRODUCTS

4200 SERIES

HARD HATS

**VALUE-ENGINEERED FOR
PERFORMANCE & AFFORDABILITY**



4-POINT SUSPENSION

HDPE strap and webbing clips provide a comfortable and secure fit.

POLYESTER TEXTILE STRAPS

Provide added comfort for all day wear.

CERTIFIED PROTECTION

Meets ANSI/ISEA Z89.1 and CSA Z94.1 standards. Fulfills Class E Electrical Insulation requirements.

LIGHTWEIGHT SHELL

The lightweight shell made with UV stabilized High Density Polyethylene (HDPE) minimizes fatigue.

CHAMLON™ SWEATBAND

Egyptian cotton core with porous PU coating for maximum sweat absorption. pH neutral, dermatologically tested.

ACCESSORY SLOTS

Accommodates a variety of eye, face and hearing protection products



AFFORDABLE PERFORMANCE



3D ADJUSTMENT PRECISION FITTING

Never before has such a precise fit been attainable on an industrial safety hard hat, using the unique 3-position harness depth setting.



LOW NAPE STRAP FIRM RETENTION

The low nape strap provides a secure fit, allowing the hard hat to stay on your head – even when you're looking down or bending over.



LIGHTWEIGHT 4-POINT SUSPENSION

Lightweight 4-point suspension with HDPE Strap & Webbing Clips provide unrivalled comfort and maximum impact absorption. Suspension can be removed and refitted for reverse wearing.



ACCESSORY SLOTS

Accessory slots for face, eye and hearing protection products like ear muffs, eyewear and faceshields add an extra layer of protection for the wearer.



COMMITTED TO
SAFETY

COMMITTED TO
WORKERS

COMMITTED TO
AMERICA

AMERICAN MADE^{*}

4200 SERIES HARD HATS FEATURES:

- Light weight design for minimal fatigue
- 4-point suspension with textile straps provides unrivalled comfort
- Certified Protection-ANSI/ISEA Z89.1 and CSA Z94.1
- Fulfills Class E Electrical Insulation requirements
- Available with a wheel ratchet or slip ratchet to provide the proper fit

* Made in USA of U.S. and imported materials

WHEEL RATCHET

FOR A SECURE,
COMFORTABLE & FIRM FIT



REVOLUTION[®] WHEEL RATCHET

Easy to use wheel ratchet adjustment system creates a firm, comfortable fit with added security.



4200 SERIES FULL BRIM WITH WHEEL RATCHET

SUSPENSION	4-Point Polyester Textile		
SIZE ADJUSTMENT	Wheel Ratchet		
SHELL MATERIAL	High Density Polyethylene (HDPE), Recyclable		
SWEATBAND	Chamlon™		
STANDARDS MET	ANSI Z89.1 CSA Z94.1		
IMPACT TYPE	Type I		
ELECTRICAL CLASS	Class E (Non-Vented)		
STYLE NUMBER	COLOR	BRIM	SHELL
280-FBW4200-10	White	Full	Non-Vented
280-FBW4200-20	Yellow	Full	Non-Vented
280-FBW4200-30	Green	Full	Non-Vented
280-FBW4200-50	Blue	Full	Non-Vented
280-FBW4200-60	Red	Full	Non-Vented
280-FBW4200-OR	Bright Orange	Full	Non-Vented

4200 SERIES CAP STYLE WITH WHEEL RATCHET

SUSPENSION	4-Point Polyester Textile		
SIZE ADJUSTMENT	Wheel Ratchet		
SHELL MATERIAL	High Density Polyethylene (HDPE), Recyclable		
SWEATBAND	Chamlon™		
STANDARDS MET	ANSI Z89.1 CSA Z94.1		
IMPACT TYPE	Type I		
ELECTRICAL CLASS	Class E (Non-Vented)		
STYLE NUMBER	COLOR	BRIM	SHELL
280-CW4200-10	White	Standard	Non-Vented
280-CW4200-20	Yellow	Standard	Non-Vented
280-CW4200-30	Green	Standard	Non-Vented
280-CW4200-50	Blue	Standard	Non-Vented
280-CW4200-60	Red	Standard	Non-Vented
280-CW4200-OR	Bright Orange	Standard	Non-Vented

SLIP RATCHET

MAKE ADJUSTMENTS WITH JUST ONE HAND



EASYJUST[®] SLIP RATCHET

Intuitive slip ratchet adjustment system with thumb and index finger points provide easy size adjustments.



4200 SERIES CAP STYLE WITH SLIP RATCHET

SUSPENSION	4-Point Polyester Textile		
SIZE ADJUSTMENT	Slip Ratchet		
SHELL MATERIAL	High Density Polyethylene (HDPE), Recyclable		
SWEATBAND	Chamlon™		
STANDARDS MET	ANSI Z89.1 CSA Z94.1		
IMPACT TYPE	Type I		
ELECTRICAL CLASS	Class E (Non-Vented)		
STYLE NUMBER	COLOR	BRIM	SHELL
280-CS4200-10	□ White	Standard	Non-Vented
280-CS4200-20	■ Yellow	Standard	Non-Vented
280-CS4200-30	■ Green	Standard	Non-Vented
280-CS4200-50	■ Blue	Standard	Non-Vented
280-CS4200-60	■ Red	Standard	Non-Vented
280-CS4200-OR	■ Bright Orange	Standard	Non-Vented

CUSTOM LOGO SERVICE

HIGH QUALITY, FAST TURNAROUND AND A DEDICATED TEAM

A SMOOTH PROCESS FROM START TO FINISH

High quality logo imprinting can be applied on up to four locations on the hard hat using a single color or multiple colors. Quick turnaround time allows for fast delivery to the customer. Dedicated team for all logo requests to ensure all customer requests are accurately filled.



* 6 business days turnaround time after receipt of logo proof approval.





PROTECTIVE INDUSTRIAL PRODUCTS, INC.

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com



PART # .87806

3/2018