



*PROTECTIVE INDUSTRIAL PRODUCTS*

**G-Tek<sup>®</sup>**  
PolyKor<sup>®</sup>

ANSI EN 388  
A5  16-645LG  
10/XL   
CUT 4X42E

AFFORDABLE

ANSI A5

CUT PROTECTION

[www.pipusa.com](http://www.pipusa.com)

**G-Tek<sup>®</sup>**  
PolyKor<sup>®</sup>



# ANSI CUT PROTECTION

## Confidence to do the job.

PolyKor® makes use of PIP's proprietary fibers and engineered yarns to produce cut resistant gloves that surpass everyday performance standards. PolyKor® technology is optimized for the type of protection and comfort required by plant and field workers of today.

The ultimate objective is affordable cut resistant gloves for every application.



**G-Tek**  
PolyKor®

*PolyKor® Engineered Yarns  
optimize performance,  
function, and protection  
by blending select fibers to  
exceed industry standards.*

### Applications



**Glass handling**  
*Glass and window  
manufacturing and installing*



**Metal handling**  
*Cutting, stamping  
and metal manufacturing*



**Sharp Parts Assembly**  
*Handling sharp parts  
and tools*



**Construction**  
*Tile, glass work  
and handling large sharp parts*





ANSI  
**A5**  
NITRILE  
MICROSURFACE  
COATING

**16-635**

- Excellent dexterity, tactile sensitivity and cut resistance
- Superior grip in dry, wet and oily conditions
- Knit wrist helps prevent dirt and debris from entering the glove

APPLICATIONS: Glass Handling, Metal Handling, Sharp Oily Parts Assembly, Construction



ANSI  
**A5**  
NITRILE  
MICROSURFACE  
COATING

**16-655**

- Excellent dexterity and cut resistance
- Superior grip in dry, wet and oily conditions
- Double-dipped palm and fingertips provide added abrasion resistance and prevents oil from penetrating when handling oily parts

APPLICATIONS: Glass Handling, Heavy Duty Metal Handling, Sharp Parts Assembly, Construction

**DOUBLE-DIPPED**



ANSI  
**A5**  
POLYURETHANE  
COATING

**16-645LG**

- Excellent dexterity, tactile sensitivity and cut resistance
- Good grip in dry, wet and slightly oily conditions
- Knit wrist helps prevent dirt and debris from entering the glove

APPLICATIONS: Glass Handling, Metal Handling, Sharp Parts Assembly, Construction

**HI-VISIBILITY**



ANSI  
**A5**  
POLYURETHANE  
COATING

**16-665**

- Excellent dexterity, tactile sensitivity and cut resistance
- Aramid blended liner allows the glove to be used in light heat applications, where sparks or hot parts may be present
- Good grip in dry, wet and slightly oily conditions
- Knit wrist helps prevent dirt and debris from entering the glove

APPLICATIONS: Glass Handling, Metal Handling, Sharp Parts Assembly, Construction

**LIGHT HEAT RESISTANCE**



PROTECTION. PERFORMANCE. VALUE.

16-655 features a

**DOUBLE-DIPPED NITRILE MICROSURFACE COATING**

*for extended glove life, increased abrasion resistance and added durability*



**G-TEK® POLYKOR®**

STYLE NUMBER	ANSI	EN388	COATING	COATING COVERAGE	COATING COLOR	SHELL COLOR	CONSTRUCTION	GAUGE	SIZES
<b>16-635</b>	A5	4X42E	Nitrile MicroSurface	Palm & Fingertips	■ Black	■ Blue	Seamless Knit	13	S-XXL
<b>16-655</b>	A5	4X42E	Nitrile MicroSurface, Double-dip	Palm & Fingertips	■ Black	■ Salt & Pepper	Seamless Knit	13	S-XXL
<b>16-645LG</b>	A5	4X42E	Polyurethane	Palm & Fingertips	■ Gray	■ Hi-Vis Lime Green	Seamless Knit	13	S-XXL
<b>16-665</b>	A5	4X42E	Polyurethane	Palm & Fingertips	■ Black	■ Green	Seamless Knit	13	S-XXL



**PROTECTIVE INDUSTRIAL PRODUCTS, INC.**

968 Albany Shaker Road | Latham, NY 12110

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com



PART # .88250

6/2018

