



GLOBAL SAFETY SOLUTIONS

PROTECTIVE INDUSTRIAL PRODUCTS, INC.

BRINGING THE BEST OF THE WORLD TO YOU[®]

www.pipglobal.com



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS

Corporate Headquarters & Sales Center
Latham, NY
Phone: 518-861-0133 · Toll Free: 800-262-5755
sales@pipusa.com · www.pipusa.com

New York Distribution Center
Guiderland Center, NY

California Sales & Distribution Center
Rancho Cucamonga, CA
Phone: 909-987-2350 · Toll Free: 800-225-9225

Tennessee Sales & Distribution Center
Memphis, TN
Phone: 901-370-5828 · Toll Free: 888-456-8378

USA Manufacturing Facility
Guiderland Center, NY

USA Manufacturing Facility
Bluffton, IN
Phone: 260-824-8146

USA Manufacturing Facility
Chaska, MN
Phone: 952-448-7430

Canada Distribution Center, Shipments & Returns
Bolton (Toronto), Ontario
Phone: 800-262-5755 x7258
www.pipcandada.ca

Mexico Sales & Distribution
Monterrey, N.L., Mexico
Phone: +52 (81) 8372-1825
www.pipmex.com

Mexico Regional Sales Office
San Pedro Garza Garcia, N.L., Mexico
Phone: +52 (81) 8335-4744 · +52 (81) 1365-9569

Latin America Independent Affiliate
Panamá, República de Panamá
Phone: (+507) 263-0175

EUROPE

France Administrative & Sales Offices
L'hermenault, France
Phone: + 33 (0) 2 51 50 19 80
www.pipeurope.com

Greece Independent Affiliate
Athens, Greece
Phone: +30-210-3463910

ASIA PACIFIC

Asia Pacific Administrative Headquarters
Hong Kong, China
Phone: 852-2475-9228
www.pipasiapacific.com

China Administrative & Sales Center
Shanghai, China
Phone: 86-021-63170303

China Regional Sales Office
Yantai City, Shandong Province, China
Phone: 86-0535-6602843

Singapore Sales Office
Singapore
Phone: +65-91557756

Malaysia Sales Office
Penang, Malaysia
Phone: 6-04-399-3328

AUSTRALIA

Australia Independent Affiliate
Eagle Farm, Queensland, Australia
Phone: 1300 656 010
www.pipaus.com

SAFETY ACROSS THE WORLD



WWW.PIPGLOBAL.COM

PIP is proud to support products and organizations that help to enhance safety efforts worldwide:



HAND PROTECTION

- 9 Cut Resistant Gloves
- 53 General Purpose Gloves
- 77 Chemical Resistant Gloves
- 87 Disposable Gloves
- 91 Critical Environment Gloves
- 99 High Performance Gloves
- 110 Cold Protection Gloves
- 113 Heat Protection Gloves
- 116 Emergency Responder Gloves
- 117 Parade & Uniform Gloves

ARM PROTECTION

- 119 Form-Fit Seamless Knit Sleeves

EYE & FACE PROTECTION

- 124 Lens Technologies
- 128 Safety Glasses
- 158 Safety Goggles
- 162 Face Protection
- 164 Eyewear Accessories

RETAIL SAFETY PRODUCTS

- 166 Respiratory Protection
- 169 Head Protection
- 170 Hearing Protection



PROTECTIVE INDUSTRIAL PRODUCTS

BRINGING THE BEST OF THE WORLD TO YOU®



PROTECTIVE INDUSTRIAL PRODUCTS OR PIP, AS WE HAVE BECOME KNOWN, IS A US-BASED COMPANY WITH OPERATIONS AROUND THE WORLD.

PIP is jointly owned by the families of Joe Milot, President, and his partner, Wellson Tao. Initially started as a supplier of work gloves, today we are a global provider of a vast array of consumable personal protective equipment (PPE) to multiple industries and channels of distribution.

PIP STARTED AS A SUPPLIER OF GLOVES. TODAY WE ARE A GLOBAL PROVIDER OF A VAST ARRAY OF CONSUMABLE PERSONAL PROTECTIVE EQUIPMENT TO MULTIPLE INDUSTRIES AND CHANNELS OF DISTRIBUTION.



WE FIND REASONS TO SAY "YES" TO CUSTOMERS

WE PLACE THE CUSTOMER EXPERIENCE ABOVE ALL ELSE. WE SUCCEED AT HELPING DISTRIBUTORS ENHANCE THEIR PRODUCT OFFERING, WHILE MAINTAINING THE ABILITY TO PROVIDE CUSTOMERS WITH COMPETITIVELY PRICED, QUALITY SAFETY PRODUCTS.



AN EASE OF DOING BUSINESS

We strive to be the easiest company that our customers do business with in any industry.



OUR PEOPLE

We employ people trained and experienced in the business and recognized among the best in the industry.

A GLOBAL PROVIDER OF INNOVATIVE SAFETY PRODUCTS

As the referenced leader in hand protection, we continue to expand our above-the-neck, electrical, traffic safety and first responder product lines.

- Three manufacturing facilities along with three distribution centers in the US
- Export operation from Asia/Pacific to over 10 sales and distribution subsidiaries around the world
- Expertise in sourced manufacturing driven by a team of technical product managers and on-site quality inspection personnel
- R&D capabilities include specialty yarns and seamless knitting technology, joint development in new lens/fit applications in eyewear, as well as ergonomic garment design
- Collaborative development with global partner ATG® for hand protection, JSP® for head and respiratory protection, Hellberg® for hearing protection and Pacific Helmets for first responder head protection

BRINGING THE BEST OF THE WORLD TO YOU®

1984 to 1999



1984

- Joe Milot and Wellson Tao formed Protective Industrial Products in a 400 sq. ft. space in Albany, NY.

1991

- Purchased assets of Intermarket Imports, Inc. and expanded head office and distribution center into a 28,000 sq. ft. facility in Guilderland, NY.



1998

- Acquired L.A. Sinotech & established a distribution center in California

2000 to 2005

2001

- Acquired Georgia Safety Group and Gloves Unlimited, Inc.

- Opened a distribution center in Memphis, TN.

2002

- PIP Mexico formed



2003

- Acquired PRI Industries – a US manufacturer of specialty seamless knits



2004

- Expanded New York operations to 125,000 sq. ft. and Tennessee distribution center to 90,000 sq. ft.

- Established exclusive sales partnership with ATG® Gloves in North America

- PIP Latin America formed

2006 to 2010

2006

- Brahma Glove Co. acquired – consumer division established

- Mud® consumer glove brand and business acquired

- DSM Dyneema® license acquired



2008

- West County Gardener® consumer glove brand and business acquired

- PIP Italy established in Rome



2009

- SafetyGear™ USA acquired to extend safety products offering to protective and hi-vis garments

2011 to 2016



2011

- H.L. Bouton® Eyewear brand and business acquired

- Established exclusive sales partnership with JSP® in North America

- McHenry Knitting and Manufacturing acquired

- Certified Insulating Products assets acquired to enter the electrical safety market

- DuPont™ Kevlar® license acquired

- PIP Balkans formed

- PIP Iberia formed

2012

- ISSI Eyewear acquired

- PIP Canada established

- PIP Asia/Pacific operations expanded from Hong Kong to include sales and distribution centers in Malaysia and China

2014

- Acquisition of Safe Industries - manufacturer of knitted sleeves

2016

- Acquisition of Safety Works




PIP TODAY

Over 300 employees

Global presence in the Americas, Europe and Asia/Pacific

Referenced global leader in hand protection

Over 3,500 products available from distribution centers totaling 500,000 sq. ft. in the US alone



SAFETY SOLUTIONS

BRINGING THE BEST OF THE WORLD TO YOU®



PIP AMEA LTD. IS PART OF PIP GLOBAL –
A WORLD LEADER IN SAFETY PRODUCTS FOR
PROFESSIONAL AND CONSUMER MARKETS.

GET TO KNOW US

IT REMAINS A STRONG 30-YEAR PARTNERSHIP
BETWEEN THE MILOT FAMILY, BASED IN NEW YORK
AND THE TAO FAMILY IN HONG KONG.



PIP GLOBAL SAFETY SOLUTIONS

MANUFACTURING EXCELLENCE

PIP AMEA LTD. is based in Hong Kong with highly skilled Business Development Executives located in North America, Europe and Asia working directly with you to find the right products at the right price. Our business development people understand the markets and market forces in all channels and can help you maximize sell-through and minimize costs.

Currently we work with over 100 factories in located in Southeast Asia, China India, Pakistan as well as USA to source the right products. Proudly, 30 of those manufacturing facilities have over 80% of their capacity dedicated solely to PIP. That ensures quality, commitment and confidentiality.

PIP
FACTORIES
PROVIDE:



TESTING &
CERTIFICATION
DOCUMENTATION



QUALITY CONTROL
FOR SUPERIOR
& CONSISTENT
PRODUCTS



AUDITING &
PRODUCTION
REPORTS

RESEARCH & DEVELOPMENT AND ADVANCED DESIGN

Headquartered in Hong Kong and China we have over 80 highly skilled technical people working on developing new products. Starting with design for maximizing ergonomics and comfort to the newest fibers and engineered yarns – PIP's technical team is fully engaged with raw material suppliers and designers.

With over 100 containers of products crisscrossing the globe weekly, we have the buying power to command the lowest costs and first-to-market technology.

YOUR BRANDS, OUR BRANDS

Most of our PIP AMEA customers have their own brands and we can help to enhance and integrate them into multiple products and packaging for maximum impact and brand loyalty. To customers in currently uncharted territories, we are open to licensing agreements that allow for use of our power brands.





LEADER IN HAND PROTECTION

- Cut Resistant Gloves
- General Purpose Gloves
- Chemical Resistant Gloves
- Disposable Gloves
- Critical Environment Gloves
- High Performance Gloves
- Cold Protection Gloves
- Heat Protection Gloves
- Emergency Responder Gloves
- Parade & Uniform Gloves

ADVANCED TECHNOLOGIES



ERGONOMIC DESIGN



ADVANCED MATERIALS



ENGINEERED YARNS & COATINGS TECHNOLOGY



LEADER IN EYE PROTECTION



ANTI-REFLECTIVE PLUS TECHNOLOGY



MIRROR PLUS TECHNOLOGY



POLARIZED XL5 TECHNOLOGY



I/O BLUE TECHNOLOGY



GRADIENT TECHNOLOGY



FOGLESS SIXTY TECHNOLOGY

ADVANCED TECHNOLOGIES



ERGONOMIC DESIGN



MULTIPLE OPTIONS TO CUSTOMIZE



MOST EXTENSIVE PRODUCT LINE



PIP GLOBAL SAFETY SOLUTIONS

WHAT CAN WE DO FOR YOU

GLOBAL SUPPLIER OF BRANDED & PRIVATELY BRANDED PERSONAL PROTECTIVE EQUIPMENT

PIP SALES & MARKETING LEADERS

BRINGING THE BEST OF THE WORLD TO YOU®



FORWARD-THINKING CUSTOMER SERVICE

- PIP's Customer Service team has a mission that is beyond J-I-T delivery and world class service; it extends to cover accuracy in information and flawless data transfer and elimination of redundancy.
- EDI order placement, confirmation and payment
- Accuracy plus updated pricing, inventory and product revisions
- Dedicated technical support



BEST TRAINED SALES TEAM IN THE INDUSTRY

Training is our mission. Customers don't feel confident selling or using product if they're not trained. Lack of confidence leads to mistakes. PIP is dedicated to training all customers.

- Over 100 representatives on the road
- Backed by 30 Regional Sales Managers and National Account Representatives
- SR management team with a combined 120 years of experience in Safety



MARKETING – SALES TOOLS AND PROMOTIONS TO GIVE YOU THE EDGE

- Powerful brands
- Communication
- Digital and print collateral
- Complete product launches
- Advertising and promotions
- Enhanced brand packaging
- Expert pages & videos



MANUFACTURING CAPABILITY

PIP owns three US-based manufacturing operations:

1. **PR Industries (PRI)**, in Chaska, Minnesota produces high-quality specialty knitted gloves for applications requiring cut resistance and resistance to heat. PRI is capable of designing and producing coating patterns that meet specifications on string-knit shells to fit with customers' needs.
2. **McHenry Manufacturing's** knitting and sewing operation in Bluffton, Indiana specializes in protective sleeves, work aprons and hoods.
3. **Black Pearl** Guilderland Center, New York facility offers custom packaging, imprinting and labeling as well as dielectric testing for electrical insulating gloves and is a manufacturer of specialty insulated electrical tools.

PIP 3SP™ PROGRAM

BRINGING THE BEST OF THE WORLD TO YOU®



SIMPLE SAFETY SOLUTIONS

ON SITE

ASSESSMENT SURVEY

Working collaboratively with our distributor-partners, we perform all 3SP™ site surveys. This assures industrial customers that they are done effectively and without any downtime. 3SP™ trained representatives have a broad understanding of complex manufacturing environments and processes. Chances are they've met many similar challenges before with proven solutions.

TRAINING SEMINARS

The PIP 3SP™ team consists of Product Specialists, Product Managers and PIP Sales Partners, who most often are providers of finished and raw-material products.

TOOLS TO

MAKE THE JOB SAFER

Today's work environment is dynamic. Aging workforce, transient and diverse workers, and increased reliance on automation create challenges related to communication, distraction, stress, and fatigue – all operating at a higher intensity. Training and orientation is short, and we rely on quick and comprehensive tools for answers.



3SP™ IS A MULTIFACETED, LEARNING-BASED PROGRAM DESIGNED AND TAILORED TO MEET THE NEEDS OF OUR CUSTOMERS.

BRINGING THE BEST OF THE WORLD TO YOU®


- 9 CUT RESISTANT GLOVES
- 53 GENERAL PURPOSE GLOVES
- 77 CHEMICAL RESISTANT GLOVES
- 87 DISPOSABLE GLOVES
- 91 CRITICAL ENVIRONMENT GLOVES
- 99 HIGH PERFORMANCE GLOVES
- 109 COLD PROTECTION GLOVES
- 113 HEAT PROTECTION GLOVES
- 116 EMERGENCY RESPONDER GLOVES
- 117 PARADE & UNIFORM GLOVES

HAND PROTECTION



ADVANCED

CUT RESISTANT FIBER AND YARN



G-Tek[®]
PolyKor[®]
XRYSTAL[™]

Represents the latest iteration of PolyKor[®] in which it is combined with naturally hardened crystallized minerals. The result is a super tough, durable, cut resistant fiber that is at the peak of performance.




G-Tek[®]
PolyKor[®]

PolyKor[®] Engineered Yarns optimize performance, function, and protection using proprietary blends of select fibers to exceed industry standards. The ultimate objective is affordable cut resistant gloves for practically every application.



G-Tek[®]
PolyKor[®]
X7[™] TECHNOLOGY

PolyKor[®] with X7[™] Technology represents the latest in engineered yarn development. This reinforced yarn demonstrates very high cut resistance and durability by way of proprietary materials added to the to the HPPE fiber. The result is exceptional cut resistance in a thin liner configuration.



G-Tek[®]
Suprene[™]

The latest breakthrough in nanofabrication has resulted in Suprene[™] – an affordable fiber with unparalleled strength and physical properties.


CUT PROTECTION MATERIAL BASICS

| NAME | ADVANTAGES | DISADVANTAGES |
|---|---|--|
| HIGH-PERFORMANCE POLYETHYLENE HPPE | - High strength, high cut and abrasion resistance - Cool and comfortable | - Low heat tolerance |
| KEVLAR® Aramid fiber | - Good mechanical and cut resistance - Lightweight - Inherent heat properties | - Low resistance to UV rays and moisture |
| GRAPHENE | - Tough, strong and highly cut resistant | - High thermal conductivity |
| STAINLESS STEEL Metal yarn | - Excellent cut resistance | - Heavyweight - Poor flexibility - Heat and electricity conductor |
| GLASS FIBER Textile-grade glass fibers (silica) | - Strong, high initial cut resistance | - Poor wear performance as a result of fiber breakage causing reduced protection and possible skin irritation. |

GENERAL PURPOSE MATERIAL BASICS


| NAME | ADVANTAGES | DISADVANTAGES |
|---|--|---|
| NYLON Synthetic fiber | - High resistance to abrasion and fatigue - Higher durability and strength | - Low resistance to heat |
| POLYESTER Synthetic fiber | - Good resistance to abrasion - Chemical resistance | - Low resistance to heat |
| COTTON Natural fiber | - Low price - Comfortable | - Low mechanical resistance |
| ELASTANE FIBER SPANDEX® / LYCRA® Additive fiber | - High degree of elasticity and comfort - Resistant to abrasion | - Loses elastic properties with heat and wear |
| NATURAL LEATHER Tanned animal pelt | - Good resistance to tension, puncture and abrasion - Flexible, soft & breathable | - Cuts easily - no cut protection - Inconsistent quality |

TECHNOLOGIES



G-Tek®
KEV™

Takes the power of DuPont™ Kevlar® and combines it with proprietary core technology for maximum cut strength and protection in light heat applications.



G-Tek®
3GX®

Embedded micro-particles strengthen fibers by up to two times, for higher cut scores. 3GX® offers cool touch comfort and lightweight for improved productivity.



A COMPLETE LINE OF COATINGS LIKE NEVER SEEN BEFORE

Coating grip is key in preventing razor sharp objects from slipping and making contact with hands or arms. Polymer coatings offer some degree of extra protection, however, they will slice easily with razor sharp blades and cannot be relied upon for boosting cut protection. Thicker, tougher materials such as latex and nitrile offer added protection when handling heavier objects with rough edges or burrs.


GET A GRIP



TOUCH SCREEN COMPATIBILITY

Resistive touchscreens, such as those found on most industrial controls, rely on resistive pressure and are unaffected by the use of gloves.

Capacitive touchscreens typically used in tablets, smartphones and laptops rely on the electrical field effect from our finger. PIP trials have found that our disposable gloves and many of our coated seamless knit gloves with thinner coatings will work with today's latest mobile devices. However, we recommend trials prior to equipping teams with gloves. For guaranteed bare-finger precision and sensitivity on any device, we provide the PU coated G-Tek® 33-GT125, featuring conductive fingertip touch technology.




MICROSURFACE

2 LAYERS

- Flexible and tough
- No breathability

1 LAYER


- Thin with maximum dexterity
- Slight breathability



FOAM

1 LAYER

- Flexible and tough
- Fair breathability



NEOFOAM®

1 LAYER

- Highly flexible and tough
- Good breathability



CRINKLE

1 LAYER

- Flexible and tough
- No breathability



FLAT/SMOOTH

1 LAYER

- Thin, high tactility
- Fair breathability

| COATING | COATING MATERIAL | LAYERS | | DRY GRIP | | | SUCTION ACTION ON WET/OILY | BREATHABILITY | | | DURABILITY | LIQUID PENETRATION | | | | |
|--------------|----------------------------------|--------|---|----------|------|-----------|----------------------------|---------------|------|------|------------|--------------------|-----|--------|------|------|
| | | 1 | 2 | Fair | Good | Excellent | | None/Slight | Fair | Good | | Maximum 360° | Low | Medium | High | None |
| MICROSURFACE | Latex Nitrile <i>top layer</i> | | ● | | ● | | Good, oily surfaces | ● | | | | ● | | ● | | |
| MICROSURFACE | Latex Latex <i>top layer</i> | | ● | | | ● | Good, wet surfaces | ● | | | | | ● | ● | | |
| MICROSURFACE | Nitrile | ● | | ● | | | Good, oily surfaces | | ● | | | ● | | | ● | |
| FOAM | Nitrile | ● | | | ● | | Fair, wet or oily surfaces | | ● | | | | ● | | | ● |
| NEOFOAM® | Co-Polymer | ● | | | ● | | Good, wet or oily surfaces | | | ● | | | ● | | | ● |
| CRINKLE | Latex | ● | | | | ● | Good, wet surfaces | ● | | | | | ● | ● | | |
| FLAT/SMOOTH | Nitrile | ● | | | | ● | Poor, wet or oily surfaces | ● | | | | ● | | ● | | |
| FLAT/SMOOTH | Polyurethane | ● | | | ● | | Good, wet or oily surfaces | | ● | | ● | | | | | ● |

UNDERSTANDING CUT SCORES

PIP GLOVES ARE TESTED TO THE ANSI 105 AND THE EN 388 STANDARD.

Both standards test gloves for Abrasion, Cut, Tear and Puncture. While compliance is not mandated in the U.S., safety managers demand that products are tested and labeled in order to select the best possible equipment for the job being performed.



The European Union (EU) developed a standards and regulatory body that requires anyone wanting to sell products in Europe to attain the CE (Conformité Européene) compliance/markings through the performance testing described in EN 388 "Protective Gloves Against Mechanical Risks." EN 388 is widely recognized internationally.

PIP tests all cut resistant gloves at recognized labs and our test facility in Minnesota.

ANSI-105

FOR DETERMINING CUT SCORE ANSI-105-2016 EDITION USES THE ASTM F2992-15 TEST METHOD



TDM-100 TEST



EN 388

FOR DETERMINING CUT SCORE EN 388:2016 CALLS FOR THE EN-COUP TEST

COUP TEST




| | EN 388 |
|--------------------|-------------|
| Rating | 4 4 4 2 C X |
| Abrasion | 1-4 |
| Cut (Coup Test) | 1-5 |
| Tear | 1-4 |
| Puncture | 1-4 |
| Cut (TDM-100 Test) | A-F |
| Impact Protection | P, F, X |


P: Passed F: Failed X: Not Tested

EN 388 2016 edition added a second cut test, the ISO 13997 cut method, using the same TDM-100 machine as the ANSI Standard outlined in the ASTM F2992-15 test method. An alpha letter will appear within the new EN Shield indicating this extra score. The test score will equate closely to the new ANSI score allowing customers to feel more comfortable about the two standards. The updated EN 388 2016 standard will also include an impact resistance test.

SCALE TO DETERMINE CUT SCORES



UNDERSTANDING THE ISO 13997 TEST METHOD



CONVERT

NEWTONS TO GRAMS

PIP has been testing all of its cut resistant gloves with the TDM-100 machine since 2005, which is (and has been) compliant with the new test method, enabling us to easily convert to the new EN 388 2016 standard. The table below illustrates how the new EN 388 2016 standard is now in-line with the ANSI/ISEA 105 standard for cut resistance when converting Newtons to grams.

| EN 388 RATING | RANGE (NEWTONS) | CONVERTED RANGE (GRAMS) | ANSI/ISEA 105 LEVEL | RANGE (GRAMS) |
|-----------------------|-----------------|-------------------------|--------------------------|---------------|
| EN CUT LEVEL A | 2 - 4.9 | 204 - 508 | ANSI CUT LEVEL A1 | 200 - 499 |
| EN CUT LEVEL B | 5 - 9.9 | 509 - 1,019 | ANSI CUT LEVEL A2 | 500 - 999 |
| EN CUT LEVEL C | 10 - 14.9 | 1,020 - 1,529 | ANSI CUT LEVEL A3 | 1,000 - 1,499 |
| EN CUT LEVEL D | 15 - 21.9 | 1,530 - 2,242 | ANSI CUT LEVEL A4 | 1,500 - 2,199 |
| EN CUT LEVEL E | 22 - 29.9 | 2,243 - 3,058 | ANSI CUT LEVEL A5 | 2,200 - 2,999 |
| EN CUT LEVEL F | 30+ | 3,059+ | ANSI CUT LEVEL A6 | 3,000 - 3,999 |
| --- | --- | --- | ANSI CUT LEVEL A7 | 4,000 - 4,999 |
| --- | --- | --- | ANSI CUT LEVEL A8 | 5,000 - 5,999 |
| --- | --- | --- | ANSI CUT LEVEL A9 | 6,000+ |

CUT RISK HAZARD MATRIX™

CHOOSING THE RIGHT PROTECTION



THICKER, TOUGHER COATING

resists tears and protects against abrasion cuts when rough edge contact is part of the task



MAXIMUM GRIP COATING


necessary to prevent slippage and any chance of contact with sharp edges

10
HIGH

FORCE EXPOSURE

LOW
0

LIGHT to MEDIUM CUT HAZARDS



- Low gauge, thicker liner means more fabric loft to absorb and resist abrasion
- Spun yarns loftier to mitigate abrasion effects to skin
- TPR* impact protection to help protect against impact injuries

HIGH CUT HAZARDS




- Medium gauge, thicker liner to absorb pressing edge and allow yarn to roll
- Spun or high strength filament yarns

LIGHT CUT HAZARDS



- Low to medium gauge, thicker liner means more fabric loft to absorb and resist abrasion
- Spun yarns loftier to mitigate abrasion effects to skin

MEDIUM to HIGH CUT HAZARDS



- Higher gauge liner means more yarns per inch
- Filament yarns preferred as sharp edge slides across smooth yarn without catching to cut

0
ROUGH

EDGE SHARPNESS

10
RAZOR

YOUR GUIDE TO THE RIGHT CHOICE

INTRODUCING THE CUT RISK HAZARD MATRIX™

The **Cut Risk Hazard Matrix™** is a unique and logical method to guide users in selecting a glove or sleeve with the right cut resistant material and score. Once a safety manager can identify where their application fits on the **Cut Risk Hazard Matrix™**, they can more confidently correlate the task to the glove or sleeve best suited for their job.



We deemed it necessary to develop a unique approach to help determine the risk and possible severity of an injury.

CALCULATING THE CRH: FACTOR™

1. Assess the **EDGE SHARPNESS** with "Rough" equating to the edge of a brick and "Razor" to that of a sharp knife.
2. **FORCE** is relative to the different tasks being performed. Tasks such as deboning large animals require a high degree of force compared to working with box cutters in a repacking operation.
3. Mapping the two will place you in one of the four quadrants of **RISK** where you can determine your CRH: Factor™ and proceed to selecting the optimal coating for maximum grip.

CUT RISK HAZARD MATRIX™

CHOOSING THE RIGHT PROTECTION




THICKER, TOUGHER COATING

resists tears and protects against abrasion cuts when rough edge contact is part of the task



MAXIMUM GRIP COATING

necessary to prevent slippage and any chance of contact with sharp edges



WE'VE EQUATED CUT SCORE FACTORS WITH REAL WORLD TASKS AND APPLICATIONS AS EXAMPLES

By plotting the tasks and applications, we determine a **Cut Risk Hazard Factor™** (CRH: Factor™) as outlined on the right side. The CRH: Factor™ is a comparative indicator that helps safety managers determine the level of potential hazard related to the task or application.

| CRH: FACTOR | TASK |
|-------------|--|
| 9:10 | HANDLING KNIVES IN MEAT PROCESSING AND PACKING |
| 8:9 | GLASS AND WINDOW MANUFACTURING AND INSTALLING |
| 7:7 | TILE AND GLASS WORK IN CONSTRUCTION |
| 8:4 | HANDLING LARGE SHARP PARTS, STAMPINGS AND CASTINGS |
| 6:4 | WORKING WITH WIRES AND METAL STRAPS |
| 5:10 | HANDLING SHARP HANDTOOLS IN CRAFTING AND PACKING |
| 4:8 | HANDLING AND ASSEMBLING SMALL SHARP PARTS |
| 4:5 | HANDLING SHEET METAL IN GENERAL FABRICATION AND CONSTRUCTION |
| 3:3 | HANDLING, ASSEMBLING AND SORTING SMALL PARTS |

NEW PRODUCTS

COATED SEAMLESS KNIT GLOVES



G-Tek[®]
PolyKor[®]
XRYSTAL[™]

POLYKOR[®] XRYSTAL[™] IS AN ENGINEERED YARN THAT REPRESENTS THE NEXT GENERATION IN MAXIMUM CUT PROTECTION AND COMFORT.

It is a blend of high-modulus polyethylene and mineral-based fibers. These mineral-based fibers have a similar chemical composition to glass, but are inherently better in terms of strength, heat and oxidation resistance, as well as compression and shear.



G-Tek[®]
PolyKor[®]
X7[™] TECHNOLOGY

POLYKOR[®] WITH X7[™] TECHNOLOGY FOR MAXIMUM CUT RESISTANCE.

PolyKor[®] with X7[™] Technology represents the latest in engineered yarn development. This reinforced yarn demonstrates very high cut resistance and durability by way of proprietary materials added to the to the HPPE fiber. The result is exceptional cut resistance in a thin liner configuration.



G-Tek[®]
Supreme[™]

A BOLD NEW WORLD OF GRAPHENE-BASED FIBERS.

Similar to graphite, graphene is remarkably strong for its weight – being 100 times stronger than steel – it outperforms any other material. Structurally it is very different than other fibers in that it is made up of micro-structured graphene sheets well-aligned along the fiber axis.



G-Tek[®]
KEV[™]

KEVLAR[®] – A UNIQUE COMBINATION OF HIGH STRENGTH, HIGH MODULUS, & THERMAL STABILITY.

From athletes to astronauts, first responders to industrial workers, Kevlar[®] enables anyone, with an imagination and a job to do, to Dare Bigger[™]. PIP, the leading provider of coated seamless knit gloves in America teamed up with DuPont[®] to develop the new G-TEK[®] KEV[™] series of cut resistant gloves.




NEW CUT PROTECTION FROM PIP

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

CUT RISK HAZARD MATRIX™

HIGH CUT HAZARDS



- Medium gauge, thicker liner to absorb pressing edge and allow yarn to roll
- Spun or high strength filament yarns

LIGHT to MEDIUM CUT HAZARDS

LIGHT CUT HAZARDS

MEDIUM to HIGH CUT HAZARDS

HIGH CUT HAZARDS INCISION RISK

| STYLE NUMBER | ANSI | EN 388 |
|---------------------------------|------|--------|
| G-TEK® POLYKOR® XRYSTAL™ | | |
| 16-X310 | A4 | 4544 |
| 16-X320 | A4 | 4543 |
| 16-X540 | A4 | 4542 |
| 16-X570 | A4 | 4542 |
| 16-X575 | A4 | 4542 |
| G-TEK® SUPRENE™ | | |
| 15-210 | A4 | 4544 |
| 15-215 | A4 | 4544 |
| 15-340 | A4 | 4544 |
| 15-440 | A4 | 4544 |
| G-TEK® 3GX® | | |
| 19-D340LG | A4 | 4544 |
| 19-D340OR | A4 | 4544 |
| 19-D534B | A4 | 4542 |
| 19-D313 | A4 | 3544 |
| 19-D315 | A4 | 3543 |
| 19-D526B | A4 | 4542 |
| 19-D330 | A4 | 4542 |

| STYLE NUMBER | ANSI | EN 388 |
|------------------------|------|--------|
| G-TEK® POLYKOR® | | |
| 16-560* | A4 | 4543 |
| G-TEK® KEV™ | | |
| 09-K1600 | A7 | 4543 |
| 09-K1640 | A4 | 4532 |
| 09-K1630 | A4 | 4532 |
| 73-K1800 | A4 | 2542 |
| 09-K1300 | A4 | 3544 |
| 09-K1700 | A5 | 3543 |

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

INCISION
RISK

NEXT GENERATION
MAXIMUM PROTECTION



HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



G-Tek
PolyKor
XRYSTAL™

Represents the latest iteration of PolyKor® in which it is combined with naturally hardened crystallized minerals. The result is a super tough, durable, cut resistant fiber that is at the peak of performance.



ANSI **A4** EN **5** NITRILE MICROSURFACE COATING

G-TEK® POLYKOR® XRYSTAL™ 16-X310

- Tough, flexible coating
- Excellent dry grip, and good grip in oily conditions
- Black coating on gray liner hides dirt

APPLICATIONS: *Electronics, Small Parts Handling, Construction, General Maintenance*



ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® POLYKOR® XRYSTAL™ 16-X320

- High tactile and sensitive coating
- Excellent dry grip, and good grip in oily conditions
- Durable & hard-wearing coating
- Black coating on gray liner hides dirt

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, General Maintenance*



ANSI **A4** EN **5** NEOFOAM® COATING

G-TEK® POLYKOR® XRYSTAL™ 16-X570

- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Breathable, flexible coating
- Black coating on gray liner hides dirt

APPLICATIONS: *Glass Cutting, Metal Handling, Fastening, Construction*



ANSI **A4** EN **5** POLYURETHANE COATING

G-TEK® POLYKOR® XRYSTAL™ 16-X540

- Thin coating for maximum dexterity and tactile sensitivity
- Good grip on dry, wet or oily surfaces
- Black coating on gray liner hides dirt

APPLICATIONS: *Glass Cutting, Metal Handling, Fastening, Small Sharp Parts Handling, Construction*


PEAK OF CUT PROTECTION

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|----------------------|-------------------|---------------|--------------------------|-------------|---|-------|----------|
| 16-X310 | A4 | 4544 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® Xrystal™ | ☐ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 16-X320 | A4 | 4543 | Nitrile Foam | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® Xrystal™ | ☐ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 16-X540 | A4 | 4542 | Polyurethane | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® Xrystal™ | ☐ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 16-X570 | A4 | 4542 | Neofoam® | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® Xrystal™ | ☐ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 16-X575 | A4 | 4542 | Neofoam® | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® Xrystal™ | ☐ Gray | Coated Seamless Knit with Reinforced Thumb Crotch | 13 | XS - XXL |

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



GRAPHENE NANOTECHNOLOGY NEW SCIENCE IN CUT PROTECTION

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



G-TEK® SUPRENE™ 15-210

- Exceptionally strong liner
- Excellent dry grip, and good grip in oily conditions
- Black coating on gray liner hides dirt

APPLICATIONS: *Electronics, Glass Cutting, Metal Handling, Fastening, General Maintenance*



G-TEK® SUPRENE™ 15-215

- Extended coating coverage for better protection
- Excellent dry grip, and good grip in oily conditions
- Black coating on gray liner hides dirt

APPLICATIONS: *Heavy Duty Industrial, Metal and Castings Handling, Glass and Tile Work, General Maintenance*



G-TEK® SUPRENE™ 15-340

- Thin coating for precision and dexterity
- Good grip in dry, wet, and slightly oily conditions


APPLICATIONS: *Glass Cutting, Metal Handling, Fastening, Construction*



G-TEK® SUPRENE™ 15-440

- High breathability coating for maximum comfort
- Good grip in dry, wet, and slightly oily conditions
- Touchscreen compatible
- Breathable, flexible coating
- Black coating on gray liner hides dirt

APPLICATIONS: *Glass Cutting, Sheet Metal Handling, Fastening, Small Sharp Parts Handling, Construction*



G-Tek®

Suprene™

Latest breakthrough in nanofabrication has resulted in Suprene™ – an affordable fiber with unparalleled strength and physical properties.

UNPARALLELED STRENGTH

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|----------------------|-----------------------------|---------------|-----------------|-------------|----------------------|-------|----------|
| 15-210 | A4 | 4544 | Nitrile MicroSurface | Palm & Fingertips | Black | G-Tek® Suprene™ | Tan | Coated Seamless Knit | 13 | XS - XXL |
| 15-215 | A4 | 4544 | Nitrile MicroSurface | Palm, Full Finger & Knuckle | Black | G-Tek® Suprene™ | Tan | Coated Seamless Knit | 13 | XS - XXL |
| 15-340 | A4 | 4544 | Polyurethane | Palm & Fingertips | Gray | G-Tek® Suprene™ | Tan | Coated Seamless Knit | 13 | XS - XXL |
| 15-440 | A4 | 4544 | Neofoam® | Palm & Fingertips | Black | G-Tek® Suprene™ | Tan | Coated Seamless Knit | 13 | XS - XXL |


HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

G-Tek[®]
3GX[®]



ANSI A4 EN 388 19-D3400R
CUT 4544 L



G-Tek[®]
3GX[®]

Embedded micro-particles strengthen fibers by up to two times, for higher cut scores. 3GX[®] offers cool touch comfort and are lightweight for improved productivity.

STRONGER. SAFER. BETTER.
CUT PROTECTION
WITH DYNEEMA[®] DIAMOND TECHNOLOGY

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



HI-VISIBILITY

ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® 3GX® 19-D340LG

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- High puncture resistance for industrial applications
- Excellent durability

APPLICATIONS: *Handling Metal Parts, Assembly, Fastening, Industrial Construction*



HI-VISIBILITY

ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® 3GX® 19-D340OR

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- High puncture resistance for industrial applications
- Excellent durability

APPLICATIONS: *Handling Metal Parts, Assembly, Fastening, Industrial Construction*



ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® 3GX® BLACK 19-D534B

- Tough wearing, oil and solvent resistant coating
- Good cut protection and tactility
- Good dry grip, fair grip in oily conditions

APPLICATIONS: *Glass Cutting, Construction, Fastening, Metal and Castings, General Maintenance*

G-TEK® 3GX® WITH DYNEEMA® DIAMOND TECHNOLOGY



ANSI **A4** EN **5** LATEX CRINKLE COATING

G-TEK® 3GX® 19-D313

- Heavy duty, tough wearing performance
- Superior grip in dry and slightly wet, non-oily conditions
- High puncture resistance
- Good durability

APPLICATIONS: *Ceramics, Glass and Sheet Metal Handling, Construction, General Maintenance*



ANSI **A4** EN **5** POLYURETHANE COATING

G-TEK® 3GX® BLACK 19-D526B

- Black liner hides dirt and extends life of glove
- Good cut protection and tactility
- Good grip in dry, wet and slightly oily conditions

APPLICATIONS: *Electronics, Glass Cutting, Metal Handling, General Maintenance, Small Parts Handling*



ANSI **A4** EN **5** POLYURETHANE COATING

G-TEK® 3GX® 19-D330

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Excellent durability

APPLICATIONS: *Electronics and Metal Assembly, Small Sharp Parts Handling*

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|------------------|------|--------|---------------|-------------------|---------------|----------------|-----------------|----------------------|-------|-----------|
| 19-D340LG | A4 | 4544 | Nitrile Foam | Palm & Fingertips | ☐ Black | G-Tek® 3GX® | ■ Hi-Vis Lime | Coated Seamless Knit | 13 | XS - XXL |
| 19-D340OR | A4 | 4544 | Nitrile Foam | Palm & Fingertips | ☐ Black | G-Tek® 3GX® | ■ Hi-Vis Orange | Coated Seamless Knit | 13 | XS - XXL |
| 19-D534B | A4 | 4542 | Nitrile Foam | Palm & Fingertips | ☐ Black | G-Tek® 3GX® | ☐ Black | Coated Seamless Knit | 15 | S - XL |
| 19-D313 | A4 | 3544 | Latex Crinkle | Palm & Fingertips | ■ Blue | G-Tek® 3GX® | ■ White | Coated Seamless Knit | 13 | S - XL |
| 19-D315 | A4 | 3543 | Latex Crinkle | Palm & Fingertips | ■ Blue | G-Tek® 3GX® | ■ White | Coated Seamless Knit | 15 | S - XL |
| 19-D526B | A4 | 4542 | Polyurethane | Palm & Fingertips | ☐ Black | G-Tek® 3GX® | ☐ Black | Coated Seamless Knit | 15 | XS - XXL |
| 19-D330 | A4 | 4542 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek® 3GX® | ■ White | Coated Seamless Knit | 13 | XS - XXXL |

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

ANSI



POLYKOR[®] WITH
X7[™] TECHNOLOGY

FOR MAXIMUM CUT RESISTANCE

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



G-Tek
PolyKor[®]
X7™ TECHNOLOGY

PolyKor[®] with X7™ Technology represents the latest in engineered yarn development. This reinforced yarn demonstrates very high cut resistance and durability by way of proprietary materials added to the to the HPPE fiber. The result is exceptional cut resistance in a thin liner configuration.



ANSI **A7** EN **F** NEOFOAM[®] COATING

◀ G-TEK[®] POLYKOR[®] 16-377

- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Breathable, flexible coating
- Black coating on gray liner hides dirt

APPLICATIONS: Glass Cutting, Metal Handling, Fastening, Construction



ANSI **A5** EN **E** NEOFOAM[®] COATING

◀ G-TEK[®] POLYKOR[®] 16-X580

- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Breathable, flexible coating

APPLICATIONS: Glass Cutting, Metal Handling, Fastening, Construction



ANSI **A5** EN **E** NEOFOAM[®] COATING

◀ G-TEK[®] POLYKOR[®] 16-X585

- Super durable cut resistant fiber
- Good grip on dry, wet or oily surfaces
- Tactile and flexible
- Touchscreen compatible
- Thumb reinforcement for durability
- Breathable, flexible coating

APPLICATIONS: Glass Cutting, Metal Handling, Fastening, Construction



ANSI **A4** EN **5** POLYURETHANE COATING

◀ G-TEK[®] POLYKOR[®] 16-560

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Good puncture resistance for industrial applications
- Excellent durability

APPLICATIONS: Electronics, Glass Cutting, Metal Handling, Fastening, Construction



THUMB REINFORCEMENT

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|----------------------|-------------------|---------------|---|-------------|---|-------|----------|
| 16-377 | A7 | 4542F | Neofoam [®] | Palm & Fingertips | □ Black | G-Tek [®] PolyKor [®] | ■ Gray | Coated Seamless Knit | 18 | XS - XXL |
| 16-X580 | A5 | 4x42E | Neofoam [®] | Palm & Fingertips | □ Black | G-Tek [®] PolyKor [®] | □ Black | Coated Seamless Knit | 13 | XS - XXL |
| 16-X585 | A5 | 4x42E | Neofoam [®] | Palm & Fingertips | □ Black | G-Tek [®] PolyKor [®] | □ Black | Coated Seamless Knit with Reinforced Thumb Crotch | 13 | XS - XXL |
| 16-560 | A4 | 4543 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek [®] PolyKor [®] | ■ Gray | Coated Seamless Knit | 13 | XS - XXL |

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES



G-Tek[®]
KEV[™]

Takes the power of DuPont[™] Kevlar[®] and combines it with proprietary core technology for maximum cut strength and protection in light heat applications.



Kevlar.

DARE < **BIGGER**[™]

THE POWER OF KEVLAR[®]

CUT & HEAT PROTECTION

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

MAXIMUM CUT PROTECTION



ANSI **A7** EN **5** NITRILE FOAM COATING

G-TEK® KEV™ 09-K1600

- Superior cut resistance
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Metal Handling, Fastening, Construction



ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® KEV™ 09-K1640

- Red liner for easy compliance detection on job site
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Metal Handling, Small Sharp Parts Handling, Fastening



ANSI **A4** EN **5** NITRILE FOAM COATING

G-TEK® KEV™ 09-K1630

- Excellent durability and abrasion resistance
- Good grip on dry, wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Metal Handling, Fastening, Construction, General Maintenance



ANSI **A4** EN **5** LATEX CRINKLE COATING

G-TEK® KEV™ 09-K1300

- Excellent grip in dry and wet, non-oily conditions
- Fully coated thumb to increase wear
- High puncture resistance
- Good durability

APPLICATIONS: Ceramics, Glass Cutting, Metal Handling, General Maintenance

TOUGH WEARING



ANSI **A4** EN **5** NITRILE FOAM COATING

MAXIMUM SAFETY® 73-K1800

- Arc rated with high cut protection
- Seamless knit aramid liner is comfortable and flexible
- Nitrile coated palm and finger tips for enhanced grip

APPLICATIONS: Oil and Gas Protection Against Arc and Flash Fires

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|---------------|-------------------|---------------|----------------|----------------|----------------------|-------|---------|
| 09-K1600 | A7 | 4543 | Nitrile Foam | Palm & Fingertips | Black | G-Tek® KEV™ | Yellow / Black | Coated Seamless Knit | 13 | S - XXL |
| 09-K1640 | A4 | 4532 | Nitrile Foam | Palm & Fingertips | Black | G-Tek® KEV™ | Red | Coated Seamless Knit | 13 | S - XXL |
| 09-K1630 | A4 | 4532 | Nitrile Foam | Palm & Fingertips | Black | G-Tek® KEV™ | Gray | Coated Seamless Knit | 13 | S - XXL |
| 73-K1800 | A4 | 2542 | Nitrile Foam | Palm & Fingertips | Black | Aramid | Yellow | Coated Seamless Knit | 13 | S - XXL |
| 09-K1300 | A4 | 3544 | Latex Crinkle | Palm & Fingertips | Blue | G-Tek® KEV™ | Yellow | Coated Seamless Knit | 10 | S - XXL |

HIGH CUT HAZARDS – INCISION RISK

COATED SEAMLESS KNIT GLOVES

DEFYING LIMITS

CHALLENGING THE CONVENTIONAL

PIP data demonstrates that more often than not arm protection is left to long-sleeved daily work wear. **This is not protection.** Only a Kut Gard® sleeve designed and conforming to the latest cut standards will do the job.

KUT GARD® MADE WITH KEVLAR® SLEEVES

| STYLE NUMBER | ANSI | COLOR | CONSTRUCTION | PLY | LENGTHS |
|--------------|------|----------------|--------------|-----|----------|
| 10-KVSRD | A6 | Red | Blousy | 1 | 12", 18" |
| 10-KVSDGH | A6 | Dark Gray | Blousy | 1 | 12", 18" |
| 10-KVSYBH | A6 | Yellow / Black | Blousy | 1 | 12", 18" |



Kevlar.

DARE  BIGGER™



MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES

LIGHT to MEDIUM
CUT HAZARDS


HIGH
CUT HAZARDS

MEDIUM TO HIGH CUT HAZARDS

LACERATION & INCISION RISK

LIGHT
CUT HAZARDS

MEDIUM to HIGH CUT HAZARDS



- Higher gauge liner means more yarns per inch
- Filament yarns preferred as sharp edge slides across smooth yarn without catching to cut

CRH MATRIX™

STYLE NUMBER ANSI EN 388

G-TEK® 36X®

| | | |
|----------------|----|------|
| 19-D334 | A3 | 4443 |
| 19-D355 | A3 | 4343 |
| 19-D322 | A3 | 4442 |
| 19-D320 | A3 | 4442 |
| 19-D310 | A3 | 4442 |
| 19-D325 | A3 | 4542 |
| 19-D326 | A3 | 4442 |
| 19-D360 | A3 | 4442 |
| 19-D327 | A3 | 4542 |

G-TEK® POLYKOR®

| | | |
|-----------------|----|------|
| 16-340LG | A3 | 4544 |
| 16-340OR | A3 | 4544 |
| 16-350 | A3 | 4543 |
| 16-520HY | A3 | 4542 |
| 16-815 | A3 | 3543 |
| 16-747 | A3 | 3341 |
| 16-820 | A3 | 2543 |

STYLE NUMBER ANSI EN 388

G-TEK® KEV™

| | | |
|-----------------|----|------|
| 09-K1618 | A3 | 4421 |
| 09-K1350 | A3 | 2342 |
| 09-K1444 | A3 | 2444 |
| 09-K1310 | A3 | 2444 |
| 09-K1218 | A3 | 4331 |

MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES

LACERATION
INCISION
RISK


GREAT WHITE
3GX
ANSI A3 EN 388
CUT 4442 L 19-D322
FIB

G-Tek[®]
3GX[®]

REDEFINE[®]
CUT PROTECTION



MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES



HIDES DIRT



**G-TEK® 3GX®
19-D334**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Liner and dark coating hides dirt
- Good puncture resistance
- Excellent durability

APPLICATIONS: *Handling Metal Parts, Assembly, Fastening, Industrial, Construction*



ENHANCED PROTECTION



**G-TEK® 3GX®
19-D355**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Dark colors hides dirt
- Greater coating coverage for enhanced abrasion and liquid protection
- Good puncture resistance
- Excellent durability

APPLICATIONS: *Heavy Duty Handling Metal Parts, Assembly, Fastening Industrial, Construction*



BEST SELLER



**G-TEK®
GREAT WHITE® 3GX®
19-D322**

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Excellent durability

APPLICATIONS: *Electronics Assembly, Metal Handling, Small and Medium Sharp Parts Handling, Industrial, Construction*



**G-TEK® 3GX®
19-D320**

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Gray coating on gray liner hides dirt
- Excellent durability

APPLICATIONS: *Electronics Assembly, Metal Handling, Small and Medium Sharp Parts Handling, Maintenance, Repair*



FOR CLEAN WORK



**G-TEK® 3GX®
19-D325**

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- White coating on white liner ideal for cleaner work
- Excellent durability

APPLICATIONS: *Electronics Assembly, Metal Handling, Small and Medium Sharp Parts Handling*



**G-TEK® 3GX®
19-D326**

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Excellent durability

APPLICATIONS: *Electronics Assembly, Metal Handling, Small and Medium Sharp Parts Handling, Maintenance, Repair*



HIDES DIRT



**G-TEK® 3GX®
19-D327**

- Excellent tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Gray coating on gray liner hides dirt
- Excellent durability

APPLICATIONS: *Electronics Assembly, Metal Handling, Small Sharp Parts Handling, Maintenance, Repair Operations*

MEDIUM TO HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|--------------|-----------------------------|---------------|----------------|---------------|----------------------|-------|-----------|
| 19-D334 | A3 | 4443 | Nitrile Foam | Palm & Fingertips | Black | G-Tek® 3GX® | Salt & Pepper | Coated Seamless Knit | 13 | S - XL |
| 19-D355 | A3 | 4343 | Nitrile Foam | Palm, Full Finger & Knuckle | Black | G-Tek® 3GX® | Salt & Pepper | Coated Seamless Knit | 13 | S - XL |
| 19-D322 | A3 | 4442 | Polyurethane | Palm & Fingertips | Gray | G-Tek® 3GX® | White | Coated Seamless Knit | 13 | XS - XXL |
| 19-D320 | A3 | 4442 | Polyurethane | Palm & Fingertips | Gray | G-Tek® 3GX® | Gray | Coated Seamless Knit | 13 | XS - XXL |
| 19-D310 | A3 | 4442 | Polyurethane | Palm & Fingertips | Gray | G-Tek® 3GX® | White | Coated Seamless Knit | 13 | XS - XXL |
| 19-D325 | A3 | 4542 | Polyurethane | Palm & Fingertips | White | G-Tek® 3GX® | White | Coated Seamless Knit | 13 | XXS - XXL |
| 19-D326 | A3 | 4442 | Polyurethane | Palm & Fingertips | Black | G-Tek® 3GX® | Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 19-D360 | A3 | 4442 | Polyurethane | Palm & Fingertips | Gray | G-Tek® 3GX® | Gray | Coated Seamless Knit | 13 | S - XL |
| 19-D327 | A3 | 4542 | Polyurethane | Palm & Fingertips | Gray | G-Tek® 3GX® | Gray | Coated Seamless Knit | 15 | XS - XXL |

MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES



HI-VISIBILITY



G-TEK® POLYKOR® 16-340LG

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Hi-Vis for enhanced hand visibility
- Good puncture resistance
- Excellent durability
- Double-dipped coating for added wear protection

APPLICATIONS: *Electronics, Glass Cutting, Metal Handling, Fastening, Construction*



HIDES DIRT



G-TEK® POLYKOR® 16-350

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better comfort against skin
- Good puncture resistance
- Excellent durability
- Double-dipped coating for added wear protection

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, Maintenance*



DOUBLE-DIPPED COATING



G-TEK® POLYKOR® 16-815

- High tactile sensitivity and dexterity
- Excellent grip in dry and wet, non-oily conditions
- Better comfort against skin
- Good puncture resistance
- Good durability
- Double-dipped coating for added wear protection

APPLICATIONS: *Ceramics, Glass Cutting, Metal Handling, General Maintenance*



16-747

- Good cut resistance
- Good grip in greasy or oily conditions
- Black coating and liner hides dirt

APPLICATIONS: *Metal Handling, Fastening, Assembly, Construction*



HI-VISIBILITY



G-TEK® POLYKOR® 16-520HY

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Hi-Vis yellow for easy compliance detection

APPLICATIONS: *Electronics, Metal Handling, Fastening, Construction*



G-TEK® POLYKOR® 16-820

- High tactile sensitivity and dexterity
- Excellent grip in dry and wet, non-oily conditions
- Better comfort against skin
- Greater coating coverage for enhanced protection
- Inner acrylic liner for cold weather use
- Good puncture resistance

APPLICATIONS: *Ceramics, Glass Cutting, Metal Handling, General Maintenance, Construction*

MEDIUM TO HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|----------------------|-----------------------------|---------------|-----------------|-----------------|---|-------|----------|
| 16-340LG | A3 | 4544 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® | ■ Hi-Vis Lime | Coated Seamless Knit | 13 | S - XXL |
| 16-340OR | A3 | 4544 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® | ■ Hi-Vis Orange | Coated Seamless Knit | 13 | S - XXL |
| 16-350 | A3 | 4543 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 16-520HY | A3 | 4542 | Polyurethane | Palm & Fingertips | ■ Hi-Vis Lime | G-Tek® PolyKor® | ■ Hi-Vis Lime | Coated Seamless Knit | 13 | XS - XXL |
| 16-815 | A3 | 3543 | Latex MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 16-747 | A3 | 3341 | PVC | Palm & Fingertips | ☐ Black | PolyKor® Blend | ☐ Black | Coated Seamless Knit | 13 | XS - XXL |
| 16-820 | A3 | 2543 | Latex MicroSurface | Palm, Full Finger & Knuckle | ☐ Black | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | S - XXL |
| 16-368 | A3 | 4x31C | Neofoam® | Palm & Fingertips | ☐ Black | G-Tek® PolyKor® | ■ Maroon | Coated Seamless Knit with Reinforced Thumb Crotch | 18 | S - XXL |

MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES



THUMB REINFORCEMENT



G-TEK® POLYKOR® 16-368

- High tactile sensitivity and dexterity
- NeoFoam™ coating offers breathability for increased comfort
- NeoFoam™ finish provides excellent dry grip and compatibility with light oils
- Thumb reinforcement for durability
- Excellent durability

APPLICATIONS: *Handling Ceramics, Corrugated Sheets, Non-Deburred Parts, Glass Panels, Plastics Injection Moulds, Sharp Edged Metal Sheets, Small Sharp Components, Logistics, Warehousing, Maintenance, Primary, Secondary and Final Assembly*

G-Tek
PolyKor

PROTECTION.
PERFORMANCE.
VALUE.



MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

COATED SEAMLESS KNIT GLOVES



ANSI
A3

EN
4



G-TEK® KEV™
09-K1618

- Thin coating for maximum dexterity
- Excellent dry grip, and good grip on wet or oily surfaces
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Electronics, Metal Handling, Fastening, Construction



ANSI
A3

EN
4



09-K1310

- Excellent grip in dry and wet, non-oily conditions
- Fully coated thumb to increase wear
- High puncture resistance

APPLICATIONS: Ceramics, Glass Cutting, Metal Handling, General Maintenance



ANSI
A3

EN
3



G-TEK® KEV™
09-K1218

- High breathability and comfort
- Excellent dry grip, and good grip in oily conditions
- Protection in light heat applications

APPLICATIONS: Glass Cutting, Metal Parts, Fastening, Construction



CUT & HEAT PROTECTION



MEDIUM TO HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|-----------------|------|--------|---------------|-------------------|--|-----------------|--|----------------------|-------|---------|
| 09-K1618 | A3 | 4421 | Nitrile Foam | Palm & Fingertips | <input type="checkbox"/> Black | G-Tek® KEV™ | <input type="checkbox"/> Gray | Coated Seamless Knit | 18 | S - XXL |
| 09-K1310 | A3 | 2444 | Latex Crinkle | Palm & Fingertips | <input checked="" type="checkbox"/> Blue | DuPont™ Kevlar® | <input checked="" type="checkbox"/> Yellow | Coated Seamless Knit | 10 | S - XL |
| 09-K1218 | A3 | 4331 | Neoflam® | Palm & Fingertips | <input type="checkbox"/> Black | G-Tek® KEV™ | <input type="checkbox"/> Gray | Coated Seamless Knit | 18 | S - XXL |

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES

LIGHT CUT HAZARDS ABRASION RISK

LIGHT to MEDIUM
CUT HAZARDS

HIGH
CUT HAZARDS

MEDIUM to HIGH
CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 |
|------------------------|------|--------|
| G-TEK® 3GX® | | |
| 19-D350 | A2 | 4342 |
| 19-D324 | A2 | 4542 |
| 19-D318 | A2 | 3342 |
| G-TEK® POLYKOR® | | |
| 16-343LG | A2 | 4344 |
| 16-343OR | A2 | 4344 |
| 16-330 | A2 | 4342 |
| 16-334 | A2 | 4343 |
| 16-355 | A2 | 4343 |
| 16-323 | A2 | 4332 |
| 16-813 | A2 | 3343 |
| 16-D622 | A2 | 4342 |
| 16-318V | A2 | 4342 |
| 16-150 | A2 | 4342 |
| 16-530 | A2 | 4343 |
| 19-D650 | A2 | 4342 |
| 19-D655 | A2 | 4341 |

| STYLE NUMBER | ANSI | EN 388 |
|--------------------|------|--------|
| G-TEK® KEV™ | | |
| 09-K1660 | A2 | 4343 |
| 09-K1400 | A2 | 2342 |
| 09-K1450 | A2 | 3221 |
| 09-K1250 | A2 | 4231 |

LIGHT CUT HAZARDS



- Low to medium gauge, thicker liner means more fabric loft to absorb and resist abrasion
- Spun yarns loftier to mitigate abrasion effects to skin

CRH MATRIX™

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES

ABRASION
RISK



DEPENDABLE CUT PROTECTION

LIGHT CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|--------------|-------------------|---------------|----------------|---------------|----------------------|-------|----------|
| 19-D350 | A2 | 4342 | Nitrile Foam | Palm & Fingertips | Gray | G-Tek® 3GX® | Salt & Pepper | Coated Seamless Knit | 13 | S - XL |
| 19-D324 | A2 | 4542 | Polyurethane | Palm & Fingertips | Black | G-Tek® 3GX® | White | Coated Seamless Knit | 13 | XS - XXL |
| 19-D318 | A2 | 3342 | Polyurethane | Palm & Fingertips | Black | G-Tek® 3GX® | Blue | Coated Seamless Knit | 18 | XS - XXL |



G-TEK® 3GX® 19-D350

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better comfort against skin
- Dark liner and coating hides dirt
- Excellent durability

APPLICATIONS: *Handling Metal Parts, Assembly, Fastening, Industrial, Construction*



G-TEK® 3GX® 19-D324

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Excellent durability

APPLICATIONS: *Electronics and Metal Assembly, Small and Medium Sharp Parts Handling*



G-TEK® 3GX® 19-D318

- Super thin cut resistant glove for the ultimate dexterity and tactile sensitivity
- Good grip in dry, wet, and slightly oily conditions
- Good durability

APPLICATIONS: *Small Parts Handling and Assembly, Packaging, Fastening, Wiring*

ULTRA THIN

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES



HI-VISIBILITY



**G-TEK® POLYKOR®
16-343LG**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better grip in wet conditions
- Better comfort against skin
- High puncture resistance
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



DOUBLE-DIPPED COATING



**G-TEK® POLYKOR®
16-330**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better grip in wet conditions
- Better comfort against skin
- Excellent durability
- Double-dipped coating for added wear protection

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



**G-TEK® POLYKOR®
16-334**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better comfort against skin
- Good puncture resistance
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



CONFIDENCE TO DO THE JOB



ENHANCED PROTECTION



**G-TEK® POLYKOR®
16-355**

- High tactile sensitivity and dexterity
- Excellent dry grip and resistance to oils
- Better comfort against skin
- Greater coating coverage for enhanced protection
- Good puncture resistance
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



HI-VISIBILITY



**G-TEK® POLYKOR®
16-323**

- High tactile sensitivity and dexterity
- Good dry grip and resistance to oils
- Better comfort against skin
- High abrasion resistance
- Reinforced thumb crotch provides added durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



**G-TEK® POLYKOR®
16-813**

- High tactile sensitivity and dexterity
- Excellent grip in dry and wet, non-oily conditions
- Better comfort against skin
- Good puncture resistance
- Good durability

APPLICATIONS: *Ceramics, Glass Cutting, Metal Handling, General Maintenance*

LIGHT CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|-----------------|------|--------|----------------------|-----------------------------|---------------|-----------------|---------------|----------------------|-------|-----------|
| 16-343LG | A2 | 4344 | Nitrile MicroSurface | Palm & Fingertips | Black | G-Tek® PolyKor® | Hi-Vis Lime | Coated Seamless Knit | 13 | XS - XXL |
| 16-343OR | A2 | 4344 | Nitrile MicroSurface | Palm & Fingertips | Black | G-Tek® PolyKor® | Hi-Vis Orange | Coated Seamless Knit | 13 | XS - XXL |
| 16-330 | A2 | 4342 | Nitrile MicroSurface | Palm & Fingertips | Black | G-Tek® PolyKor® | Blue | Coated Seamless Knit | 13 | XS - XXL |
| 16-334 | A2 | 4343 | Nitrile Foam | Palm & Fingertips | Black | G-Tek® PolyKor® | Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 16-355 | A2 | 4343 | Nitrile Foam | Palm, Full Finger & Knuckle | Black | G-Tek® PolyKor® | Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 16-323 | A2 | 4332 | Nitrile Foam | Palm & Fingertips | Gray | G-Tek® PolyKor® | Hi-Vis Lime | Coated Seamless Knit | 13 | XS - XXXL |
| 16-813 | A2 | 3343 | Latex Crinkle | Palm & Fingertips | Yellow | G-Tek® PolyKor® | White | Coated Seamless Knit | 13 | XS - XXL |

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES



G-Tek
PolyKor

PROVEN & TRUSTED CUT PROTECTION

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES



G-TEK® POLYKOR® 16-D622

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Good puncture resistance

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



SUPER THIN



G-TEK® POLYKOR® 16-319

- Super thin cut resistant glove for the ultimate dexterity and tactile sensitivity
- Good grip in dry, wet and slightly oily conditions
- Touchscreen compatible
- Good durability

APPLICATIONS: *Finishing and Inspection, Small Parts Handling, Maintenance*



G-TEK® POLYKOR® 16-150

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Dark liner and coating hides dirt
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



G-TEK® POLYKOR® 16-530

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Dark liner and coating hides dirt
- Good puncture resistance
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*

HIDES DIRT



G-TEK® POLYKOR® 19-D650

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Dark liner and coating hides dirt
- Spun fiber enhances comfort
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*



G-TEK® POLYKOR® 19-D655

- High tactile sensitivity and dexterity
- Good grip in dry, wet, and slightly oily conditions
- Dark liner and coating hides dirt
- Greater coating coverage for enhanced protection
- Spun fiber enhances comfort
- Excellent durability

APPLICATIONS: *Electronics, Sheet Metal Handling, Parts Assembly, Small Sharp Parts Handling, Construction, General Maintenance*

ENHANCED PROTECTION

LIGHT CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|--------------|-----------------------------|---------------|-----------------|-----------------|----------------------|-------|-----------|
| 16-D622 | A2 | 4342 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek® PolyKor® | ■ White | Coated Seamless Knit | 13 | XS - XXL |
| 16-319 | A2 | 4342 | Polyurethane | Palm | ■ Blue | G-Tek® PolyKor® | ■ Blue | Coated Seamless Knit | 18 | XS - XXL |
| 16-320 | A2 | 4x41B | Neofoam® | Palm | ■ Blue | G-Tek® PolyKor® | ■ Blue | Coated Seamless Knit | 18 | XS - XXL |
| 16-150 | A2 | 4342 | Polyurethane | Palm & Fingertips | □ Black | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | XS - XXXL |
| 16-530 | A2 | 4343 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | XS - XXL |
| 19-D650 | A2 | 4342 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek® PolyKor® | ■ Gray | Coated Seamless Knit | 13 | S - XXL |
| 19-D655 | A2 | 4341 | Polyurethane | Palm, Full Finger & Knuckle | □ Black | G-Tek® PolyKor® | ■ Salt & Pepper | Coated Seamless Knit | 13 | S - XL |

LIGHT CUT HAZARDS – ABRASION RISK

COATED SEAMLESS KNIT GLOVES

G-Tek
KEV™

HIGH STRENGTH
& THERMAL
STABILITY



Kevlar
DARE **BIGGER**™



**G-TEK® KEV™
09-K1660**

- Higher dexterity
- Excellent dry grip and resistance to oils
- Better grip in wet conditions
- Excellent durability

APPLICATIONS: *Ceramics, Glass Cutting,
Metal Handling, General Maintenance*



09-K1400

- Excellent dry grip conditions and resistance to oils

APPLICATIONS: *Ceramics, Glass Cutting,
Metal Handling, General Maintenance*

100% KEVLAR® SHELL



09-K1450

- Higher dexterity
- Excellent dry grip and resistance to oils
- Good durability

APPLICATIONS: *Ceramics, Glass Cutting,
Metal Handling, General Maintenance*

EXCELLENT DRY GRIP



**G-TEK® KEV™
09-K1250**

- Higher dexterity
- Good grip in wet and dry conditions with light oils
- Excellent durability

APPLICATIONS: *Electronics, Parts
Assembly, Small Sharp Parts Handling,
Construction, General Maintenance*

LIGHT CUT HAZARDS


| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|-----------------|------|--------|----------------------|-------------------|---------------|-----------------|-------------|----------------------|-------|-----------|
| 09-K1660 | A2 | 4343 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | G-Tek® KEV™ | ■ Yellow | Coated Seamless Knit | 13 | S - XXL |
| 09-K1400 | A2 | 2342 | Nitrile | Palm & Fingertips | ☐ Black | DuPont™ Kevlar® | ■ Yellow | Coated Seamless Knit | 10 | XS - XL |
| 09-K1450 | A2 | 3221 | Nitrile | Palm & Fingertips | ☐ Black | DuPont™ Kevlar® | ■ Yellow | Coated Seamless Knit | 15 | XS - XXXL |
| 09-K1250 | A2 | 4231 | Polyurethane | Palm & Fingertips | ■ Gray | G-Tek® KEV™ | ■ Yellow | Coated Seamless Knit | 13 | XS - XXL |

LIGHT TO MEDIUM CUT HAZARDS – ABRASION, LACERATION & CONTUSION RISK

COATED SEAMLESS KNIT GLOVES

| STYLE NUMBER | ANSI | EN 388 |
|------------------------|------|--------|
| MAXIMUM SAFETY® | | |
| 120-5150 | A3 | 4544 |
| 120-5130 | A2 | 4344 |

LIGHT to MEDIUM CUT HAZARDS



- Low gauge, thicker liner means more fabric loft to absorb and resist abrasion
- Spun yarns loftier to mitigate abrasion effects to skin
- TPR* impact protection to help protect against impact injuries

CRH MATRIX™

HIGH
CUT HAZARDS

LIGHT
CUT HAZARDS

MEDIUM to HIGH
CUT HAZARDS

LIGHT TO MEDIUM CUT HAZARDS ABRASION, LACERATION & CONTUSION RISK

*Thermoplastic Rubber

LIGHT TO MEDIUM CUT HAZARDS – ABRASION, LACERATION & CONTUSION RISK

COATED SEAMLESS KNIT GLOVES

ABRASION
LACERATION
CONTUSION
RISK



▲ 120-5150



▲ 120-5130



MAXIMUM SAFETY® TUFFMAX5™ AND TUFFMAX3™

- Lightweight HPPE knit liner provides excellent dexterity and tactile sensitivity
- Thermoplastic rubber (TPR) guards for pinch point protection
- MicroSurface nitrile for enhanced grip in wet, dry and oily applications
- Dorsal protection against impact to the back of the hand
- Excellent puncture resistance
- Extended cuff for additional protection

APPLICATIONS: *Petrochemical, Heavy/Light Construction, Demolition, Manufacturing, Mining, Rigging, Fabrication*



MAXIMUM PROTECTION

LIGHT TO MEDIUM CUT HAZARDS

| STYLE NUMBER | ANSI | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|------|--------|----------------------|-------------------|--------------------------------|----------------|---------------|----------------------|-------|---------|
| 120-5150 | A3 | 4544 | Nitrile MicroSurface | Palm & Fingertips | <input type="checkbox"/> Black | HPPE | Hi-Vis Orange | Coated Seamless Knit | 13 | M - XXL |
| 120-5130 | A2 | 4344 | Nitrile MicroSurface | Palm & Fingertips | <input type="checkbox"/> Black | HPPE | Hi-Vis Green | Coated Seamless Knit | 13 | M - XXL |



Made in the U.S.A., Kut Gard® seamless knit gloves are designed to provide the highest possible cut protection and because they comply with both the US and Canadian standards for food contact, Kut Gard® gloves can be used for operations where direct, indirect, and incidental contact with food may occur.

**KUT GARD®
WITH DYNEEMA®**

Dyneema® is 15 times stronger than steel on a weight for weight basis! It's a High Performance Polyethylene (HPPE) fiber made from Ultra-High Molecular Weight Polyethylene (UHMWPE). Dyneema® fiber is much thinner and more flexible than traditional materials, such as leather and cotton, while offering higher protection.

**KUT GARD®
PolyKor®**

Products constructed with PolyKor® engineered yarn are suitable for protection against mechanical hazards in the toughest environments. PolyKor® products can be designed for different protection levels, up to the highest levels, while maintaining an unprecedented level of comfort.

**KUT GARD®
MADE WITH
KEVLAR®**

Kevlar® is light, comfortable and provides enduring protection against heat, cuts, lacerations and abrasions. Protective gloves and sleeves bearing this brand name provide assurance of compliance to strict standards, and are produced only by Kevlar® licensed manufacturers.

**KUT GARD®
ACP™**

Proprietary ACP™ Technology raises the standards for performance knit products offering an increase in overall performance and value compared to traditional Aramid products. ACP™ provides excellent abrasion and cut resistance for lower cost per use. ACP™ Technology gloves and sleeves are 100% silicone free.



HIGH CUT HAZARDS – INCISION RISK

SEAMLESS KNIT GLOVES

INCISION
RISK



HIGH CUT HIGH-VISIBILITY



22-760

22-760OR

22-760BG



22-760GRN

22-760G

22-760NP



KUT GARD® 22-760BB

- Excellent cut protection
- Made with component materials that comply with federal regulations for food contact 21 CFR 170-199
- Ambidextrous

APPLICATIONS: *Food Service, Food Processing, Glass and Metal Handling*



KUT GARD® 22-751

- Excellent cut protection
- Made with component materials that comply with federal regulations for food contact 21 CFR 170-199
- Silagrip coating provides superior wet and dry grip

APPLICATIONS: *Food Service, Food Processing, Pulp and Paper Processing, Plastic Molding, Glass and Metal Handling*



KUT GARD® 08-KA740PD

- Excellent cut resistance
- Light heat protection
- Dotted palm for enhanced grip and abrasion resistance

APPLICATIONS: *Sheet Metal Fabrication, Recycling, Metal Fabrication, Pulp and Paper Processing*



PROTECT AGAINST INCISION

HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | 21 CFR | MATERIAL | COLOR | CONSTRUCTION | GAUGE | WEIGHT | COATING | COATING COVERAGE | SIZES |
|--------------------|------|--------|-----------------------------|----------------|---|-------|--------|--------------------|------------------|----------|
| 22-760 | A7 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 10 | Medium | --- | --- | XS - XL |
| 22-760BB | A7 | Yes | Kut Gard® with Dyneema® | ■ Bright Blue | Seamless Knit | 10 | Medium | --- | --- | XS - XXL |
| 22-760BG | A7 | Yes | Kut Gard® with Dyneema® | ■ Bright Green | Seamless Knit | 10 | Medium | --- | --- | XS - XXL |
| 22-760G | A7 | Yes | Kut Gard® with Dyneema® | ■ Gray | Seamless Knit | 10 | Medium | --- | --- | XS - XL |
| 22-760GRN | A7 | Yes | Kut Gard® with Dyneema® | ■ Dark Green | Seamless Knit | 10 | Medium | --- | --- | XS - XXL |
| 22-760NP | A7 | Yes | Kut Gard® with Dyneema® | ■ Neon Pink | Seamless Knit | 10 | Medium | --- | --- | XS - XXL |
| 22-760OR | A7 | Yes | Kut Gard® with Dyneema® | ■ Orange | Seamless Knit | 10 | Medium | --- | --- | XS - XXL |
| 18-SD385 | A6 | Yes | Kut Gard® with Dyneema® | ■ Gray | Seamless Knit | 7 | Medium | Blue PVC Dense Dot | Double-Sided | XS - XL |
| 22-770 | A6 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 22-750 | A5 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 13 | Light | --- | --- | XS - XL |
| 22-751 | A5 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit, Hand Specific | 13 | Light | Silagrip Palm | Single-Sided | XS - XL |
| 22-600 | A9 | Yes | Kut Gard® PolyKor® | ■ White | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 22-600BK | A9 | Yes | Kut Gard® PolyKor® | ■ Black | Seamless Knit | 7 | Heavy | --- | --- | S - L |
| 22-601 | A9 | Yes | Kut Gard® PolyKor® | ■ White | Seamless Knit, Hand Specific | 7 | Heavy | Silagrip Palm | Single-Sided | XS - XL |
| 22-615 | A9 | Yes | Kut Gard® PolyKor® | ■ White | Seamless Knit, Half-Finger, Hand Specific | 7 | Heavy | Silagrip Palm | Single-Sided | XS - XL |
| 22-650 | A7 | Yes | Kut Gard® PolyKor® | ■ Blue | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 22-900 | A7 | Yes | Kut Gard® PolyKor® | ■ Gray | Seamless Knit | 7 | Medium | --- | --- | XS - XL |
| 22-720 | A6 | Yes | Kut Gard® PolyKor® | ■ White | Seamless Knit | 10 | Medium | --- | --- | XS - XL |
| 07-K390 | A6 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Heavy | --- | --- | S - XL |
| 08-K385 | A6 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Heavy | Blue PVC Dot | Double-Sided | L |
| 07-KA720 | A6 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Medium | --- | --- | S - XL |
| 08-KA720PD | A6 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Medium | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA720PDD | A6 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Medium | Blue PVC Dense Dot | Double-Sided | S - XL |
| 08-KA728PD | A6 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit, Extended Cuff | 7 | Medium | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA728PDD | A6 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit, Extended Cuff | 7 | Medium | Blue PVC Dense Dot | Double-Sided | S - XL |
| 07-KA730 | A5 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Medium | --- | --- | S - XL |
| 08-KA700PD | A5 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Heavy | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA700PDD | A5 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Heavy | Blue PVC Dense Dot | Double-Sided | S - XL |

MEDIUM TO HIGH CUT HAZARDS - LACERATION & INCISION RISK

SEAMLESS KNIT GLOVES

LACERATION
INCISION
RISK



MEDIUM TO HIGH
CUT HAZARDS

MEDIUM TO HIGH CUT HAZARDS – LACERATION & INCISION RISK

SEAMLESS KNIT GLOVES



◀ KUT GARD® 14-PK700

- Excellent cut resistance to protect against minor cuts and scrapes
- Exceptional comfort and fit
- Superior abrasion and fatigue resistance
- 100% silicone free

APPLICATIONS: *Automotive Manufacturing, Metal Fabrication, Assembly, Plastic Molding, Glass Handling, Food Processing, And Metal Stamping*



◀ KUT GARD® 14-ASP700PDD

- Excellent cut resistance to protect against minor cuts and scrapes
- Exceptional comfort and fit
- Double-sided PVC dots provided enhanced grip and extra cut and abrasion resistance
- 100% silicone free

APPLICATIONS: *Automotive Manufacturing, Metal Fabrication, Assembly, Plastic Molding, Glass Handling, Food Processing, And Metal Stamping*

DOUBLE-SIDED PVC DOT GRIP



◀ KUT GARD® 07-KA710

- Excellent cut resistance
- Light heat protection
- Ambidextrous
- Heavier gauge for increased durability

APPLICATIONS: *Sheet Metal Fabrication, Recycling, Metal Fabrication, Pulp and Paper Processing*



HEAVY DUTY PERFORMANCE

MEDIUM TO HIGH CUT HAZARDS

| STYLE NUMBER | ANSI | 21 CFR | MATERIAL | COLOR | CONSTRUCTION | GAUGE | WEIGHT | COATING | COATING COVERAGE | SIZES |
|--------------|------|--------|-------------------------------|-------------------------|---------------|-------|---------|--------------------|------------------|----------|
| 14-PK700 | A4 | Yes | Kut Gard® PolyKor® | ☐ Black / White | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 17-DA700 | A4 | Yes | Kut Gard® PolyKor® | ☐ Gray | Seamless Knit | 7 | Medium | --- | --- | S - XL |
| 17-DA720 | A4 | Yes | Kut Gard® PolyKor® | ☐ Gray | Seamless Knit | 13 | Light | --- | --- | S - XL |
| 22-730 | A4 | Yes | Kut Gard® PolyKor® | ■ White | Seamless Knit | 13 | Light | --- | --- | XS - XL |
| 14-ASP700 | A4 | Yes | Antimicrobial Engineered Yarn | ☐ Black / White Heather | Seamless Knit | 10 | Medium | Green PVC Dot | Single-Sided | XXS - XL |
| 14-ASP700PDD | A4 | Yes | Antimicrobial Engineered Yarn | ☐ Black / White Heather | Seamless Knit | 10 | Medium | PVC Dense Dot | Double-Sided | XXS - XL |
| 07-KA710 | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 10 | Medium | --- | --- | S - XL |
| 09-K300LP | A4 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Leather Palm | Single-Sided | S - XL |
| 07-KA700 | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Heavy | --- | --- | S - XL |
| 08-KA740RT | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Economy | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA740PD | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Economy | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA740PDD | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Economy | Blue PVC Dense Dot | Double-Sided | S - XL |
| 07-KA740 | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 7 | Economy | --- | --- | S - XL |
| 08-KA750PD | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 13 | Light | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA750PDD | A4 | No | Kut Gard® ACP™ | ■ Green | Seamless Knit | 13 | Light | Blue PVC Dense Dot | Double-Sided | S - XL |

LIGHT TO MEDIUM CUT HAZARDS – ABRASION, LACERATION & INCISION RISK

SEAMLESS KNIT GLOVES

ABRASION
LACERATION
INCISION
RISK



LIGHT TO MEDIUM
CUT HAZARDS

LIGHT TO MEDIUM CUT HAZARDS – ABRASION, LACERATION & INCISION RISK

SEAMLESS KNIT GLOVES



KUT GARD® 17-D350

- Good cut protection
- Made with component materials that comply with federal regulations for food contact 21 CFR 170-199
- Breathable and comfortable
- Heavyweight for added durability
- Ambidextrous

APPLICATIONS: *Food Processing,
Use As A Glove Liner*



KUT GARD® 07-K350

- Good cut protection
- Light heat protection
- Ambidextrous

APPLICATIONS: *Glass Handling, Canning,
Bottling, Sheet Metal Handling, Recycling,
Automotive Plants*



KUT GARD® 07-KA744

- Good cut resistance
- Light heat protection
- Ambidextrous
- Heavier gauge for increased durability

APPLICATIONS: *Sheet Metal Fabrication,
Recycling, Metal Fabrication,
Pulp and Paper Processing*



RIGHT GLOVE FOR THE RIGHT JOB

LIGHT TO MEDIUM CUT HAZARDS

| STYLE NUMBER | ANSI | 21 CFR | MATERIAL | COLOR | CONSTRUCTION | GAUGE | WEIGHT | COATING | COATING COVERAGE | SIZES |
|--------------|------|--------|-----------------------------|--------|------------------------------|-------|---------|--------------------|------------------|----------|
| 17-D350 | A3 | Yes | Kut Gard® with Dyneema® | White | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 17-DL300 | A3 | Yes | Kut Gard® with Dyneema® | White | Seamless Knit | 7 | Medium | --- | --- | XS - XXL |
| 17-SD350 | A3 | Yes | Kut Gard® with Dyneema® | White | Seamless Knit | 7 | Heavy | --- | --- | XS - XL |
| 07-K350 | A3 | No | Kut Gard® made with Kevlar® | Yellow | Seamless Knit | 7 | Heavy | --- | --- | XS - XXL |
| 08-K350PDD | A3 | No | Kut Gard® made with Kevlar® | Yellow | Seamless Knit | 7 | Heavy | Blue PVC Dense Dot | Double-Sided | S - XL |
| 08-K412PDD | A3 | No | Kut Gard® made with Kevlar® | Yellow | Seamless Knit, Extended Cuff | 7 | Heavy | Blue PVC Dense Dot | Double-Sided | S - XL |
| 07-KA744 | A3 | No | Kut Gard® ACP™ | Green | Seamless Knit | 7 | Economy | --- | --- | S - XL |
| 08-KA744PD | A3 | No | Kut Gard® ACP™ | Green | Seamless Knit | 7 | Economy | Blue PVC Dot | Single-Sided | S - XL |
| 08-KA744PDD | A3 | No | Kut Gard® ACP™ | Green | Seamless Knit | 7 | Economy | Blue PVC Dense Dot | Double-Sided | S - XL |

LIGHT CUT HAZARDS – ABRASION RISK

SEAMLESS KNIT GLOVES

ABRASION
RISK



LIGHT CUT HAZARDS

| STYLE NUMBER | ANSI | 21 CFR | MATERIAL | COLOR | CONSTRUCTION | GAUGE | WEIGHT | COATING | COATING COVERAGE | SIZES |
|--------------|------|--------|---|-----------|--------------------------------|-------|--------|----------------------|------------------|----------|
| 17-D200 | A2 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 13 | Light | --- | --- | XS - XL |
| 17-DL200 | A2 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 13 | Light | --- | --- | XS - XL |
| 17-SD200 | A2 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 13 | Light | --- | --- | XS - XL |
| 17-D300 | A2 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 7 | Medium | --- | --- | XS - XL |
| 17-SD300 | A2 | Yes | Kut Gard® with Dyneema® | ■ White | Seamless Knit | 7 | Medium | --- | --- | XS - XL |
| 07-K200 | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 13 | Light | --- | --- | XS - XXL |
| 07-K259 | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit, Half-Finger | 13 | Medium | --- | --- | XS - XXL |
| 08-K259PDD | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit, Half-Finger | 7 | Medium | Blue PVC Dense Dot | Double-Sided | S - XL |
| 07-K300 | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | --- | --- | XS - XXL |
| 08-K300PD | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Blue PVC Dot | Single-Sided | XS - XL |
| 08-K300PDD | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Blue PVC Dense Dot | Double-Sided | XS - XL |
| 08-K300PS | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Brown PVC Tiger Paw | Single-Sided | S - XL |
| 08-K300XC | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Blue PVC Criss-Cross | Single-Sided | M - XL |
| 08-K312 | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit, Extended Cuff | 7 | Medium | Blue PVC Dense Dot | Double-Sided | S & L |
| 08-K200PD | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 13 | Light | Blue PVC Dot | Single-Sided | S - XL |
| 08-K200PDD | A2 | No | DuPont™ Kevlar® | ■ Yellow | Seamless Knit | 13 | Light | Blue PVC Dense Dot | Double-Sided | S - XL |
| 08-K252 | A2 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | Blue PVC Dense Dot | Double-Sided | S - XL |
| 07-K320 | A1 | No | Kut Gard® made with Kevlar® | ■ Yellow | Seamless Knit | 7 | Medium | --- | --- | S - XL |
| 09-K3700 | A2 | No | Top Grain Goatskin | ■ Tan | Kevlar® Lined - Straight Thumb | --- | Light | --- | --- | S - XXXL |
| 09-K3720 | A4 | No | Top Grain Goatskin, Split Cowhide Back | ■ Natural | Kevlar® Lined - Keystone Thumb | --- | Medium | --- | --- | S - XXL |
| 09-K3750 | A2 | No | Maximum Safety®, AR/FR Top Grain Goatskin Leather | ■ Natural | Kevlar® Lined - Straight Thumb | --- | Medium | --- | --- | S - XXXL |

LIGHT CUT HAZARDS





GENERAL PURPOSE GLOVES

G-TEK® NEOFOAM™

G-Tek®
NEOFOAM®

NEWEST INNOVATION IN GENERAL PURPOSE GLOVES FROM PIP

The 34-600 features our proprietary Neofoam® coating technology with superior grip in dry, wet and oily surface conditions. Flexible to -4°F and resists up to 12,000 cycles on abrasion test, this breathable highly dexterous glove is the new “go-to” glove for all jobs.

GENERAL PURPOSE GLOVES

G-TEK® NEOFOAM®



▲ 34-600



▲ 34-603



▲ 34-640



▲ 34-643

MICRO-DOT PALM

LIGHTER & THINNER



UNPARALLELED DEXTERITY AND TACTILE SENSITIVITY



G-TEK® NEOFOAM®

- Maximum dexterity and tactility
- All around breathability
- NeoFoam® gives excellent dry grip and good grip in wet or oily conditions
- Silicone free

APPLICATIONS: *Finishing and Inspection, Handling of Small Components, Assembly, Maintenance, Logistics & Warehousing, Wiring Operations*



FLEXIBLE TO -4°F



TOUCHSCREEN COMPATIBLE



12,000 CYCLES OF ABRASION

G-TEK® NEOFOAM®

| STYLE NUMBER | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|----------------------|-----------------------------|---------------|----------------|-------------|----------------------|-------|----------|
| 34-600 | 4121 | NeoFoam® | Palm & Fingertips | ☐ Black | Nylon | ☐ Blue | Coated Seamless Knit | 15 | XS - XXL |
| 34-603 | 4121 | NeoFoam® | Palm, Full Finger & Knuckle | ☐ Black | Nylon | ☐ Blue | Coated Seamless Knit | 15 | XS - XXL |
| 34-640 | 4121 | NeoFoam® - Micro Dot | Palm & Fingertips | ☐ Black | Nylon | ☐ Blue | Coated Seamless Knit | 15 | XS - XXL |
| 34-643 | 4121 | NeoFoam® - Micro Dot | Palm, Full Finger & Knuckle | ☐ Black | Nylon | ☐ Blue | Coated Seamless Knit | 15 | XS - XXL |

GENERAL PURPOSE GLOVES

PRIME NITRILE COATED



▲ 38-620



▲ 38-625



▲ 38-630

MICRO-DOT PALM



▲ 38-635

Prime

PERFORMANCE & VALUE



PRIME

- High comfort and dexterity
- Good grip in dry, wet and slightly oily conditions
- Knit wrist helps prevent dirt and debris from entering glove

APPLICATIONS: *Small Oily Parts and Components, Machining, General Assembly, Automotive*

PRIME

| STYLE NUMBER | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|---------------------------|-----------------------------|---------------|----------------|-------------|----------------------|-------|----------|
| 38-620 | 4131 | Nitrile Foam | Palm & Fingertips | □ Black | Nylon | ■ Gray | Coated Seamless Knit | 15 | XS - XXL |
| 38-625 | 4131 | Nitrile Foam | Palm, Full Finger & Knuckle | □ Black | Nylon | ■ Gray | Coated Seamless Knit | 15 | XS - XXL |
| 38-630 | 4131 | Nitrile Foam - Micro Dots | Palm & Fingertips | □ Black | Nylon | ■ Gray | Coated Seamless Knit | 15 | XS - XXL |
| 38-635 | 4131 | Nitrile Foam - Micro Dots | Palm, Full Finger & Knuckle | □ Black | Nylon | ■ Gray | Coated Seamless Knit | 15 | XS - XXL |

GENERAL PURPOSE GLOVES

G-TEK® GP™ NITRILE COATED



34-500

- Excellent dexterity
- Comfortable
- Excellent dry grip
- Excellent abrasion protection

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



G-TEK® GP™ 34-400

- Superior dexterity and tactile sensitivity
- Comfortable
- Excellent dry grip and resistance to oils
- Excellent wet grip

APPLICATIONS: *Assembly, Electronics, Inspection, Small Parts Handling, Manufacturing, Material Handling, Oily Parts Handling*

18 GAUGE



G-TEK® GP™ 34-C229

- Excellent dexterity
- Comfortable
- Excellent dry grip
- Excellent abrasion protection

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



IDEAL FOR GENERAL ASSEMBLY & PARTS HANDLING



G-TEK® GP™ 41-1415

- Nitrile foam coating provides superior grip in dry, wet and oily applications
- Hi-Vis color for better visibility
- Quickly evaporates moisture from the skin

APPLICATIONS: *General Maintenance, Cold Protection*

DOUBLE-DIPPED

G-TEK® GP™

| STYLE NUMBER | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|----------------------|---------------------|----------------|---------------------|-----------------|----------------------|-------|----------|
| 34-500 | 4121 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | Nylon | ■ Blue | Coated Seamless Knit | 13 | XS - XXL |
| 34-400 | 2121 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | Nylon | ■ Green | Coated Seamless Knit | 18 | XS - XXL |
| 34-300 | 4121 | Nitrile MicroSurface | Palm & Fingertips | ☐ Black | Polyester | ■ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 41-1415 | 4432 | Nitrile Foam | Full, Double-Dipped | ■ Black / Blue | Polyester / Acrylic | ■ Hi-Vis Yellow | Coated Seamless Knit | 13 | S - XL |
| 34-C232 | 4121 | Nitrile Foam | Palm & Fingertips | ☐ Black | Nylon | ■ Gray | Coated Seamless Knit | 13 | XS - XL |
| 34-C234 | 4131 | Nitrile Foam | Palm & Fingertips | ■ Gray | Nylon | ■ White | Coated Seamless Knit | 13 | XS - XL |
| 34-225 | 4131 | Nitrile Smooth | Palm & Fingertips | ■ Gray | Nylon | ■ White | Coated Seamless Knit | 13 | XS - XL |
| 34-C229 | 4131 | Nitrile Smooth | Palm & Fingertips | ■ Blue | Nylon | ■ White | Coated Seamless Knit | 13 | S - XL |

GENERAL PURPOSE GLOVES

G-TEK® GP™ LATEX COATED

HEAVY DUTY WITH
ENHANCED GRIP IN
**WET OR DRY
CONDITIONS**

FULL WET PROTECTION

LATEX
MICROSURFACE
COATING



G-TEK® GP™ 55-1600

- Waterproof coating keeps hands dry
- Excellent dexterity and comfort
- Double-coated palm for added durability
- Micro-textured latex coating provides superior grip in wet or dry conditions

APPLICATIONS: *Assembly, Construction, Inspection, Material and Refuse Handling, Landscaping, Masonry and Concrete*

LATEX CRINKLE
COATING



G-TEK® GP™ 39-C1300

- Good grip in dry and slightly wet, non-oily conditions
- Better comfort against skin
- Fully coated thumb for extended wear
- Cotton blend for enhanced comfort

APPLICATIONS: *Assembly, Construction, Material Handling, Glass Handling, Refuse Handling, Landscaping*

LATEX
MICROSURFACE
COATING



G-TEK® GP™ 55-AG316

- High tactile sensitivity and dexterity
- Extremely light feel
- Excellent grip in dry and wet, non-oily conditions
- Better comfort against skin

APPLICATIONS: *Assembly, Construction, Inspection, Material Handling, Glass Handling, Landscaping*

LATEX CRINKLE
COATING



G-TEK® GP™ 41-1425

- Latex crinkle coating provides superior grip in wet and dry conditions
- Hi-Vis coloring makes product very easy to see
- Acrylic gloves provide economical cold weather protection

APPLICATIONS: *General Maintenance, Cold Protection*

COLD WEATHER USE

G-TEK® GP™

| STYLE NUMBER | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|--------------------|---------------------|--------------------|----------------------------|-----------------|----------------------|-------|----------|
| 55-AG315 | 2121 | Latex MicroSurface | Palm & Fingertips | ☐ Black | Polyester | ■ Rose Pink | Coated Seamless Knit | 13 | XS - XL |
| 55-AG316 | 2121 | Latex MicroSurface | Palm & Fingertips | ☐ Black | Polyester | ■ Aqua Blue | Coated Seamless Knit | 13 | XS - XL |
| 55-AG317 | 2121 | Latex MicroSurface | Palm & Fingertips | ☐ Black | Polyester | ■ Hi-Vis Yellow | Coated Seamless Knit | 13 | XS - XL |
| 55-1600 | 2131 | Latex MicroSurface | Full, Double-Dipped | ■ Blue / Dark Blue | Nylon | ■ Blue | Coated Seamless Knit | 13 | S - XXL |
| 41-1425 | 4131 | Latex Crinkle | Palm & Fingertips | ☐ Black | Acrylic | ■ Hi-Vis Yellow | Coated Seamless Knit | 10 | S - XXL |
| 39-1310 | 2243 | Latex Crinkle | Palm & Fingertips | ■ Blue | Cotton / Polyester | ☐ Gray | Coated Seamless Knit | 10 | S - XL |
| 39-C1300 | 2242 | Latex Crinkle | Palm & Fingertips | ■ Blue | Premium Cotton / Polyester | ☐ Gray | Coated Seamless Knit | 10 | XS - XXL |
| 39-C1305 | 2242 | Latex Crinkle | Palm & Fingertips | ■ Blue | Cotton / Polyester | ☐ Gray | Coated Seamless Knit | 10 | XS - XL |
| 39-C1375 | 2243 | Latex Crinkle | Palm & Fingertips | ☐ Black | Polyester | ☐ Black | Coated Seamless Knit | 10 | S - XL |
| 39-C122 | 2011 | Latex Smooth | Palm & Fingertips | ■ Blue | Cotton / Polyester | ■ Natural | Coated Seamless Knit | 7 | XS, S, L |
| 39-C121 | 2011 | Latex Smooth | Palm & Fingertips | ■ Red | Cotton / Polyester | ■ Natural | Coated Seamless Knit | 7 | S & L |
| 39-C120 | 2011 | Latex Smooth | Palm & Fingertips | ■ Blue | Cotton / Polyester | ■ Natural | Coated Seamless Knit | 7 | L |

GENERAL PURPOSE GLOVES

G-TEK® GP™ POLYURETHANE COATED



G-Tek® Touch
Seamless Knit Polyester Glove with Polyurethane
& Fingers - Touch Screen Compatible
33-GT125

DESCRIPTION

with Grip on Palm



◀ G-TEK® TOUCH 33-GT125

- High dexterity
- Touch screen compatible
- Good grip in dry and wet conditions with light oils
- Good abrasion protection
- Dark colors hide dirt

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



ENHANCED TOUCH SCREEN PERFORMANCE

STATIC WIRED THUMB, INDEX FINGER & MIDDLE FINGER

GENERAL PURPOSE GLOVES

G-TEK® GP™ NEOFOAM™ COATED



POLYURETHANE
COATING

◀ 33-425LY

- High dexterity
- Good grip in dry and wet conditions with light oils
- Good abrasion protection
- Hi-Vis for enhanced visibility

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



POLYURETHANE
COATING

◀ G-TEK® GP™ 33-825

- High dexterity
- Good grip in dry and wet conditions with light oils
- Good abrasion protection
- Dark colors hide dirt

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



POLYURETHANE
COATING

◀ G-TEK® GP™ 33-B125

- High dexterity
- Good grip in dry and wet conditions with light oils
- Excellent abrasion protection
- Thicker coating for increased abrasion resistance
- Dark colors hide dirt

APPLICATIONS: *Assembly, Parts Handling, Manufacturing, Material Handling*



FLEXIBLE, TOUGH & RELIABLE FOR ALL JOBS

G-TEK® GP™

| STYLE NUMBER | EN 388 | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|---------------------|-------------------|-----------------|----------------|-----------------|----------------------|-------|-----------|
| 33-115 | 3121 | Polyurethane Smooth | Palm & Fingertips | ■ White | Polyester | ■ White | Coated Seamless Knit | 13 | XS - XXL |
| 33-125 | 4131 | Polyurethane Smooth | Palm & Fingertips | ■ White | Nylon | ■ White | Coated Seamless Knit | 13 | XS - XXL |
| 33-325 | 4131 | Polyurethane Smooth | Palm & Fingertips | □ Black | Nylon | □ Black | Coated Seamless Knit | 13 | XS - XXL |
| 33-425LY | 3131 | Polyurethane Smooth | Palm & Fingertips | ■ Bright Yellow | Nylon | ■ Bright Yellow | Coated Seamless Knit | 13 | XS - XXL |
| 33-425OR | 3131 | Polyurethane Smooth | Palm & Fingertips | ■ Bright Orange | Nylon | ■ Bright Orange | Coated Seamless Knit | 13 | XS - XXL |
| 33-825 | 3121 | Polyurethane Smooth | Palm & Fingertips | □ Black | Nylon | ■ Green | Coated Seamless Knit | 13 | XS - XXL |
| 33-B115 | 3121 | Polyurethane Smooth | Palm & Fingertips | □ Black | Polyester | □ Black | Coated Seamless Knit | 13 | XS - XXL |
| 33-B125 | 4131 | Polyurethane Smooth | Palm & Fingertips | □ Black | Nylon | □ Black | Coated Seamless Knit | 13 | XS - XXL |
| 33-G115 | 3121 | Polyurethane Smooth | Palm & Fingertips | □ Gray | Polyester | □ Gray | Coated Seamless Knit | 13 | XS - XXL |
| 33-G125 | 4131 | Polyurethane Smooth | Palm & Fingertips | □ Gray | Nylon | □ Gray | Coated Seamless Knit | 13 | XS - XXXL |

G-TEK® TOUCH

| | | | | | | | | | |
|----------|------|---------------------|-------------------|--------|-----------|--------|----------------------|----|----------|
| 33-GT125 | 4131 | Polyurethane Smooth | Palm & Fingertips | □ Gray | Polyester | □ Gray | Coated Seamless Knit | 13 | XS - XXL |
|----------|------|---------------------|-------------------|--------|-----------|--------|----------------------|----|----------|

GENERAL PURPOSE GLOVES

COTTON POLYESTER STRING KNITS

ECONOMICAL KNIT GLOVES



COATED IN THE USA



NITRILE
PALM COAT
COATING

◀ 38-N2110PC

- Nitrile coating for improved grip and abrasion resistance
- Lightweight for increased dexterity

APPLICATIONS: *Medium Duty Packaging and Assembly*



PVC
DENSE DOT
COATING

◀ 36-C330PDD

- PVC dots provide enhanced grip, as well as cut and abrasion resistance
- Coated fingertips provide enhanced wear protection
- Ambidextrous

APPLICATIONS: *Light Duty Packaging and Assembly*



COATED IN THE USA



EVERGRIP™
NITRILE MW PATTERN
COATING

◀ 38-720

- "MW" pattern provides enhanced grip and abrasion protection
- Coating will resist melting
- Ambidextrous

APPLICATIONS: *Medium Duty Packaging and Assembly*



PVC DOTTED
COATING

◀ 36-112PD

- Dotted palm provides enhanced grip and abrasion resistance

APPLICATIONS: *Light Duty Packaging and Assembly*



COATED IN THE USA



PVC
BRICK PATTERN
COATING

◀ 37-C110BB

- PVC "brick" pattern provides enhanced grip, as well as cut and abrasion resistance
- Ambidextrous

APPLICATIONS: *Medium Duty Packaging and Assembly*



PVC
CRISS-CROSS
COATING

◀ 39-3013

- Criss-cross pattern provides enhanced grip and abrasion resistance
- Ambidextrous

APPLICATIONS: *Heavy Duty Material Handling*

GENERAL PURPOSE GLOVES

COTTON POLYESTER STRING KNITS

GLOVES WITH PVC GRIP

| STYLE NUMBER | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|----------------------|--------------------------------|------------------|--|--------------------|---|-----------------------------------|-------|----------|
| 38-N2110PC | Nitrile Palm | Single-Sided |  Rust | Cotton / Polyester |  Natural | Coated Seamless Knit | 10 | S - XL |
| 38-720 | EverGrip™ Nitrile "MW" Pattern | Double-Sided |  Rust | Cotton |  Natural | Coated Seamless Knit | 7 | S - L |
| 36-110BB | PVC Brick Pattern | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-110PC-BK | PVC Palm | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-110PC-BL | PVC Palm | Single-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-110PD | PVC Dot | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-110PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L, XL |
| 36-110PDD-WT | PVC Dense Dot | Double-Sided |  White | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-110VV | PVC "V" Pattern | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-112PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | L |
| 36-C330PD | PVC Dot | Single-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 36-C330PDD | PVC Dense Dot | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110B | PVC Brick Pattern | Single-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110BB | PVC Brick Pattern | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110PC-BK | PVC Palm | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110PC-BL | PVC Palm | Single-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | L |
| 37-C110PD | PVC Dot | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | XS, S, L |
| 37-C110PDD-BL | PVC Dense Dot | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C110PDD-WT | PVC Dense Dot | Double-Sided |  White | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C112PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C119PD | PVC Dot | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit, Half-Finger | 7 | S, L |
| 37-C119PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit, Half-Finger | 7 | S, L |
| 37-C2110PC-BL | PVC Palm | Single-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L |
| 37-C2110PC-RT | PVC Palm | Single-Sided |  Rust | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | S, L, XL |
| 37-C2110PD | PVC Dot | Single-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 10 | S, L |
| 37-C2110PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Natural | Coated Seamless Knit | 10 | S, L |
| 37-C2110PD-WT | PVC Dot | Single-Sided |  White | Cotton / Polyester |  Natural | Coated Seamless Knit | 10 | S, L |
| 37-C500BB-BL | PVC Brick Pattern | Double-Sided |  Blue | Cotton / Polyester |  Gray | Coated Seamless Knit | 7 | L |
| 37-C500PDD | PVC Dense Dot | Double-Sided |  Black | Cotton / Polyester |  Gray | Coated Seamless Knit | 7 | S, L, XL |
| 37-C512PDD-BL | PVC Dense Dot | Double-Sided |  Blue | Cotton / Polyester |  Natural | Coated Seamless Knit | 7 | L |
| 39-3013 | PVC Honeycomb Criss-Cross | Double-Sided |  Orange | Polyester |  Orange | Coated Seamless Knit | 10 | S - XL |

MULTIPLE PATTERNS TO MEET YOUR NEEDS

GENERAL PURPOSE GLOVES

COTTON POLYESTER STRING KNITS

MULTI-USE KNITS IN VARIOUS WEIGHTS



35-C103

- Ambidextrous
- Made with component materials that comply with federal regulations for food contact 21CFR 170-199
- Cotton blend for enhanced comfort

APPLICATIONS: *General Tasks, May Also Be Used as a Glove Liner*



35-CB604

- Ambidextrous
- Made with component materials that comply with federal regulations for food contact 21CFR 170-199
- Heavyweight for added durability
- Extended cuff for additional forearm protection
- Cotton blend for enhanced comfort

APPLICATIONS: *General Tasks, May Also Be Used as a Glove Liner*

UNCOATED COTTON/POLYESTER GLOVES

| STYLE NUMBER | COATING | LINER MATERIAL | COLOR | CONSTRUCTION | GAUGE | WEIGHT | SIZES |
|--------------|----------|--------------------|------------------|------------------------------|-------|-------------|----------|
| 35-C104 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Standard | XS - L |
| 35-C103 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Economy | S, L |
| 35-C510 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Extra Heavy | S, L |
| 35-G510 | Uncoated | Cotton / Polyester | □ Gray | Seamless Knit | 7 | Extra Heavy | S, L |
| 35-CB604 | Uncoated | Cotton / Polyester | ■ Bleached White | Seamless Knit, Extended Cuff | 7 | Extra Heavy | S, L |
| 35-C410 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Heavy | S, L |
| 35-G410 | Uncoated | Cotton / Polyester | □ Gray | Seamless Knit | 7 | Heavy | S, L |
| 35-C110 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Medium | XS, S, L |
| 35-C115 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 7 | Medium | S, L |
| 35-CB110 | Uncoated | Cotton / Polyester | ■ Bleached White | Seamless Knit | 7 | Medium | S, L |
| 35-C119 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit, Half-Finger | 7 | Medium | S, L |
| 35-C500 | Uncoated | Cotton / Polyester | □ Gray | Seamless Knit | 7 | Medium | S - XL |
| 35-C2110 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 10 | Medium | S, L |
| 35-C2113 | Uncoated | Cotton / Polyester | ■ Natural | Seamless Knit | 13 | Light | S, L |

GREAT FOR HANDLING HEAVY OBJECTS AND EQUIPMENT



▲ 55-3253



▲ 55-3243



▲ 55-3271



▲ 55-3274



▲ **ARMOR® LATEX GLOVE**

- Latex coating provides good grip in dry and slightly wet, non-oily conditions
- Canvas lining for increased comfort
- Clute cut for a roomy fit
- Straight thumb for increased comfort in close-fisted work


APPLICATIONS: *Construction, Glass, Tile, Sheet Metal and Wood Handling, Construction*

ARMOR® LATEX

| STYLE NUMBER | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | CUFF | CONSTRUCTION | WEIGHT | SIZES |
|--------------|---------------|-----------------------------|---------------|----------------|-------------|---------------|----------|-------|
| 55-3253 | Latex Crinkle | Palm, Full Finger & Knuckle | Yellow | Canvas | Safety Cuff | Dipped Fabric | Standard | Men's |
| 55-3271 | Latex Crinkle | Palm, Full Finger & Knuckle | Yellow | Canvas | Knit Wrist | Dipped Fabric | Standard | Men's |
| 55-3273 | Latex Crinkle | Palm, Full Finger & Knuckle | Yellow | Canvas | Safety Cuff | Dipped Fabric | Standard | Men's |
| 55-3243 | Latex Crinkle | Palm, Full Finger & Knuckle | Yellow | Canvas | Safety Cuff | Dipped Fabric | Economy | Men's |
| 55-3274 | Latex Smooth | Palm, Full Finger & Knuckle | Yellow | Jersey | Safety Cuff | Dipped Fabric | Standard | Men's |

GENERAL PURPOSE GLOVES

ARMOR® NITRILE DIPPED FABRIC



NITRILE HEAVY DUTY

ARMOR®

OIL RESISTANT



ARMORFLEX®

- Nitrile coating provides good grip in dry and wet conditions
- Ultra lightweight coating provides enhanced dexterity
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: *Handling of Parts, Equipment*



▲ 56-3180



ARMORTUFF®

- Nitrile coating provides good grip in dry and wet conditions
- Ultra lightweight coating provides enhanced dexterity
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: *Handling of Parts, Equipment*



▲ 56-3152



ARMORLITE®

- Nitrile coating provides good grip in dry and oily conditions
- Ultra lightweight coating provides enhanced dexterity
- 3" plasticized safety cuff for extra wrist protection and easy donning and doffing
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: *Handling of Parts, Equipment*



▲ 56-3176

GENERAL PURPOSE GLOVES

ARMOR® NITRILE DIPPED FABRIC



▲ 56-3154



NITRILE SMOOTH COATING

ARMORTUFF®

- Nitrile coating provides good grip in dry and wet conditions
- Standard-weight nitrile coating provides flexibility
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: Heavy Duty Handling of Oily Parts, Equipment



▲ 56-3185



NITRILE SMOOTH COATING

ARMORTUFF XT®

- Nitrile coating provides good grip in dry and wet conditions
- Premium nitrile coating for flexibility and additional protection
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: Heavy Duty Handling of Parts, Equipment, Masonry Work



▲ 56-3145



NITRILE ROUGH COATING

ARMORGRIP®

- Nitrile coating provides good grip in dry and oily conditions
- Premium nitrile coating for flexibility and additional protection
- High abrasion resistance
- ActiFresh™ treated to reduce germs and odors

APPLICATIONS: General Handling, Assembly, Parts Handling, Masonry, Petrochemical, Sheet Metal Handling

EFFECTIVE & AFFORDABLE

HIGH ABRASION RESISTANCE AND MAXIMUM WEARABILITY

ARMOR®

| STYLE NUMBER | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | CUFF | CONSTRUCTION | WEIGHT | SIZES |
|--------------|------------------|-----------------------------|---------------|----------------------|----------------|---------------|-------------|---------|
| 56-3171 | Nitrile Textured | Full | Blue | Interlock | Knit Wrist | Dipped Fabric | Light | XS - XL |
| 56-3176 | Nitrile Textured | Full | Blue | Interlock | 3" Safety Cuff | Dipped Fabric | Light | M - XL |
| 56-3170 | Nitrile Textured | Palm, Full Finger & Knuckle | Blue | Interlock | Knit Wrist | Dipped Fabric | Light | XS - XL |
| 56-3175 | Nitrile Textured | Palm, Full Finger & Knuckle | Blue | Interlock | 3" Safety Cuff | Dipped Fabric | Light | M - XL |
| 56-3147 | Nitrile Rough | Full | Blue | Jersey / Terry Cloth | Safety Cuff | Dipped Fabric | Heavy | L |
| 56-3143 | Nitrile Rough | Palm, Full Finger & Knuckle | Blue | Jersey / Terry Cloth | Knit Wrist | Dipped Fabric | Heavy | L - XL |
| 56-3145 | Nitrile Rough | Palm, Full Finger & Knuckle | Blue | Jersey / Terry Cloth | Safety Cuff | Dipped Fabric | Heavy | M - XL |
| 56-3186 | Nitrile Smooth | Full | Blue | Jersey | Knit Wrist | Dipped Fabric | Heavy | S - XL |
| 56-3195 | Nitrile Smooth | Palm, Full Finger & Knuckle | Blue | Jersey | Safety Cuff | Dipped Fabric | Heavy | S - XL |
| 56-3185 | Nitrile Smooth | Palm, Full Finger & Knuckle | Blue | Jersey | Knit Wrist | Dipped Fabric | Heavy | S - XL |
| 56-3154 | Nitrile Smooth | Full | Blue | Jersey | Safety Cuff | Dipped Fabric | Medium | M - XL |
| 56-3152 | Nitrile Smooth | Full | Blue | Jersey | Knit Wrist | Dipped Fabric | Medium | S - XL |
| 56-3153 | Nitrile Smooth | Palm, Full Finger & Knuckle | Blue | Jersey | Safety Cuff | Dipped Fabric | Medium | L |
| 56-3151 | Nitrile Smooth | Palm, Full Finger & Knuckle | Blue | Jersey | Knit Wrist | Dipped Fabric | Medium | S - XL |
| 56-3180 | Nitrile Smooth | Palm, Full Finger & Knuckle | Green | Interlock | Knit Wrist | Dipped Fabric | Ultraflight | S - XL |

GENERAL PURPOSE GLOVES

DIPPED FABRIC & CLUTE CUT



◀ 59-2115

- Textured vinyl coating provides grip
- Better dexterity than leather
- Jersey lined for comfort
- Seams out
- Reinforced thumb crotch
- Liquid resistant

APPLICATIONS: *Parts Handling, Assembly Work, Dily Applications*



◀ 60-3105

- Nitrile coated cotton provides cut and abrasion protection
- Clute cut for a roomy fit
- Straight thumb increases comfort in close-fisted work
- Fully laminated back
- Cotton lining for enhanced comfort

APPLICATIONS: *Auto Assembly Operations, Sheet Metal, Light Fabrication*



◀ 61-249M

- Vinyl impregnated cotton offers wet and dry grip
- Clute cut for a roomy fit
- Straight thumb increases comfort in close-fisted work
- Stretch vinyl gives better dexterity

APPLICATIONS: *Parts Handling, Assembly Work, Dily Applications*

ECONOMICAL & COMPATIBLE WITH OIL

TEXTURED VINYL COATED GLOVE

| STYLE NUMBER | COATING | COATING COVERAGE | COLOR | LINING | CUFF | CONSTRUCTION | SIZES |
|--------------|---------------------|------------------|--------|-----------|---------|--------------|--------|
| 59-2115 | Textured Vinyl | Full | Yellow | Jersey | Slip-On | Cut-and-Sewn | S - XL |
| 59-2515 | Soft Textured Vinyl | Full | Yellow | Interlock | Slip-On | Cut-and-Sewn | S - XL |

NITRILE COATED COTTON GLOVE

| | | | | | | | |
|---------|---------|------------------------|-------|--------|---------|-----------|---------------|
| 60-3105 | Nitrile | Full | Blue | Cotton | Slip-On | Clute Cut | Men's M - XL |
| 60-3106 | Nitrile | Full | Blue | Cotton | Slip-On | Clute Cut | Ladies' S - L |
| 60-3107 | Nitrile | Full - Nylon Mesh Back | Blue | Cotton | Slip-On | Clute Cut | Men's M - XL |
| 60-3140 | Nitrile | Full | Brown | Cotton | Slip-On | Clute Cut | S - XL |

VINYL-IMPREGNATED COTTON GLOVE

| | | | | | | | |
|---------|----------------|------|-----|--------|---------|-----------|---------------|
| 61-249M | Textured Vinyl | Full | Red | Cotton | Slip-On | Clute Cut | Men's M - XL |
| 61-249L | Textured Vinyl | Full | Red | Cotton | Slip-On | Clute Cut | Ladies' S - L |

GENERAL PURPOSE GLOVES

CLUTE CUT DOTTED CANVAS



REFLECTIVE STRIP

▲ 91-910PDL-R



▲ 91-910PDO

CANVAS DOTTED

FOR ADDITIONAL GRIP IN DRY APPLICATIONS

CANVAS DOTTED PALM

| STYLE NUMBER | DOT COLOR | FABRIC | FABRIC COLOR | THUMB | CUFF | CONSTRUCTION | FABRIC WEIGHT | GRADE | SIZES |
|--------------|----------------|--------|----------------|----------|------------|--------------|---------------|---------|---------|
| 91-910PDL-R | ■ Hi-Vis Green | Canvas | ■ Hi-Vis Green | Straight | Knit Wrist | Clute Cut | 10 oz. | Premium | Men's |
| 91-910PDL | ■ Hi-Vis Green | Canvas | ■ Hi-Vis Green | Straight | Knit Wrist | Clute Cut | 10 oz. | Premium | Men's |
| 91-910PDO | ■ Orange | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 10 oz. | Premium | Men's |
| 91-910PD | □ Black | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 10 oz. | Premium | Men's |
| 91-908PDC | □ Black | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 8 oz. | Premium | Ladies' |
| 91-908PD | □ Black | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 8 oz. | Premium | Men's |
| 91-910PDI | □ Black | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 10 oz. | Economy | Men's |
| 91-908PDI | □ Black | Canvas | ■ Natural | Straight | Knit Wrist | Clute Cut | 8 oz. | Economy | Men's |

GENERAL PURPOSE GLOVES

UNCOATED CLUTE CUT FABRIC

CANVAS FABRIC GLOVES



▲ 90-908I



HI-VIS


▲ 92-918PCO

CANVAS SINGLE PALM GLOVES

| STYLE NUMBER | FABRIC | COLOR | PALM | THUMB | CUFF | CONSTRUCTION | FABRIC WEIGHT | SIZES |
|--------------|--------|-----------|--------|----------|---------------------|--------------|---------------|---------|
| 90-908I | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 8 oz. | Men's |
| 90-908CI | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 8 oz. | Ladies' |
| 90-910I | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 10 oz. | Men's |
| 90-912I | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 12 oz. | Men's |
| 90-909I | Canvas | ■ Natural | Single | Wing | Knit Wrist | Clute Cut | 8 oz. | Men's |
| 90-908 | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 8 oz. | Men's |
| 90-908BW | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 8 oz. | Men's |
| 90-908/5KW | Canvas | ■ Natural | Single | Straight | Extended Knit Wrist | Clute Cut | 8 oz. | Men's |
| 90-908C | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 8 oz. | Ladies' |
| 90-908BT | Canvas | ■ Natural | Single | Straight | Band Top | Clute Cut | 8 oz. | Men's |
| 90-910 | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 10 oz. | Men's |
| 90-910C | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 10 oz. | Ladies' |
| 90-910G | Canvas | ■ Natural | Single | Straight | Gauntlet | Clute Cut | 10 oz. | Men's |
| 90-910GA | Canvas | ■ Natural | Single | Straight | Gauntlet | Clute Cut | 10 oz. | Men's |
| 90-912 | Canvas | ■ Natural | Single | Straight | Knit Wrist | Clute Cut | 12 oz. | Men's |

CANVAS DOUBLE PALM GLOVES

| | | | | | | | | |
|------------|-----------------------------|--------------------------|--------|----------|------------|-----------|--------|-------|
| 92-918 | Canvas - Nap In | ■ Natural | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918O | Canvas - Nap Out | ■ Natural | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918BT | Canvas - Nap In | ■ Natural | Double | Straight | Band Top | Clute Cut | 18 oz. | Men's |
| 92-918BTO | Canvas - Nap Out | ■ Natural | Double | Straight | Band Top | Clute Cut | 18 oz. | Men's |
| 92-918G | Canvas - Nap In | ■ Natural | Double | Straight | Gauntlet | Clute Cut | 18 oz. | Men's |
| 92-918GO | Canvas - Nap Out | ■ Natural | Double | Straight | Gauntlet | Clute Cut | 18 oz. | Men's |
| 92-918PC | Cotton / Polyester - Nap In | ■ Natural | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918PCO | Cotton / Polyester - Nap In | ■ Hi-Vis Orange | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918PCG | Cotton / Polyester - Nap In | ■ Hi-Vis Green | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918PCY | Cotton / Polyester - Nap In | ■ Hi-Vis Yellow | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |
| 92-918PCGB | Cotton / Polyester - Nap In | ■ Natural / Hi-Vis Green | Double | Straight | Knit Wrist | Clute Cut | 18 oz. | Men's |



MULTI-PURPOSE CHORE & JERSEY GLOVES

CHORE GLOVES

| STYLE NUMBER | FABRIC | PALM | COLOR | THUMB | CUFF | CONSTRUCTION | WEIGHT | SIZES |
|--------------|------------------|--------|-------|----------|------------|--------------|--------|-------|
| 93-548 | Cotton - Nap Out | Double | Green | Straight | Knit Wrist | Clute Cut | Heavy | Men's |
| 93-578G | Cotton - Nap Out | Double | Gold | Straight | Gauntlet | Clute Cut | Heavy | Men's |
| 93-589 | Cotton - Nap Out | Double | Gold | Straight | Band Top | Clute Cut | Heavy | Men's |
| 93-598 | Cotton - Nap Out | Double | Gold | Straight | Knit Wrist | Clute Cut | Heavy | Men's |
| 93-588 | Cotton - Nap Out | Double | Gold | Straight | Knit Wrist | Clute Cut | Medium | Men's |
| 93-568 | Cotton - Nap Out | Single | Gold | Straight | Knit Wrist | Clute Cut | Light | Men's |



▲ 93-568

JERSEY GLOVES

| STYLE NUMBER | FABRIC | COLOR | THUMB | CUFF | CONSTRUCTION | WEIGHT | SIZES |
|--------------|--------------------------------------|---------|----------|------------|--------------|-------------|---------|
| 95-890 | 100% Cotton | Brown | Straight | Knit Wrist | Clute Cut | Extra Heavy | Men's |
| 95-890C | 100% Cotton | Brown | Straight | Knit Wrist | Clute Cut | Heavy | Ladies' |
| 95-809 | 100% Cotton | Brown | Straight | Knit Wrist | Clute Cut | Heavy | Men's |
| 95-864 | Cotton / Polyester, Red Jersey Lined | Brown | Straight | Slip-On | Gunn Pattern | Heavy | Men's |
| 95-809PD | Cotton / Polyester with Dotted Palm | Brown | Straight | Knit Wrist | Clute Cut | Regular | Men's |
| 95-809PDC | Cotton / Polyester with Dotted Palm | Brown | Straight | Knit Wrist | Clute Cut | Regular | Ladies' |
| 95-808 | Cotton / Polyester | Brown | Straight | Knit Wrist | Clute Cut | Regular | Men's |
| 95-806C | Cotton / Polyester | Brown | Straight | Knit Wrist | Clute Cut | Economy | Ladies' |
| 95-806 | Cotton / Polyester | Brown | Straight | Knit Wrist | Clute Cut | Economy | Men's |
| 95-606B | Cotton / Polyester | Brown | Straight | Knit Wrist | Two-Piece | Medium | Men's |
| 95-606 | Cotton / Polyester | Natural | Straight | Knit Wrist | Two-Piece | Medium | Men's |
| 95-606C | Cotton / Polyester | Natural | Straight | Knit Wrist | Two-Piece | Medium | Ladies' |



▲ 95-809

GENERAL PURPOSE GLOVES

TOP GRAIN LEATHER DRIVER STYLE

TOP GRAIN LEATHER DRIVERS



◀ **68-101**

- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Straight thumb increases comfort in close-fisted work

APPLICATIONS: *Pipe, Brick, Material Handling, Construction, Farming, General Maintenance*



◀ **70-368**

- Pigskin leather becomes softer with use and withstands moisture without stiffening
- Keystone thumb is ergonomic, providing better dexterity
- Breathable for added comfort

APPLICATIONS: *Construction, Machine Operation, Utility Work, General Maintenance*



◀ **71-3618**

- Goatskin leather is the most abrasion resistant leather
- Keystone thumb is ergonomic, providing better dexterity

APPLICATIONS: *Construction, Machine Operation, Utility Work, General Maintenance*



TRIED & TRUE PROTECTION



HI-VIS FINGERTIPS

◀ 68-165HV

- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Keystone thumb is ergonomic, providing better dexterity
- Hi-Vis color on fingertips and "Watch Your Hands" logo for visibility

APPLICATIONS: *Pipe, Brick, Material Handling, Construction, Farming, General Maintenance*



◀ 70-301

- Pigskin leather becomes softer with use and withstands moisture without stiffening
- Straight thumb increases comfort in close-fisted work
- Breathable for added comfort

APPLICATIONS: *Construction, Machine Operation, Utility Work, General Maintenance*



◀ 71-3601

- Goatskin leather is the most abrasion resistant leather
- Keystone thumb is ergonomic, providing better dexterity

APPLICATIONS: *Construction, Machine Operation, Utility Work, General Maintenance*



TOP GRAIN COWHIDE LEATHER DRIVERS

| STYLE NUMBER | HIDE | GRADE | THUMB | CUFF | CLOSURE | STITCHING | SIZE |
|--------------|------------------------------|----------|----------|----------|------------|-----------------|-----------|
| 68-118 | Cowhide | Premium | Straight | Slip-On | Elastic | Nylon | S - XL |
| 68-168 | Cowhide | Premium | Keystone | Slip-On | Elastic | Nylon | XS - XXL |
| 68-101 | Cowhide | Superior | Straight | Slip-On | Elastic | Nylon | XS - XXL |
| 68-158 | Cowhide | Superior | Straight | Slip-On | Pull Strap | Nylon | XS - XL |
| 68-165 | Cowhide | Superior | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 68-101G | Cowhide | Superior | Straight | Gauntlet | Elastic | Nylon | L & XL |
| 68-116 | Cowhide | Superior | Wing | Slip-On | Elastic | DuPont™ Kevlar® | S - XL |
| 68-165HV | Cowhide / Hi-Vis Orange Tips | Superior | Keystone | Slip-On | Elastic | Nylon | XS - XXL |
| 68-103 | Cowhide | Regular | Straight | Slip-On | Elastic | Nylon | S - XXL |
| 68-153 | Cowhide | Regular | Straight | Slip-On | Pull Strap | Nylon | S - XL |
| 68-163 | Cowhide | Regular | Keystone | Slip-On | Elastic | Nylon | XS - XXXL |
| 68-161SB | Cowhide / Split Cowhide Back | Regular | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 68-162SB | Cowhide / Split Cowhide Back | Regular | Wing | Slip-On | Elastic | DuPont™ Kevlar® | S - XL |
| 68-163SB | Cowhide / Split Cowhide Back | Regular | Keystone | Slip-On | Elastic | DuPont™ Kevlar® | S - XL |
| 68-163HV | Cowhide / Hi-Vis Orange Tips | Regular | Keystone | Slip-On | Elastic | Nylon | S - XXL |
| 68-105 | Cowhide | Economy | Straight | Slip-On | Elastic | Nylon | S - XXL |
| 68-162 | Cowhide | Economy | Keystone | Slip-On | Elastic | Nylon | S - XXL |
| 68-106 | Cowhide | Industry | Straight | Slip-On | Elastic | Nylon | S - XXL |
| 68-160SB | Cowhide / Split Cowhide Back | Industry | Keystone | Slip-On | Elastic | Nylon | S - XXL |

TOP GRAIN PIGSKIN LEATHER DRIVERS

| | | | | | | | |
|----------|------------------------------|----------|----------|---------|---------|-------|----------|
| 70-318 | Pigskin | Premium | Straight | Slip-On | Elastic | Nylon | S - XL |
| 70-368 | Pigskin | Premium | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 125-368 | Pigskin / Hi-Vis Orange Tips | Premium | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 125-348 | Pigskin / Hi-Vis Orange Tips | Premium | Wing | Slip-On | Elastic | Nylon | S - XL |
| 70-301 | Pigskin | Economy | Straight | Slip-On | Elastic | Nylon | S - XL |
| 70-361 | Pigskin | Economy | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 70-300 | Pigskin | Industry | Straight | Slip-On | Elastic | Nylon | S - XL |
| 70-360 | Pigskin | Industry | Keystone | Slip-On | Elastic | Nylon | S - XXXL |
| 70-360SB | Pigskin / Split Cowhide Back | Industry | Keystone | Slip-On | Elastic | Nylon | S - XL |

TOP GRAIN GOATSKIN LEATHER DRIVERS

| | | | | | | | |
|---------|----------|----------|----------|---------|---------|-------|----------|
| 71-3618 | Goatskin | Premium | Keystone | Slip-On | Elastic | Nylon | S - XL |
| 71-3601 | Goatskin | Economy | Keystone | Slip-On | Elastic | Nylon | S - XXXL |
| 71-3600 | Goatskin | Industry | Keystone | Slip-On | Elastic | Nylon | S - XXL |

GENERAL PURPOSE GLOVES

SPLIT LEATHER DRIVER STYLE



◀ **69-189**

- Keystone thumb is ergonomic, providing better dexterity

APPLICATIONS: *Construction, Machine Operation, Utility Work, Farming, General Maintenance*



◀ **69-134**

- Straight thumb increases comfort in close-fisted work

APPLICATIONS: *Construction, Machine Operation, Utility Work, Farming, General Maintenance*



◀ **69-138**

- Split leather provides good abrasion resistance

APPLICATIONS: *Construction, Machine Operation, Utility Work, Farming, General Maintenance*



SPLIT LEATHER DRIVERS

SPLIT LEATHER DRIVERS

| STYLE NUMBER | HIDE | GRADE | THUMB | COLOR | CUFF | STITCHING | SIZE |
|---------------|---------|---------|----------|--|---------|-----------|--------|
| 69-148 | Cowhide | Premium | Straight |  Russet | Slip-On | Nylon | S - XL |
| 69-189 | Cowhide | Premium | Keystone |  Gray | Slip-On | Nylon | S - XL |
| 69-134 | Cowhide | Regular | Straight |  Tan | Slip-On | Nylon | S - XL |
| 69-138 | Cowhide | Regular | Straight |  Brown | Slip-On | Nylon | S - XL |

TOP GRAIN LEATHER PALM



◀ 87-1563P

- Reinforced palm
- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability

APPLICATIONS: *Pipe, Brick and Other Material Handling, Construction, Farming, General Maintenance*



◀ 87-3563

- Pigskin leather construction provides great breathability due to its porous texture, becomes softer with use and withstands moisture without stiffening

APPLICATIONS: *Pipe, Brick and Other Material Handling, Construction, Farming, General Maintenance*



◀ 87-1944

- Goatskin leather construction is the softest, most abrasion-resistant leather and is highly recommended for applications requiring tactile sensitivity

APPLICATIONS: *Pipe, Brick and Other Material Handling, Construction, Farming, General Maintenance*



TOP GRAIN COWHIDE LEATHER PALM

| STYLE NUMBER | HIDE | GRADE | PATTERN | PALM | BACK | COLOR | CUFF | STITCHING | SIZE |
|--------------|---------|---------|---------|------------|--------------|--------------------|----------|-----------------|---------|
| 87-2066 | Cowhide | Premium | Gunn | Single | Full Leather | Leather | Gauntlet | DuPont™ Kevlar® | M - XL |
| 87-1563 | Cowhide | Regular | Gunn | Single | Canvas | Blue / Black / Red | Safety | Nylon | S - XXL |
| 87-1663 | Cowhide | Regular | Gunn | Single | Canvas | Blue / Black / Red | Gauntlet | Nylon | S - XL |
| 87-1563P | Cowhide | Economy | Gunn | Reinforced | Canvas | Blue / Black / Red | Safety | Nylon | L |

TOP GRAIN PIGSKIN LEATHER PALM

| | | | | | | | | | |
|---------|---------|---------|------|--------|--------|--------------------|--------|-------|--------|
| 87-3563 | Pigskin | Premium | Gunn | Single | Canvas | Blue / Black / Red | Safety | Nylon | L - XL |
| 87-3501 | Pigskin | Economy | Gunn | Single | Canvas | Blue / Black / Red | Safety | Nylon | L |

TOP GRAIN GOATSKIN LEATHER PALM

| | | | | | | | | | |
|---------|----------|---------|------|--------|--------|-----|--------|-------|---|
| 87-1944 | Goatskin | Premium | Gunn | Single | Canvas | Red | Safety | Nylon | L |
|---------|----------|---------|------|--------|--------|-----|--------|-------|---|

GENERAL PURPOSE GLOVES

SPLIT LEATHER PALM

LEATHER GLOVE CLASSIFICATION

PLATINUM

- Leather palm gloves constructed of heavy side-split cowhide
- Rugged extra strength back and cuff
- Stitched with Kevlar®, adding strength and heat resistance

GOLD

- Leather palm gloves constructed of Grade A select shoulder-split cowhide
- Excellent quality and very affordable

SILVER

- Leather palm gloves constructed of Grade A/B shoulder-split cowhide
- Best value grade of leather palms

BRONZE

- Leather palm gloves constructed of Grade B shoulder-split cowhide
- High quality and outstanding value
- Size large is sized larger than most competitive gloves

COPPER

- Leather palm gloves constructed of Grade B/C split cowhide
- Consistent quality at an affordable price
- Cotton color binding denotes sizes

ECONOMY

- Leather palm gloves constructed of the most economical split cowhide available in the market today

SPLIT LEATHER PALM



80-8844

- Constructed of heavy side-split cowhide
- Cotton lined palm for extra comfort
- Wing thumb increases comfort in open-handed work
- Gunn cut pattern delivers excellent durability, wear and comfort

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*



82-7663

- Constructed of Grade A/B shoulder-split cowhide
- Gunn cut pattern delivers excellent durability, wear and comfort
- Fabric back provides breathability and flexibility
- Leather knuckle strap and finger tips for extra protection

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*



83-6563

- Wing thumb increases comfort in open-handed work
- Leather knuckle strap and fingertips provide additional protection
- Safety cuff helps protect wrist and allows for fast removal

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*

GENERAL PURPOSE GLOVES

SPLIT LEATHER PALM



80-8846

- Constructed of heavy side-split cowhide
- Cotton lined palm for extra comfort
- Wing thumb increases comfort in open-handed work
- Gunn cut pattern delivers excellent durability, wear and comfort

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*



81-7563YB

- Cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Wing thumb increases comfort in open-handed work
- Leather knuckle strap and finger tips for extra protection

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*



125-7563

- Shoulder-split cowhide leather construction provides comfort, durability, excellent abrasion resistance, and breathability
- Leather palm and finger tips for extra protection
- Wing thumb increases comfort in open-handed work
- Gunn cut pattern delivers excellent durability, wear and comfort

APPLICATIONS: *Outdoor, General Work, Highway Construction*



SPLIT LEATHER PALM

| STYLE NUMBER | HIDE | SERIES | GRADE | PATTERN | PALM | BACK | COLOR | CUFF | STITCHING | SIZE |
|--------------|---------|----------|---------------------|---------|--------|-------------------|-----------------|-----------------------|-----------------|------------|
| 80-8800 | Cowhide | Platinum | Heavy Side | Gunn | Single | Heavy Canvas | ■ White | Safety, Rubberized | DuPont™ Kevlar® | S - XL |
| 80-8889 | Cowhide | Platinum | Heavy Side | Gunn | Single | Canvas | ■ White | Safety, Launderable | DuPont™ Kevlar® | S - XL |
| 80-8844 | Cowhide | Platinum | Heavy Side | Gunn | Single | Leather | ■ Leather | Safety, Rubberized | DuPont™ Kevlar® | S - XL |
| 80-8846 | Cowhide | Platinum | Heavy Side | Gunn | Single | Leather | ■ Leather | Gauntlet, Rubberized | DuPont™ Kevlar® | L - XL |
| 81-7563YB | Cowhide | Gold | A Select Shoulder | Gunn | Single | Heavy Canvas | ■ Gold | Safety, Rubberized | Nylon | L |
| 82-7563 | Cowhide | Silver | A/B Select Shoulder | Gunn | Single | Canvas | ■ Blue / Green | Safety, Rubberized | Nylon | S - XL |
| 82-7583 | Cowhide | Silver | A/B Select Shoulder | Gunn | Single | Canvas | ■ White | Safety, Rubberized | Nylon | S - XL |
| 125-7563 | Cowhide | Silver | Select Shoulder | Gunn | Single | Canvas | ■ Hi-Vis Orange | Safety, Rubberized | Nylon | L |
| 82-7663 | Cowhide | Silver | A/B Select Shoulder | Gunn | Single | Canvas | ■ Blue / Green | Gauntlet, Rubberized | Nylon | M - XL |
| 82-5044 | Cowhide | Silver | A/B Select Shoulder | Gunn | Single | Leather | ■ Leather | Safety, Rubberized | Nylon | L |
| 82-5066 | Cowhide | Silver | A/B Select Shoulder | Gunn | Single | Leather | ■ Leather | Gauntlet, Rubberized | Nylon | S - XL |
| 86-4244 | Cowhide | Bronze | Regular | Gunn | Single | Canvas | ■ Green / Pink | Knit Wrist | Nylon | Men's |
| 83-6563 | Cowhide | Bronze | B Shoulder | Gunn | Single | Canvas | ■ Green / Pink | Safety, Rubberized | Nylon | XS - XXL |
| 83-6563/LHO | Cowhide | Bronze | B Shoulder | Gunn | Single | Canvas | ■ Green / Pink | Safety, Rubberized | Nylon | S - L |
| 83-6563/RHO | Cowhide | Bronze | B Shoulder | Gunn | Single | Canvas | ■ Green / Pink | Safety, Rubberized | Nylon | S - L |
| 83-6663 | Cowhide | Bronze | B Shoulder | Gunn | Single | Canvas | ■ Green / Pink | Gauntlet, Rubberized | Nylon | XS - XL |
| 82-7683D | Cowhide | Bronze | B Shoulder | Gunn | Single | Heavy Canvas | ■ White | Gauntlet, Launderable | Nylon | S, L & XXL |
| 83-6033 | Cowhide | Bronze | B Shoulder | Gunn | Single | Canvas, ¾ Leather | ■ Green / Pink | Gauntlet | Nylon | L |
| 86-6044 | Cowhide | Bronze | B Shoulder | Gunn | Single | Leather | ■ Leather | Safety, Rubberized | Nylon | L |

GENERAL PURPOSE GLOVES

SPLIT LEATHER PALM & DOUBLE LEATHER PALM



84-7532

- Wing thumb increases comfort in open-handed work
- Fabric back provides breathability and flexibility
- Leather knuckle strap and finger tips for extra protection

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*



85-7513P

- Wing thumb increases comfort in open-handed work
- Fabric back provides breathability and flexibility
- Leather knuckle strap and finger tips for extra protection

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*

RUBBERIZED SAFETY CUFF



84-7533

- Constructed of B/C grade shoulder-split cowhide
- Double palm offers comfort, insulation and heat protection
- Fabric back provides breathability and flexibility
- Leather knuckle strap and finger tips for extra protection

APPLICATIONS: *Construction, Road Work, Excavation, General Maintenance*

SPLIT LEATHER PALM


| STYLE NUMBER | HIDE | SERIES | GRADE | CONSTRUCTION | PALM | BACK | COLOR | CUFF | STITCHING | SIZE |
|--------------|---------|---------|--------------|--------------|------------|--------|--------------------|----------------------|-----------|--------------|
| 84-7532 | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Blue / Black / Red | Safety, Rubberized | Nylon | S - XL |
| 84-6532 | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Green / Pink | Safety, Rubberized | Nylon | L |
| 85-7512 | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Gray / Red | Safety, Rubberized | Nylon | Men's |
| 85-7512C | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Gray / Red | Safety, Rubberized | Nylon | Ladies' |
| 84-7532A | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Blue / Green | Safety, Launderable | Nylon | XS, S, L, XL |
| 85-7512CS | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Gray / Red | Safety, Starched | Nylon | Ladies' |
| 84-7632 | Cowhide | Copper | B/C Shoulder | Gunn | Single | Canvas | Blue / Black / Red | Gauntlet, Rubberized | Nylon | S - XL |
| 86-4144 | Cowhide | Economy | Regular | Gunn | Single | Canvas | Blue / Black / Red | Knit Wrist | Nylon | Men's |
| 86-4104 | Cowhide | Economy | Regular | Clute | Single | Canvas | Blue / Black / Red | Knit Wrist | Nylon | Men's |
| 86-4104C | Cowhide | Economy | Regular | Clute | Single | Canvas | Blue / Black / Red | Knit Wrist | Nylon | Ladies' |
| 86-4104P | Cowhide | Economy | Economy | Clute | Reinforced | Canvas | Blue / Black / Red | Knit Wrist | Nylon | Men's |
| 85-7513P | Cowhide | Economy | Economy | Gunn | Reinforced | Canvas | Yellow | Safety, Rubberized | Nylon | Men's |
| 85-7500 | Cowhide | Economy | Economy | Gunn | Single | Canvas | Blue / Black / Red | Safety, Rubberized | Nylon | S - XL |
| 85-7500S | Cowhide | Economy | Economy | Gunn | Single | Canvas | Blue / Black / Red | Safety, Starched | Nylon | Men's |
| 85-7500P | Cowhide | Economy | Economy | Gunn | Reinforced | Canvas | Blue / Black / Red | Safety, Starched | Nylon | Men's |
| 85-DB7563 | Cowhide | Economy | Economy | Gunn | Single | Denim | Blue | Safety, Denim | Nylon | Men's |
| 85-DB7563P | Cowhide | Economy | Economy | Gunn | Reinforced | Denim | Blue | Safety, Denim | Nylon | Men's |
| 85-7612S | Cowhide | Economy | Economy | Gunn | Single | Canvas | Gray / Red | Gauntlet, Starched | Nylon | Men's |

SPLIT LEATHER DOUBLE PALM

| | | | | | | | | | | |
|-----------|---------|----------|---------------------|------|--------|--------------|--------------------|----------------------|-----------------|--------|
| 80-8855 | Cowhide | Platinum | Heavy Side | Gunn | Double | Heavy Canvas | White | Safety, Rubberized | DuPont™ Kevlar® | S - XL |
| 80-8866 | Cowhide | Platinum | Heavy Side | Gunn | Double | Heavy Canvas | White | Gauntlet, Rubberized | DuPont™ Kevlar® | XL |
| 82-7763 | Cowhide | Silver | A/B Select Shoulder | Gunn | Double | Canvas | Blue / Green | Safety, Rubberized | Nylon | S - XL |
| 82-7563ID | Cowhide | Silver | A/B Select Shoulder | Gunn | Double | Canvas | Blue / Green | Safety, Rubberized | Nylon | L |
| 83-6733 | Cowhide | Bronze | B Shoulder | Gunn | Double | Canvas | Green / Pink | Safety, Rubberized | Nylon | L |
| 83-6763 | Cowhide | Bronze | B Shoulder | Gunn | Double | Canvas | Green / Pink | Gauntlet, Rubberized | Nylon | L |
| 84-7533J | Cowhide | Bronze | B/C Shoulder | Gunn | Double | Canvas | Blue / Black / Red | Safety, Rubberized | Nylon | L |
| 84-7533 | Cowhide | Copper | B/C Shoulder | Gunn | Double | Canvas | Blue / Black / Red | Safety, Rubberized | Nylon | L |
| 84-7633 | Cowhide | Copper | B/C Shoulder | Gunn | Double | Canvas | Blue / Black / Red | Gauntlet, Rubberized | Nylon | L |
| 85-7512J | Cowhide | Economy | B/C Shoulder | Gunn | Double | Canvas | Gray / Red | Safety, Rubberized | Nylon | S - XL |

CHEMICAL RESISTANT GLOVES

POLYMER TECHNOLOGY



DESIGN FACTORS:

- Supported (liner) for added puncture resistance, durability and comfort
- Unsupported (no liner) for dexterity, hygiene and cleanliness
- Thickness of polymer alone or polymer/liner
- Wrist length and shape
- Coating variants range from ¾-dipped to fully coated
- Coating textured for enhanced grip

POLYMER TECHNOLOGY GENERAL USE GLOVES,
BUILT FOR SUPERIOR LIQUID AND CHEMICAL RESISTANCE

POLYMER TECHNOLOGY GLOVES MAY BE SUPPORTED OR UNSUPPORTED.

- **Supported** gloves are made by dipping a knit or woven cloth liner into a liquid polymer for coating. The liner “supports” the coating and adds strength.
- **Unsupported** gloves are made on hand formers that are dipped directly into a liquid polymer compound and stripped off when cured.

POLYMER MATERIALS



LATEX

ADVANTAGE

- Good resistance to numerous acids and ketones
- Flexible, tear and snag resistant

PRECAUTION

- Avoid contact with hydrocarbon based oils or solvents
- Latex intolerance with some users



NITRILE

ADVANTAGE

- Good resistance to hydrocarbon derivatives
- Tough and resistant to abrasion, snags and perforation

PRECAUTION

- Smooth finish not recommended in oily conditions



NEOPRENE

ADVANTAGE

- Broad range resistance to acids, alcohols, fats, caustics, refrigerant, ketones and detergents
- Tough and resistant to abrasion, snags and perforation

PRECAUTION

- Degrades with some common chemicals such as bleach



PVC

ADVANTAGE

- Resists diluted aqueous solutions of bases or acids
- Reliable resistance to oils and organic solvents

PRECAUTION

- Less flexible, tacky and susceptible to snagging

CHEMICAL RESISTANT GLOVES

UNSUPPORTED LATEX

Assurance
HAND PROTECTION

UNSUPPORTED

LATEX

FOR GENERAL MAINTENANCE APPLICATIONS

CHEMICAL RESISTANT GLOVES

UNSUPPORTED LATEX



STRAIGHT CUFF



ASSURANCE® 47-L170Y

- Raised diamond pattern for enhanced grip in wet or dry conditions

APPLICATIONS: *Janitorial, Maintenance, Sanitation*



PINKED CUFF



ASSURANCE® 48-L185B

- Honeycomb pattern for enhanced grip
- Made from component materials that comply with Federal Regulations for food contact 21 CFR, 170-199
- Flock lining provides easy on and off, plus moisture absorption
- Pinked cuff for tear resistance

APPLICATIONS: *Janitorial, Maintenance, Sanitation*



ROLLED CUFF

ASSURANCE® 47-L210T

- Roughened sandblast pattern for enhanced grip in wet conditions
- Longer cuff for additional forearm protection
- Made with component materials that comply with federal regulations for food contact 21 CFR 170-199

APPLICATIONS: *Janitorial, Maintenance, Diluted Acids and Caustic Solutions*

ASSURANCE® UNLINED LATEX

| STYLE NUMBER | EN 374 | 21CFR | CFIA | POLYMER | COLOR | THICKNESS | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|--------------|--------|-------|------|---------|---------|-----------|----------|--------|--------------|---------------------|---------|--------|
| 47-L170Y | ABK | Yes | Yes | Latex | Yellow | 18 mil | Rolled | 12" | Unsupported | Raised Diamond | Unlined | S - XL |
| 47-L171B | ABK | Yes | Yes | Latex | Blue | 18 mil | Straight | 12" | Unsupported | Raised Diamond | Unlined | S - XL |
| 47-L171N | ABK | Yes | Yes | Latex | Natural | 18 mil | Straight | 12" | Unsupported | Raised Diamond | Unlined | S - XL |
| 47-L161N | --- | Yes | Yes | Latex | Natural | 16 mil | Rolled | 12" | Unsupported | Raised Diamond | Unlined | S - XL |
| 47-L161B | --- | Yes | Yes | Latex | Blue | 16 mil | Rolled | 12" | Unsupported | Raised Diamond | Unlined | S - XL |
| 47-L210T | --- | No | No | Latex | Orange | 18 mil | Rolled | 15" | Unsupported | Roughened Sandblast | Unlined | S - XL |
| 47-L442 | AKL | No | No | Latex | Black | 44 mil | Rolled | 17" | Unsupported | Smooth | Unlined | M - XL |

ASSURANCE® FLOCK LINED LATEX

| | | | | | | | | | | | | |
|-----------|-----|-----|-----|-------|--------|--------|----------|-----|-------------|----------------|---------|---------|
| 48-L140Y | --- | No | No | Latex | Yellow | 14 mil | Rolled | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L160Y | --- | Yes | Yes | Latex | Yellow | 16 mil | Straight | 12" | Unsupported | Honeycomb | Flocked | S - XXL |
| 48-L162Y* | --- | Yes | Yes | Latex | Yellow | 16 mil | Rolled | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L185B | AKL | Yes | Yes | Latex | Blue | 18 mil | Pinked | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L185P | AKL | Yes | Yes | Latex | Pink | 18 mil | Pinked | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L185T | --- | No | Yes | Latex | Orange | 18 mil | Rolled | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L185Y* | AKL | No | No | Latex | Yellow | 18 mil | Rolled | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L187Y* | AKL | No | No | Latex | Yellow | 18 mil | Rolled | 12" | Unsupported | Honeycomb | Flocked | S - XL |
| 48-L212Y* | ABK | Yes | Yes | Latex | Yellow | 21 mil | Rolled | 12" | Unsupported | Raised Diamond | Flocked | S - XL |
| 48-L2125Y | --- | No | No | Latex | Yellow | 20 mil | Rolled | 15" | Unsupported | Super Diamond | Flocked | S - XXL |
| 48-L300K | --- | Yes | No | Latex | Black | 28 mil | Rolled | 12" | Unsupported | Super Diamond | Flocked | M - XXL |
| 48-L302T* | --- | No | No | Latex | Orange | 28 mil | Rolled | 12" | Unsupported | Super Diamond | Flocked | S - XL |

ASSURANCE® SUPPORTED LATEX

| | | | | | | | | | | | | |
|---------|-----|----|----|-------|------|-----|----------|-----|-----------|---------|-------|---------|
| 55-1635 | --- | No | No | Latex | Blue | --- | Straight | 12" | Supported | Crinkle | Nylon | S - XXL |
|---------|-----|----|----|-------|------|-----|----------|-----|-----------|---------|-------|---------|

*Pair Packed

CHEMICAL RESISTANT GLOVES

UNSUPPORTED NITRILE

UNSUPPORTED NITRILE



EN 374



AJKL

ASSURANCE® 50-N092B

- Lightweight to offer high dexterity and sensitivity
- Raised diamond pattern for enhanced grip in wet or dry conditions
- CFIA approved

APPLICATIONS: *Chemical Processing, Oil Refining and Petrochemicals, Food Processing, Aerospace, Automotive Assembly and Painting, Machine Operations, Metal Fabrication, Graphic Arts and Printing Cleanup, Furniture Manufacturing, Electronics*

Assurance
HAND PROTECTION

ASSURANCE® UNLINED NITRILE

| STYLE NUMBER | EN 374 | 21 CFR | CFIA | POLYMER | COLOR | THICKNESS | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|--------------|--------|--------|------|---------|-------|-----------|----------|--------|--------------|----------------|---------|---------|
| 50-N092B | AJKL | Yes | Yes | Nitrile | Blue | 8 mil | Straight | 13" | Unsupported | Raised Diamond | Unlined | S - XXL |
| 50-NKH11 | BFGHJ | Yes | No | Nitrile | Blue | 11 mil | Straight | 13" | Unsupported | Smooth | Unlined | S - XXL |
| 50-N110G | ABK | Yes | Yes | Nitrile | Green | 11 mil | Straight | 13" | Unsupported | Raised Diamond | Unlined | S - XXL |
| 50-N115G | --- | No | No | Nitrile | Green | 11 mil | Straight | 13" | Unsupported | Super Diamond | Unlined | M - XXL |
| 50-N140B | AJK | Yes | Yes | Nitrile | Blue | 15 mil | Straight | 13" | Unsupported | Raised Diamond | Unlined | S - XXL |
| 50-N140G | AJK | Yes | Yes | Nitrile | Green | 15 mil | Straight | 13" | Unsupported | Raised Diamond | Unlined | S - XXL |
| 50-N2250G | AKL | Yes | Yes | Nitrile | Green | 22 mil | Straight | 15" | Unsupported | Raised Diamond | Unlined | M - XXL |
| 50-N2272G | AKJ | Yes | Yes | Nitrile | Green | 22 mil | Straight | 18" | Unsupported | Sandpatch | Unlined | M - XXL |

ASSURANCE® FLOCK LINED NITRILE

| | | | | | | | | | | | | |
|----------|------|-----|-----|---------|-------|--------|----------|-----|-------------|----------------|---------|----------|
| 50-N150G | AJKL | Yes | No | Nitrile | Green | 15 mil | Straight | 13" | Unsupported | Raised Diamond | Flocked | S - XXL |
| 50-N160G | AJK | Yes | Yes | Nitrile | Green | 15 mil | Straight | 13" | Unsupported | Raised Diamond | Flocked | XS - XXL |
| 50-N160B | AJK | Yes | Yes | Nitrile | Blue | 15 mil | Straight | 13" | Unsupported | Raised Diamond | Flocked | XS - XXL |

PROTECTS FROM SOLVENTS & OIL BASED CHEMICALS

CHEMICAL RESISTANT GLOVES

UNSUPPORTED NEOPRENE

PROTECTS FROM ACIDS, CAUSTICS, SOLVENTS & OILS

UNSUPPORTED NEOPRENE

EN 374



AKL

ASSURANCE® 52-3670

- Heavyweight for enhanced protection
- Raised diamond pattern provides added grip on wet or dry surfaces
- Double-dipped glove provides the chemical resistance of neoprene with the comfort of latex

APPLICATIONS: *Petrochemical Industry, Battery Manufacturing, Janitorial, Aircraft Industry, Automotive, General Maintenance and Photo Finishing*



ASSURANCE® NEOPRENE FLOCK LINED CANNERS

| STYLE NUMBER | EN 374 | 21CFR | CFIA | POLYMER | COLOR | THICKNESS | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|--------------|--------|-------|------|---------------------|-----------------|-----------|----------|--------|--------------|----------------|---------|---------|
| 52-3665 | AKL | Yes | No | Neoprene | □ Black | 28 mil | Straight | 12" | Unsupported | Raised Diamond | Flocked | S - XL |
| 52-3672 | --- | Yes | No | Neoprene Over Latex | ■ Blue / Yellow | 19 mil | Straight | 12" | Unsupported | Raised Diamond | Flocked | S - XL |
| 52-3670 | AKL | Yes | No | Neoprene Over Latex | ■ Blue / Yellow | 28 mil | Straight | 12" | Unsupported | Raised Diamond | Flocked | S - XXL |
| 52-3671 | AKL | Yes | No | Neoprene Over Latex | ■ Blue / Yellow | 28 mil | Straight | 12" | Unsupported | Honeycomb | Flocked | S - XL |

LIQUID RESISTANT GLOVES

COATED SUPPORTED STYLES

LIQUID PROTECTION

PROCOAT[®]

GREAT FOR OILY & WET CONDITIONS



SMOOTH GRIP
COATING

58-8030Y

- Single-dipped construction
- Jersey liner provides better comfort
- Yellow color allows for glove degradation to be easily identified

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*



SEMI-ROUGH
COATING

58-8015R

- Single-dipped construction
- Semi-rough finish provides better grip in wet conditions
- Interlock lining dries quickly and offers better dexterity

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*



SANDY GRIP
COATING

58-8414R

- Double-dipped coating for superior liquid protection and extended wear
- Sandy finish provides better grip in wet conditions
- Jersey liner provides better comfort
- Longer cuff for additional forearm protection

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*

LONGER CUFF

LIQUID RESISTANT GLOVES

COATED SUPPORTED STYLES



58-8120DD

- Double-dipped coating for superior liquid protection and extended wear
- Sandy finish provides better grip in wet conditions
- Interlock lining dries quickly and offers better dexterity

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*



58-8035DD

- Double-dipped coating for superior liquid protection and extended wear
- Coating provides better grip in wet conditions
- Jersey liner provides better comfort

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*



58-8658K

- Kevlar® liner provides cut and light heat protection
- Seamless knit construction for enhanced dexterity and comfort
- Oil and liquid resistant

APPLICATIONS: *Mining, Construction, Refining, Petrochemicals & Handling Oily Materials*

KEVLAR® LINED

PROCOAT® GP - PVC DIPPED GLOVES

| STYLE NUMBER | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|--------------|--------|---------|--------|------------|--------|--------------------------|--------------|-----------|-------|
| 58-8015 | 4121 | PVC | Black | Knit Wrist | 10" | Supported, Single-Dipped | Smooth* | Interlock | Men's |
| 58-8020 | 4121 | PVC | Black | Straight | 10" | Supported, Single-Dipped | Smooth* | Interlock | Men's |
| 58-8030 | 4121 | PVC | Black | Straight | 12" | Supported, Single-Dipped | Smooth* | Interlock | Men's |
| 58-8040 | 4121 | PVC | Black | Straight | 14" | Supported, Single-Dipped | Smooth* | Interlock | Men's |
| 58-8060 | 4121 | PVC | Black | Straight | 18" | Supported, Single-Dipped | Smooth* | Interlock | Men's |
| 58-8030Y | 4121 | PVC | Yellow | Straight | 12" | Supported, Single-Dipped | Smooth* | Jersey | Men's |
| 58-8040Y | 4121 | PVC | Yellow | Straight | 14" | Supported, Single-Dipped | Smooth* | Jersey | Men's |
| 58-8015R | 4121 | PVC | Black | Knit Wrist | 10" | Supported, Single-Dipped | Semi-Rough | Interlock | Men's |
| 58-8020R | 4121 | PVC | Black | Straight | 10" | Supported, Single-Dipped | Semi-Rough | Interlock | Men's |
| 58-8030R | 4121 | PVC | Black | Straight | 12" | Supported, Single-Dipped | Semi-Rough | Interlock | Men's |
| 58-8040R | 4121 | PVC | Black | Straight | 14" | Supported, Single-Dipped | Semi-Rough | Interlock | Men's |
| 58-8015DD | 4121 | PVC | Black | Knit Wrist | 10" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8020DD | 4121 | PVC | Black | Straight | 10" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8030DD | 4121 | PVC | Black | Straight | 12" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8025DD | 4121 | PVC | Green | Straight | 12" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8035DD | 4121 | PVC | Green | Straight | 14" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8040DD | 4121 | PVC | Black | Straight | 14" | Supported, Double-Dipped | Rough Acid | Jersey | Men's |
| 58-8115DD | --- | PVC | Black | Knit Wrist | 10" | Supported, Double-Dipped | Sandy | Interlock | Men's |
| 58-8120DD | 4121 | PVC | Black | Straight | 10" | Supported, Double-Dipped | Sandy | Interlock | Men's |
| 58-8130DD | 4121 | PVC | Black | Straight | 12" | Supported, Double-Dipped | Sandy | Interlock | Men's |
| 58-8140DD | 4121 | PVC | Black | Straight | 14" | Supported, Double-Dipped | Sandy | Interlock | Men's |
| 58-8215DD | --- | PVC | Black | Knit Wrist | 10" | Supported, Double-Dipped | Sandy | Jersey | Men's |
| 58-8230DD | --- | PVC | Black | Straight | 12" | Supported, Double-Dipped | Sandy | Jersey | Men's |
| 58-8240DD | --- | PVC | Black | Straight | 14" | Supported, Double-Dipped | Sandy | Jersey | Men's |
| 58-8362 | 4121 | PVC | Black | Straight | 12" | Supported, Double-Dipped | Sandy | Jersey | Men's |
| 58-8364 | 4121 | PVC | Black | Straight | 14" | Supported, Double-Dipped | Sandy | Jersey | Men's |
| 58-8431R | 4121 | PVC | Red | Straight | 24" | Supported, Double-Dipped | Sandy | Interlock | Men's |
| 58-8414R | --- | PVC | Red | Straight | 14" | Supported, Double-Dipped | Sandy | Jersey | Men's |

XTRATUFF™

| STYLE NUMBER | EN 374 | ANSI | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|--------------|--------|------|--------|---------|-------|----------|--------|--------------|--------------|---------|--------|
| 58-8658K | AJK | A3 | 4342 | PVC | Blue | Straight | 12" | Supported | Rough | Kevlar® | M - XL |

*Not recommended for oily conditions

LIQUID RESISTANT GLOVES

SUPPORTED PVC



◀ 58-7303

- Liquid-proof
- Foam insulated to keep hands warm and dry
- Hi-Vis for enhanced hand visibility

APPLICATIONS: *Handling Grease, Oils, Acids, Caustics, Solvents, Highway Construction, Traffic Control*

CHEMICAL PROTECTION FOR COLD ENVIRONMENTS



◀ 58-8658DL

- Liquid-proof
- Seamless knit construction for enhanced dexterity and comfort
- Cold-resistant outer shell
- Sandy finish provides better grip in wet conditions
- Foam insulated to keep hands warm and dry

APPLICATIONS: *Handling Grease, Oils, Acids, Caustics, Solvents*

REMOVABLE LINER

PROCOAT® INSULATED PVC DIPPED GLOVE

| STYLE NUMBER | EN 374 | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP | LINING | SIZES |
|--------------|--------|--------|---------|---------------|------------|--------|--------------|---------|-------------------|--------|
| 58-7303 | --- | --- | PVC | Hi-Vis Orange | Knit Wrist | 11" | Supported | Smooth | Foam | Men's |
| 58-7304 | --- | --- | PVC | Hi-Vis Orange | Straight | 12" | Supported | Smooth | Foam | Men's |
| 58-7305 | --- | --- | PVC | Hi-Vis Orange | Safety | 10" | Supported | Smooth | Foam | Men's |
| 58-7313 | --- | --- | PVC | Hi-Vis Orange | Knit Wrist | 11" | Supported | Crystal | Foam | Men's |
| 58-7315 | --- | --- | PVC | Hi-Vis Orange | Safety | 10" | Supported | Crystal | Foam | Men's |
| 58-8658DL | AJK | 4121 | PVC | Blue | Straight | 12" | Supported | Rough | Interlock / Terry | L - XL |

SPECIALTY PVC BLENDS

| | | | | | | | | | | |
|---------|-----|------|-----|-------|----------|-----|-----------|-------|-----------|--------|
| 58-8650 | --- | 4121 | PVC | Brown | Straight | 10" | Supported | Rough | Interlock | S - XL |
| 58-8651 | --- | 4121 | PVC | Brown | Straight | 12" | Supported | Rough | Interlock | S - XL |



OILY & WET CONDITIONS



◀ 58-8655

- Special PVC blend that stays soft and flexible in oily applications
- Rough coated palm for enhanced grip
- Seamless liner provides tactile sensitivity
- Treated to resist germs and odors

APPLICATIONS: *Machine Oil, Petrochemicals, Maintenance, Landscaping*



▲ 58-8656

SPECIALTY PVC BLENDS

| STYLE NUMBER | EN 374 | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP | LINING | SIZES |
|--------------|--------|--------|---------|-------|----------|--------|--------------|-------|-----------|---------|
| 58-8655 | --- | 4121 | PVC | Blue | Straight | 10" | Supported | Rough | Interlock | S - XL |
| 58-8656 | --- | 4121 | PVC | Blue | Straight | 12" | Supported | Rough | Interlock | S - XXL |
| 58-8657 | AJK | 4121 | PVC | Blue | Straight | 25" | Supported | Rough | Interlock | M - XL |

LIQUID & CHEMICAL RESISTANT GLOVES

SUPPORTED NEOPRENE & NITRILE COATED

ACTIVGRIP™ NITRILE COATED GLOVE

| STYLE NUMBER | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP | LINING | SIZES |
|-----------------|--------|---------|-------|----------|--------|--------------|-------------|-----------|---------|
| 56-AG566 | 4121 | Nitrile | Green | Straight | 12" | Supported | MicroFinish | Interlock | XS - XL |
| 56-AG567 | 4121 | Nitrile | Green | Straight | 25" | Supported | MicroFinish | Interlock | S - XL |
| 56-AG585 | 4121 | Nitrile | Gray | Straight | 10" | Supported | MicroFinish | Interlock | XS - XL |
| 56-AG586 | 4121 | Nitrile | Gray | Straight | 12" | Supported | MicroFinish | Interlock | XS - XL |
| 56-AG588 | 4121 | Nitrile | Gray | Safety | 10" | Supported | MicroFinish | Interlock | S - XL |

ACTIVEGRIP™

FOR ADVANCED
CHEMICAL
PROTECTION

& CHEMGRIP™

EN 374
AJKL

◀ 57-8630

- Multi-dipped process provides fully liquid-proof protection
- Jersey liner for enhanced comfort
- Gauntlet cuff for added forearm protection
- Black color hides dirt

APPLICATIONS: Petrochemical, Refining, Material Handling, Degreasing, Chemical, Kitchen Cleanup, Plating, Galvanizing

CHEMGRIP™ NEOPRENE COATED GLOVE

| STYLE NUMBER | EN 374 | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP PATTERN | LINING | SIZES |
|-----------------|--------|--------|----------|-------|------------|--------|-------------------------|--------------|-------------------|-------|
| 57-8615 | AJKL | --- | Neoprene | Black | Knit Wrist | 10" | Supported, Multi-Dipped | Smooth | Jersey | L |
| 57-8630 | AJKL | --- | Neoprene | Black | Straight | 12" | Supported, Multi-Dipped | Smooth | Jersey | L |
| 57-8645 | AJKL | 3121 | Neoprene | Black | Straight | 18" | Supported, Multi-Dipped | Smooth | Brushed Interlock | L |
| 57-8675 | AJKL | 3121 | Neoprene | Black | Straight | 31" | Supported, Multi-Dipped | Smooth | Brushed Interlock | L |
| 57-8630R | AJKL | 3121 | Neoprene | Black | Straight | 12" | Supported, Multi-Dipped | Etched | Brushed Interlock | L |
| 57-8640R | AJKL | 3121 | Neoprene | Black | Straight | 14" | Supported, Multi-Dipped | Etched | Brushed Interlock | L |
| 57-8645R | AJKL | 3121 | Neoprene | Black | Straight | 18" | Supported, Multi-Dipped | Etched | Brushed Interlock | L |
| 57-8643R | AJKL | 3121 | Neoprene | Black | Straight | 18" | Supported, Multi-Dipped | Etched | Foam | L |
| 57-8653R | AJKL | 3121 | Neoprene | Black | Straight | 18" | Supported, Multi-Dipped | Etched | Foam | M - L |

CHEMICAL RESISTANT GLOVES

SELECTOR GUIDE



ONLINE SELECTOR GUIDE: MATCHES GLOVE TO CHEMICAL FOR MAXIMUM SAFETY

PIP offers a user-friendly Selector Guide for Chemical Protection. The Chemical Permeation Guide allows you to search by chemical name, CAS number or by PIP glove style.

The chemical permeation of our product is measured in accordance to European Standard EN 374-3. This measures the resistance of protective gloves against chemicals and microorganisms. Part 3 of the standard determines the level of resistance to permeation by chemicals.

www.pipglobal.com

EN 374-3



AJK

WHAT IS THE ALPHA CODING LISTED BELOW PICTOGRAM?

EN 374-3 coding - In order for a glove to receive the pictogram as shown, the glove must achieve a breakthrough time >30 minutes for at least 3 chemicals from the 12 listed below.

BREAKTHROUGH TIME (BTT)

The number of minutes from initial contact with a test chemical until it is first detected on the inside of the glove

BREAKTHROUGH TIME - PROTECTION INDEX

Each chemical tested is classified in terms of breakthrough time (performance level 0 to 6)


PROTECTION INDEX

| | | |
|---|-------------|---------|
| > | 10 Minutes | Class 1 |
| > | 30 Minutes | Class 2 |
| > | 60 Minutes | Class 3 |
| > | 120 Minutes | Class 4 |
| > | 240 Minutes | Class 5 |
| > | 480 Minutes | Class 6 |

| CODE LETTER | CHEMICAL | GAS NUMBER | CATEGORY |
|-------------|----------------------|------------|------------------------------------|
| A | Methanol | 67-56-1 | Primary alcohol |
| B | Acetone | 67-64-1 | Ketone |
| C | Acetonitrile | 75-05-8 | Nitrile compound |
| D | Dichloromethane | 75-09-2 | Chlorinated paraffin |
| E | Carbon disulfide | 75-15-0 | Sulfur-containing organic compound |
| F | Toluene | 108-88-3 | Aromatic hydrocarbon |
| G | Diethylamine | 109-89-7 | Amine |
| H | Tetrahydrofurane | 109-99-9 | Heterocyclic and ethereal compound |
| I | Ethyl acetate | 141-78-6 | Ester |
| J | n-Heptane | 142-85-5 | Saturated hydrocarbon |
| K | Sodium hydroxide 40% | 1310-73-2 | Inorganic base |
| L | Sulfuric acid 96% | 7664-93-9 | Inorganic mineral acid |

DISPOSABLE GLOVES

POLYMER TECHNOLOGY



POLYMER TECHNOLOGY DISPOSABLE GLOVES, BUILT FOR LIQUID AND CONTACT PROTECTION

THE KEY TO PERFORMANCE IS SELECTING POLYMER MATERIAL AND THICKNESS

POLYMER MATERIALS

| POLYMER COATING | ADVANTAGE | PRECAUTION |
|---------------------|--|--|
| LATEX | - Superior flexibility and resistance to animal fats - Often used in cleaning, inspection, laboratory, and other light duty applications | - Latex intolerance with some users |
| NITRILE | - Good resistance to hydrocarbon derivatives as well as natural fats, oils and proteins. - Tough and resistant to abrasion, snags and perforation | - Avoid prolonged contact with ketones and aromatic solvents |
| VINYL | - Popular choice within the food industry as cost effective alternative for certain light duty tasks | - Less durable than nitrile or latex |
| POLYETHYLENE | - Most economical choice and is often used in food preparation | - Loose fitting and least durable |

MIL THICKNESS

A "MIL" IS A UNIT OF THICKNESS EQUAL TO ONE THOUSANDTH OF AN INCH.

| MIL | RECOMMENDED USE |
|---------------|---|
| 13 | - Exceptional tear and snag resistance for use in First Responder EMS or heavy duty industrial applications |
| 5 to 8 | - Food preparation, cleaning tasks, tattooing and industrial applications |
| 3 to 4 | - Single use food preparation and light duty |
| 1 to 2 | - Tasks that require constant glove change-outs such as in food service preparation |

POWDERED: Lightly dusted with cornstarch or other dry lubricants to make donning gloves easier. Can leave residual traces on surfaces affecting adhesion or paint bonding in manufacturing. Banned for use in Medical, Surgical or Examination applications.

POWDER-FREE: Manufactured using a chlorination process that creates a less tacky glove surface facilitating donning and leaving no residual traces on surfaces.

DISPOSABLE GLOVES

AMBI-DEX® NITRILE



▲ 63-732PF

▲ 63-331PF

Ambi-dex®

NITRILE

FOR GENERAL DUTY APPLICATIONS, DIRT & OIL



AMBI-DEX® - NITRILE

| STYLE NUMBER | 21 CFR | CFIA | DUTY | THICKNESS | COLOR | GRIP PATTERN | POWDER | SIZES | BOX COUNT |
|--------------|--------|------|------------|-----------|-------|--------------|-------------|----------|------------|
| 63-338 | Yes | No | Industrial | 8 mil | Blue | Textured | Powdered | S - XL | 50 pieces |
| 63-338PF | Yes | No | Industrial | 8 mil | Blue | Textured | Powder Free | S - XL | 50 pieces |
| 63-336 | Yes | No | Industrial | 6 mil | Blue | Textured | Powdered | S - XL | 100 pieces |
| 63-336PF | Yes | No | Industrial | 6 mil | Blue | Textured | Powder Free | S - XL | 100 pieces |
| 63-3314PF | Yes | No | Industrial | 6 mil | Blue | Textured | Powder Free | S - XL | 50 pieces |
| 63-332 | Yes | Yes | Industrial | 5 mil | Blue | Textured | Powdered | XS - XXL | 100 pieces |
| 63-332PF | Yes | Yes | Industrial | 5 mil | Blue | Textured | Powder Free | XS - XXL | 100 pieces |
| 63-732PF | No | No | Industrial | 5 mil | Black | Textured | Powder Free | S - XL | 100 pieces |
| 63-632PF | No | No | Industrial | 4 mil | Black | Textured | Powder Free | S - XL | 100 pieces |
| 63-331PF | Yes | No | Medical | 5 mil | Blue | Textured | Powder Free | S - XL | 100 pieces |
| 63-532 | Yes | Yes | Food | 4 mil | Blue | Textured | Powdered | S - XXL | 100 pieces |
| 63-532PF | Yes | Yes | Food | 4 mil | Blue | Textured | Powder Free | S - XL | 100 pieces |
| 63-510PF | Yes | Yes | Food | 4 mil | Blue | Textured | Powder Free | S - XL | 10 pieces |
| 63-550PF | Yes | Yes | Food | 4 mil | Blue | Textured | Powder Free | S - XL | 50 pieces |
| 63-230PF | Yes | No | Food | 3 mil | Blue | Textured | Powder Free | S - XL | 100 pieces |

Ambi-dex® LATEX

PERFORMANCE YOU CAN TRUST



TEXTURED
GRIP

AMBI-DEX® INDUSTRIAL GRADE

APPLICATIONS: *Production, Inspection,
Cleaning*



TEXTURED
GRIP

AMBI-DEX® MEDICAL GRADE

APPLICATIONS: *Laboratories, Inspection,
Examinations, Pharmacy*



TEXTURED
GRIP

AMBI-DEX® FOOD GRADE

APPLICATIONS: *Production, Inspection,
Food Handling*

AMBI-DEX® - LATEX

| STYLE NUMBER | 21 CFR | CFIA | GRADE | THICKNESS | COLOR | GRIP PATTERN | POWDER | SIZES | BOX COUNT |
|--------------|--------|------|------------|-----------|-----------|--------------|-------------|---------|------------|
| 62-310 | Yes | No | Industrial | 5 mil | ■ Natural | Textured | Powdered | XS - XL | 10 pieces |
| 62-350 | Yes | No | Industrial | 5 mil | ■ Natural | Textured | Powdered | XS - XL | 50 pieces |
| 62-322 | Yes | No | Industrial | 5 mil | ■ Natural | Textured | Powdered | XS - XL | 100 pieces |
| 62-322PF | Yes | No | Industrial | 5 mil | ■ Natural | Textured | Powder Free | XS - XL | 100 pieces |
| 62-321PF | Yes | No | Medical | 5 mil | ■ Natural | Textured | Powder Free | S - XL | 100 pieces |
| 62-323 | Yes | Yes | Food | 5 mil | ■ Natural | Textured | Powdered | S - XL | 100 pieces |
| 62-323PF | Yes | Yes | Food | 5 mil | ■ Natural | Textured | Powder Free | S - XL | 100 pieces |

WARNING: All styles listed on this page contain natural rubber latex which may cause allergic reactions. Safe use by, or on latex-sensitive individuals has not been established. **POWDERED:** Lightly dusted with cornstarch or other dry lubricants to make donning gloves easier. Can leave residual traces on surfaces affecting adhesion or paint bonding in manufacturing. Banned for use in Medical, Surgical or Examination applications.

DISPOSABLE GLOVES

AMBI-DEX® LATEX

Ambi-Thix™

THICKER LATEX

ADDED STRENGTH
FOR DEMANDING JOBS



TEXTURED
GRIP

AMBI-THIX® EXTRA-THICK LATEX INDUSTRIAL GRADE 62-327

- 13 mil thickness for heavy duty applications
- 11 inches long for added forearm protection

APPLICATIONS: *Production, Inspection, Cleaning*



TEXTURED
GRIP

AMBI-THIX® EXTRA-THICK LATEX MEDICAL GRADE 62-327PF

- 13 mil thickness for heavy duty applications
- 11 inches long for added forearm protection
- Meets the emergency medical glove requirements of NFPA 1999 Standard on Protective Clothing for Emergency Medical Operations, 2003

APPLICATIONS: *Emergency Responders, Lab Applications*

AMBI-THIX® - EXTRA-THICK LATEX

| STYLE NUMBER | 21 CFR | CFIA | GRADE | THICKNESS | COLOR | GRIP PATTERN | POWDER | SIZES | BOX COUNT |
|--------------|--------|------|------------|-----------|--------|--------------|-------------|--------|-----------|
| 62-327 | No | No | Industrial | 13 mil | ■ Blue | Textured | Powdered | S - XL | 50 pieces |
| 62-327PF | No | No | Medical | 13 mil | ■ Blue | Textured | Powder Free | S - XL | 50 pieces |

WARNING: All styles listed on this page contain natural rubber latex which may cause allergic reactions. Safe use by, or on latex-sensitive individuals has not been established. **POWDERED:** Lightly dusted with cornstarch or other dry lubricants to make donning gloves easier. Can leave residual traces on surfaces affecting adhesion or paint bonding in manufacturing. Banned for use in Medical, Surgical or Examination applications.

DISPOSABLE GLOVES

AMBI-DEX® POLYETHYLENE / VINYL / NON-LATEX SYNTHETIC



AMBI-DEX® POLYETHYLENE EMBOSSED GRIP

- For better handling of wet or dry materials

APPLICATIONS: *Food Preparation and Services*



AMBI-DEX® POLYETHYLENE SILKY-FINISH GRIP

- Ensures effortless outer glove donning ability

APPLICATIONS: *Food Preparation and Services*

Ambi-dex®

POLYETHYLENE, VINYL & NON-LATEX SYNTHETIC



▲ 64-V77B

AMBI-DEX® VINYL PREMIUM INDUSTRIAL GRADE

- Made from a soft virgin vinyl formulation specially compounded to deliver an optimal combination of comfort, fit, flexibility, tactile sensitivity and performance

APPLICATIONS: *Broad Range for Protection from Liquids and Debris, Food Processing, Inspections*



▲ 64-436

AMBI-DEX® VINYL INDUSTRIAL GRADE

APPLICATIONS: *Broad Range for Protection from Liquids and Debris, Food Processing, Inspections*



▲ 64-V3000

AMBI-DEX® - POLYETHYLENE

| STYLE NUMBER | 21 CFR | CFIA | GRADE | THICKNESS | COLOR | GRIP | POWDER | SIZES | BOX COUNT |
|--------------|--------|------|-------|-----------|---------|--------------|-------------|--------|------------|
| 65-543 | Yes | Yes | Food | 1 mil | ■ Clear | Embossed | Powder Free | S - XL | 100 pieces |
| 65-544 | Yes | Yes | Food | 1 mil | ■ Clear | Embossed | Powder Free | S - XL | 500 pieces |
| 65-545 | Yes | No | Food | 1 mil | ■ Clear | Embossed | Powder Free | L | 100 pieces |
| 65-553 | Yes | Yes | Food | 1 mil | ■ Clear | Silky Finish | Powder Free | S - XL | 100 pieces |

AMBI-DEX® - HEAVY DUTY VINYL

| | | | | | | | | | |
|-----------|-----|-----|------------|-------|---------|--------|-------------|--------|------------|
| 64-V77B | Yes | Yes | Industrial | 5 mil | ■ Blue | Smooth | Powdered | S - XL | 100 pieces |
| 64-V77BPF | Yes | Yes | Industrial | 5 mil | ■ Blue | Smooth | Powder Free | S - XL | 100 pieces |
| 64-436 | Yes | No | Industrial | 6 mil | ■ Green | Smooth | Powdered | S - XL | 100 pieces |
| 64-433 | Yes | No | Industrial | 6 mil | ■ Green | Smooth | Powdered | S - XL | 300 pieces |

AMBI-DEX® - VINYL

| | | | | | | | | | |
|------------|-----|-----|------------|-------|---------|--------|-------------|---------|------------|
| 64-V3000 | Yes | Yes | Industrial | 3 mil | ■ White | Smooth | Powdered | S - XL | 100 pieces |
| 64-V3000PF | Yes | Yes | Industrial | 3 mil | ■ White | Smooth | Powder Free | XS - XL | 100 pieces |
| 64-V2000 | Yes | Yes | Industrial | 5 mil | ■ White | Smooth | Powdered | S - XXL | 100 pieces |
| 64-V2000PF | Yes | Yes | Industrial | 5 mil | ■ White | Smooth | Powder Free | S - XXL | 100 pieces |

AMBI-DEX® - NON-LATEX SYNTHETIC

| | | | | | | | | | |
|----------|-----|----|------------|-------|---------|--------|-------------|--------|------------|
| 64-346 | Yes | No | Industrial | 4 mil | ■ White | Smooth | Powdered | S - XL | 100 pieces |
| 64-346PF | Yes | No | Industrial | 4 mil | ■ White | Smooth | Powder Free | S - XL | 100 pieces |



AMBI-DEX® NON-LATEX SYNTHETIC

- Have the look, fit and feel of latex without the concern of natural rubber latex proteins

APPLICATIONS: *Broad Range for Protection from Liquids and Debris, Food Processing, Inspections*

CONTROLLING CONTAMINATION

WHILE MORE THAN 30 DIFFERENT INDUSTRY SEGMENTS UTILIZE CLEANROOMS, 70% OF U.S. CLEANROOM FLOOR SPACE IS IN THE PHARMACEUTICAL, BIOTECHNOLOGY, SEMICONDUCTOR AND OTHER ELECTRONIC COMPONENT INDUSTRIES.

THERE ARE FOUR MAIN GROUPS OF CONTAMINANTS:



Particles, usually carried on air currents, are solid matter, such as human skin flakes, dust and fibers from clothing, particles from production materials or from tooling and equipment.



Microorganisms such as bacteria can be extremely dangerous if they are allowed to contaminate medicines or people that treat or are being treated.



Chemicals can react with the product and cause changes to the formulation or destroy the product.



Electrostatic discharge given off by the human body can be as high as 35,000 volts. The energy attracts particles and, as these particles colonize in one place, they cause particulate damage. The discharge itself can also cause severe damage.

CLASSIFICATION - PARTICLES PER M³

| ISO 14644 CLASS | 209E CLASS | 0.5 MICRON | 5 MICRON |
|-----------------|------------|------------|----------|
| 3 | 1 | 35 | --- |
| 4 | 10 | 352 | --- |
| 5 | 100 | 3,520 | 29 |
| 6 | 1,000 | 35,200 | 293 |
| 7 | 10,000 | 352,000 | 2,930 |
| 8 | 100,000 | 3,520,000 | 29,300 |

- 92 AMBI-DEX®
STERILE LATEX GLOVES
- 93 CLEANTEAM®
SINGLE-USE GLOVES
- 94 CLEANTEAM®
SEAMLESS KNIT GLOVES
FOR FINE WORK
- 96 CLEANTEAM® LINT-FREE
GLOVES FOR INSPECTION
- 98 EXTREME TEMPERATURE
GLOVES & APRONS
- 98 MATS & PAPER

CRITICAL ENVIRONMENT

CRITICAL ENVIRONMENT GLOVES

AMBI-DEX® STERILE LATEX



AMBI-DEX® 100-3201PF

- Textured palm and finger enhance grip in wet and dry conditions
- Sterilized by gamma radiation
- Meets federal and ASTM standards for protein content
- Hand specific
- Powder free
- Pair packed

APPLICATIONS: *Surgeons and Medical*



HAND SPECIFIC
SURGEON STYLE
MEDICAL GRADE

STERILE LATEX

AMBI-DEX® MEDICAL GRADE STERILE LATEX

| STYLE NUMBER | POLYMER | POWDER | GRIP | LENGTH | MIL | STERILE | COLOR | SIZING | GLOVES/BOX |
|--------------|---------|-------------|------------------------|--------|-----|---------|---------|-----------|------------|
| 100-3201PF | Latex | Powder Free | Textured Palm & Finger | 11" | 5 | Yes | ■ White | 6.0 - 8.5 | 200 pair |

SINGLE-USE

LATEX, NITRILE & VINYL



BEADED CUFF

**CLEANTEAM®
100-323010**

- Fully textured for a superior grip in wet and dry conditions
- Beaded cuff provides additional strength and protection
- Ambidextrous
- Powder free
- Double-bagged in sealed clean room bags

APPLICATIONS: *Biotechnology, Medical Device Manufacturing, Laboratory, Cleanroom*



**CLEANTEAM®
100-333010**

- Textured finger for enhanced grip in wet and dry conditions
- Beaded cuff provides additional strength and protection
- Electrostatic Dissipative for improved performance in electronics assembly
- Ambidextrous
- Powder free
- Double-bagged in sealed clean room bags

APPLICATIONS: *Biotechnology, Medical Device Manufacturing, Laboratory, Computer Assembly, Cleanroom*



**CLEANTEAM®
100-2830**

- Beaded cuff provides additional strength and protection
- Electrostatic Dissipative for improved performance in electronics assembly
- Ambidextrous
- Powder free
- Double-bagged in sealed clean room bags

APPLICATIONS: *Biotechnology, Medical Device Manufacturing, Laboratory, Computer Assembly, Cleanroom*

CLEANTEAM® SINGLE-USE LATEX


| STYLE NUMBER | POLYMER | DESCRIPTION | GRIP | CLASS | LENGTH | MIL | COLOR | SIZING | GLOVES/BAG |
|--------------|---------|-------------|------------------------|-------|--------|-----|-----------|--------|------------|
| 100-323010 | Latex | Powder Free | Textured Palm & Finger | 10 | 12" | 7 | ■ Natural | S - XL | 100 gloves |
| 100-323000 | Latex | Powder Free | Textured Palm & Finger | 100 | 12" | 7 | ■ Natural | S - XL | 100 gloves |
| 100-322400 | Latex | Powder Free | Textured Palm & Finger | 100 | 9.5" | 7 | ■ Natural | S - XL | 100 gloves |

CLEANTEAM® SINGLE-USE NITRILE

| | | | | | | | | | |
|------------|---------|-------------|------------------------|-----|------|---|---------|--------|------------|
| 100-333010 | Nitrile | Powder Free | Textured Palm & Finger | 10 | 12" | 5 | ■ White | S - XL | 100 gloves |
| 100-333000 | Nitrile | Powder Free | Textured Palm & Finger | 100 | 12" | 5 | ■ White | S - XL | 100 gloves |
| 100-332400 | Nitrile | Powder Free | Textured Palm & Finger | 100 | 9.5" | 5 | ■ White | S - XL | 100 gloves |

CLEANTEAM® SINGLE-USE VINYL

| | | | | | | | | | |
|----------|-------|-------------|--------|----|------|---|---------|--------|------------|
| 100-2824 | Vinyl | Powder Free | Smooth | 10 | 9.5" | 5 | ■ Clear | S - XL | 100 gloves |
| 100-2830 | Vinyl | Powder Free | Smooth | 10 | 12" | 5 | ■ Clear | S - XL | 100 gloves |



CRITICAL ENVIRONMENT GLOVES

CLEANTEAM® SEAMLESS KNIT GLOVES FOR FINE WORK

SEAMLESS KNIT

FOR CRITICAL ENVIRONMENT

CRITICAL ENVIRONMENT GLOVES

CLEANTEAM® SEAMLESS KNIT GLOVES FOR FINE WORK



◀ **CLEANTEAM®** **40-C125**

- Polyurethane coated palm and fingers to provide puncture and abrasion resistance while offering excellent tactile sensitivity
- Comfortable seamless knit design provides superior comfort and dexterity

APPLICATIONS: *Product Handling, Finishing, Assembly, Electronics Assembly, Photography Labs, Computer Manufacturing*



◀ **CLEANTEAM®** **40-130**

- Made in the USA
- Low linting
- Polyester can be UV irradiated to sterilize

APPLICATIONS: *Paint Rooms, Electronic Assembly, Pharmaceutical Production*

LOW LINTING



◀ **CLEANTEAM®** **40-6415**

- Excellent properties in electrostatic dissipation, electromagnetic wave shielding and thermal conductance
- Copper fiber provides good thermal conductance

APPLICATIONS: *Circuit Board Manufacturing, Munitions, Electronics Assembly, Aerospace*



◀ **CLEANTEAM®** **40-730**

- Lightweight design can be worn under disposable and other liquid-proof gloves
- Nylon yarns absorb perspiration and leave hands cool and comfortable

APPLICATIONS: *Product Handling, Finishing, Assembly, Electronics Assembly, Photography Labs, Computer Manufacturing*



◀ **CLEANTEAM®** **40-6410**

- Electrostatic Dissipative (ESD) fiber yarns blended with low lint nylon which reduces static build-up on the glove surface
- Seamless knit gloves provide great dexterity
- Launderable and reusable without losing ESD properties

APPLICATIONS: *Circuit Board Manufacturing, Munitions, Electronics Assembly, Aerospace*

CLEANTEAM® NYLON SEAMLESS KNIT

| STYLE NUMBER | MATERIAL | CONSTRUCTION | COLOR | GAUGE | COATING | COATING COLOR | COVERAGE | SIZES |
|--------------|----------|----------------------------|---------|-------|--------------|---------------|----------------|----------|
| 40-C125 | Nylon | Seamless Knit | ■ White | 13 | Polyurethane | ■ White | Palm & Fingers | XS - XXL |
| 99-126 | Nylon | Seamless Knit | ■ White | 13 | Polyurethane | ■ White | Fingertips | S - XL |
| 40-736 | Nylon | Seamless Knit, Half-Finger | ■ White | 13 | --- | --- | --- | S & L |
| 40-732 | Nylon | Seamless Knit, Half-Finger | ■ White | 13 | --- | --- | --- | S - XL |
| 40-730 | Nylon | Seamless Knit | ■ White | 13 | --- | --- | --- | S - XL |
| 40-750 | Nylon | Seamless Knit | ■ White | 10 | --- | --- | --- | S & L |

CLEANTEAM® POLYESTER SEAMLESS KNIT

| | | | | | | | | |
|----------|-----------|---------------|---------|----|-----|-----|-----|---------|
| 40-C2210 | Polyester | Seamless Knit | ■ White | 10 | --- | --- | --- | S & L |
| 40-C2130 | Polyester | Seamless Knit | ■ White | 13 | --- | --- | --- | S - XL |
| 40-130 | Polyester | Seamless Knit | ■ White | 13 | --- | --- | --- | XS - XL |
| 40-230 | Polyester | Seamless Knit | ■ White | 13 | --- | --- | --- | S - XL |

CLEANTEAM® NYLON ELECTROSTATIC DISSIPATIVE (ESD)

| | | | | | | | | |
|---------|----------------|---------------|----------------|----|--------------|----------|-------------------|---------|
| 40-630 | Nylon | Seamless Knit | ■ White | 13 | --- | --- | --- | XS - XL |
| 40-6410 | Nylon / Carbon | Seamless Knit | ■ White / Gray | 13 | --- | --- | --- | S - XXL |
| 40-6411 | Nylon / Carbon | Seamless Knit | ■ White / Gray | 13 | PVC Dot | ■ White | Palm | S & L |
| 40-6416 | Nylon / Copper | Seamless Knit | ■ White | 13 | Polyurethane | ■ Copper | Fingertips | S & L |
| 40-6415 | Nylon / Copper | Seamless Knit | ■ White | 13 | Polyurethane | ■ Copper | Palm & Fingertips | S & L |

CRITICAL ENVIRONMENT GLOVES

CLEANTEAM® LINT-FREE GLOVES FOR INSPECTION



◀ **CLEANTEAM®**
97-500

- Ambidextrous
- Unhemmed

APPLICATIONS: *Inspection,*
Electronics Assembly



◀ **CLEANTEAM®**
97-520R

- Ambidextrous
- Rolled hem

APPLICATIONS: *Inspection,*
Electronics Assembly



◀ **CLEANTEAM®**
97-540H

- Ambidextrous
- Hemmed

APPLICATIONS: *Inspection,*
Electronics Assembly

PIP IS A LEADER IN THE MANUFACTURING OF FABRIC INSPECTION

CLEANTEAM® COTTON SEAMLESS KNIT – LIGHTWEIGHT, ECONOMY

| STYLE NUMBER | MATERIAL | CONSTRUCTION | HEM | LENGTH | COLOR | WEIGHT | SIZES |
|--------------|--------------------|--------------|----------|--------|---------|--------|---------|
| 97-510 | Cotton / Polyester | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Men's |
| 97-511 | Cotton / Polyester | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Ladies' |
| 97-500I | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Men's |
| 97-501I | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Ladies' |
| 97-500/14I | Cotton | Cut-and-Sewn | Unhemmed | 14" | ■ White | Light | Men's |
| 97-500/14NI | Cotton | Cut-and-Sewn | Unhemmed | 14" | ■ White | Light | Men's |

CLEANTEAM® COTTON SEAMLESS KNIT – LIGHTWEIGHT, PREMIUM

| | | | | | | | |
|-----------|--------|--------------|----------|-------|---------|-------|---------|
| 97-500 | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Men's |
| 97-501 | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Ladies' |
| 97-500J | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Light | Jumbo |
| 97-500H | Cotton | Cut-and-Sewn | Hemmed | 9" | ■ White | Light | Men's |
| 97-501H | Cotton | Cut-and-Sewn | Hemmed | 9" | ■ White | Light | Ladies' |
| 97-500/10 | Cotton | Cut-and-Sewn | Unhemmed | 10.5" | ■ White | Light | Men's |
| 97-501/10 | Cotton | Cut-and-Sewn | Unhemmed | 10.5" | ■ White | Light | Ladies' |
| 97-501/12 | Cotton | Cut-and-Sewn | Unhemmed | 12" | ■ White | Light | Ladies' |
| 97-500/12 | Cotton | Cut-and-Sewn | Unhemmed | 12" | ■ White | Light | Men's |
| 97-500/14 | Cotton | Cut-and-Sewn | Unhemmed | 14" | ■ White | Light | Men's |

CLEANTEAM® COTTON SEAMLESS KNIT – MEDIUM WEIGHT

| STYLE NUMBER | MATERIAL | CONSTRUCTION | HEM | LENGTH | COLOR | WEIGHT | SIZES |
|--------------|----------|--------------|----------|--------|---------|--------|---------|
| 97-520 | Cotton | Cut-and-Sewn | Unhemmed | 9.5" | ■ White | Medium | Men's |
| 97-521 | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Medium | Ladies' |
| 97-520J | Cotton | Cut-and-Sewn | Unhemmed | 9.5" | ■ White | Medium | Jumbo |
| 97-520H | Cotton | Cut-and-Sewn | Hemmed | 9.5" | ■ White | Medium | Men's |
| 97-521H | Cotton | Cut-and-Sewn | Hemmed | 9" | ■ White | Medium | Ladies' |
| 97-520R | Cotton | Cut-and-Sewn | Rolled | 9.5" | ■ White | Medium | Men's |
| 97-520/10 | Cotton | Cut-and-Sewn | Unhemmed | 10.5" | ■ White | Medium | Men's |
| 97-521/10 | Cotton | Cut-and-Sewn | Unhemmed | 10.5" | ■ White | Medium | Ladies' |
| 97-520/12 | Cotton | Cut-and-Sewn | Unhemmed | 12" | ■ White | Medium | Men's |
| 97-520/14 | Cotton | Cut-and-Sewn | Unhemmed | 14" | ■ White | Medium | Men's |
| 97-520/12R | Cotton | Cut-and-Sewn | Rolled | 12" | ■ White | Medium | Men's |

CRITICAL ENVIRONMENT GLOVES

CLEANTEAM® LINT-FREE GLOVES FOR INSPECTION



98-702

- Stretch nylon, two piece pattern
- Zigzag stitched hem

APPLICATIONS: *Inspection, Electronics Assembly*



GLOVES FOR ALL CRITICAL ENVIRONMENTS

CLEANTEAM® COTTON SEAMLESS KNIT - HEAVYWEIGHT

| STYLE NUMBER | MATERIAL | CONSTRUCTION | HEM | LENGTH | COLOR | WEIGHT | SIZES |
|--------------|----------|--------------|---|--------|---------|--------|---------|
| 97-540 | Cotton | Cut-and-Sewn | Unhemmed | 9" | ■ White | Heavy | Men's |
| 97-540H | Cotton | Cut-and-Sewn | Hemmed | 9" | ■ White | Heavy | Men's |
| 97-540/12 | Cotton | Cut-and-Sewn | Unhemmed | 12" | ■ White | Heavy | Men's |
| 97-541/12 | Cotton | Cut-and-Sewn | Unhemmed | 12" | ■ White | Heavy | Ladies' |
| 97-540R | Cotton | Cut-and-Sewn | Rolled | 10" | ■ White | Heavy | Men's |
| 97-541 | Cotton | Cut-and-Sewn | Unhemmed | 8.5" | ■ White | Heavy | Ladies' |
| 97-541H | Cotton | Cut-and-Sewn | Rolled | 8.5" | ■ White | Heavy | Ladies' |
| 130-100WMNZ | Cotton | Cut-and-Sewn | Open Cuff, <i>no raised stitching on the back</i> | 9" | ■ White | Heavy | XS - XL |

CLEANTEAM® NYLON SEAMLESS KNIT - HEAVYWEIGHT

| STYLE NUMBER | MATERIAL | CONSTRUCTION | HEM | LENGTH | COLOR | WEIGHT | SIZES |
|--------------|----------|--------------|---------------|--------|---------|--------|---------------|
| 98-740 | Nylon | Cut-and-Sewn | Hemmed | 9" | ■ White | Light | Men's S -XXL |
| 98-741 | Nylon | Cut-and-Sewn | Hemmed | 8.5" | ■ White | Light | Ladies' S - L |
| 98-702 | Nylon | Cut-and-Sewn | Zigzag Stitch | 9" | ■ White | Light | Men's |
| 98-702I | Nylon | Cut-and-Sewn | Zigzag Stitch | 9" | ■ White | Light | Men's |
| 98-702/12 | Nylon | Cut-and-Sewn | Zigzag Stitch | 12" | ■ White | Light | Men's |
| 98-703 | Nylon | Cut-and-Sewn | Zigzag Stitch | 8.5" | ■ White | Light | Ladies' |
| 98-703I | Nylon | Cut-and-Sewn | Zigzag Stitch | 8.5" | ■ White | Light | Ladies' |
| 98-703/12 | Nylon | Cut-and-Sewn | Zigzag Stitch | 12" | ■ White | Light | Ladies' |
| 98-700 | Nylon | Cut-and-Sewn | Zigzag Stitch | 9" | ■ White | Heavy | Men's |
| 98-701 | Nylon | Cut-and-Sewn | Zigzag Stitch | 8.5" | ■ White | Heavy | Ladies' |
| 98-712 | Nylon | Cut-and-Sewn | Zigzag Stitch | 9" | ■ White | Heavy | Men's |
| 98-713 | Nylon | Cut-and-Sewn | Zigzag Stitch | 8.5" | ■ White | Heavy | Ladies' |

CRITICAL ENVIRONMENT

EXTREME TEMPERATURE / MATS & PAPER

EXTREME TEMPERATURE PROTECTION



▲ 202-1027 ▲ 202-1019 ▲ 202-1015 ▲ 202-1012

TEMP-GARD® LIQUID-PROOF SILICONE EXTREME TEMPERATURE GLOVE

IDEAL FOR USE IN WORK ENVIRONMENTS TO PROTECT FROM EXTREME TEMPERATURES OF -321°F (-196°C) TO +500°F (+260°C), SUCH AS CRYOGENIC CLEANING, CRYOGENIC SYSTEMS MAINTENANCE, CONSERVATION OF FOOD PRODUCE

- Impervious to cryogenic liquids and most other liquids and chemicals
- Exceptional grip that does not become slippery, even at extreme temperatures
- Superior flexibility that will not stiffen
- Improved dexterity at all temperatures
- Easy to clean, will not absorb chemicals and will not stain. The silicone coating is on the outside of the gloves (rather than inside), so it prevents staining and can easily be rinsed off after use

| ITEM NUMBER | COLOR | MATERIAL | LENGTH | SIZES |
|-------------|---------|-----------------------|----------|-------|
| 202-1012 | ■ Black | Liquid-Proof Silicone | Wrist | S - L |
| 202-1015 | ■ Black | Liquid-Proof Silicone | Mid-Arm | S - L |
| 202-1019 | ■ Black | Liquid-Proof Silicone | Elbow | S - L |
| 202-1027 | ■ Black | Liquid-Proof Silicone | Shoulder | S - L |



TEMP-GARD® EXTREME TEMPERATURE APRONS

- Multi-layered construction for maximum thermal protection
- Liquid-proof outer layer to protect from splashes
- Quick release buckles at neck and waist for added safety

| ITEM NUMBER | COLOR | MATERIAL | LENGTH |
|-------------|---------|-----------------------|--------|
| 202-2036 | ■ Black | Liquid-Proof Silicone | 36" |
| 202-2042 | ■ Black | Liquid-Proof Silicone | 42" |
| 202-2048 | ■ Black | Liquid-Proof Silicone | 48" |
| 202-2054 | ■ Black | Liquid-Proof Silicone | 54" |



CONTAMINATION CONTROL MATS

- Specially designed adhesive coated mats reduce foot borne dust and particulates from entering cleanrooms and controlled environments
- Available in white, blue or gray

| ITEM NUMBER | SIZE | LAYERS | PACKS PER CASE |
|---------------|-----------|--------|----------------|
| 100-93-183638 | 18" x 36" | 30 | 8 |
| 100-93-184538 | 18" x 45" | 30 | 8 |
| 100-93-243638 | 24" x 36" | 30 | 8 |
| 100-93-264538 | 26" x 45" | 30 | 8 |
| 100-93-264564 | 26" x 45" | 60 | 4 |
| 100-93-363638 | 36" x 36" | 30 | 8 |
| 100-93-363664 | 36" x 36" | 60 | 4 |
| 100-93-364538 | 36" x 45" | 30 | 8 |
| 100-93-364564 | 36" x 45" | 60 | 4 |
| 100-93-366064 | 36" x 60" | 60 | 4 |

CLEANROOM PAPER

- Paper's antistatic properties reduce attraction of airborne particles and enhance its performance in photocopiers and converting processes
- Chemical and moisture resistant
- Available in white, light blue, yellow, green and pink

| ITEM NUMBER | SIZE | WEIGHT | PACKAGING |
|-------------|------------|--------|--|
| 100-95-501 | 8.5" x 11" | 22# | 250 sheets per pack 10 packs per case |



HIGH PERFORMANCE **TASK SPECIFIC PROTECTION**

THE NEED FOR MULTI-FACETED PROTECTION IS SOMETHING ONLY CUT AND SEWN GLOVES, USING ADVANCED, COMPOSITE MATERIALS CAN ACHIEVE. KEY MARKETS THAT ARE IN NEED OF TASK SPECIFIC GLOVES ARE OIL & GAS, CONSTRUCTION, ELECTRICAL AND GAS UTILITY, AND MECHANICAL TRADES.

EACH OF THESE MARKETS HAS SPECIFIC NEEDS



Impact Resistance

Impact resistant gloves aim to reduce injury from blunt force against the top of the hand and fingers. Thermoplastic Rubber (TPR) is the common material found on impact resistant gloves to reduce top of hand injuries. Key applications include: Oil & Gas, Heavy Industry, Mining, Trench Work and Construction



Flame & Heat Resistance

Covers everything from Flame Resistance, Arc Protection, Hot Mill and Welder's gloves, as well as gloves certified for fighting structural fires.



Cold Protection

Gloves for working in cold climates or in refrigerated warehouses rely on thermal lining or winterized membranes.



Ergonomic Design

Advancement in pattern engineering software and sewing machinery combine to produce gloves that mimic the natural hand. When constructed with advanced, composite materials, task specific gloves offer features that can solve almost any hand protection problem.

100 OIL & GAS GLOVES

102 MINING GLOVES

103 CONSTRUCTION & INDUSTRIAL GLOVES

105 MECHANICS GLOVES

106 LIFTING & SHOCK ABSORBING GLOVES

107 UTILITY GLOVES

108 ELECTRICAL ARC RATED GLOVES

HIGH PERFORMANCE GLOVES

HIGH PERFORMANCE GLOVES

OIL & GAS

MAXIMUM SAFETY® MAD MAX™

- Synthetic leather palm for good grip in dry and slightly oily conditions
- Thermoplastic rubber (TPR) guards for pinch point protection
- Dorsal protection against impact to the back of the hand
- Reinforced thumb joint
- Foam padded knuckle
- Reinforced index finger

APPLICATIONS: Petrochemical, Heavy/Light Construction, Demolition, Manufacturing, Mining, Rigging, Fabrication



MAXIMUM SAFETY® TUFFMAX™

- Lightweight HPPE knit liner provides excellent dexterity and tactile sensitivity
- Thermoplastic rubber (TPR) guards for pinch point protection
- MicroSurface nitrile for enhanced grip in wet, dry and oily applications
- Dorsal protection against impact to the back of the hand
- Excellent puncture resistance
- Extended cuff for additional protection

APPLICATIONS: Petrochemical, Heavy/Light Construction, Demolition, Manufacturing, Mining, Rigging, Fabrication



MAXIMUM SAFETY

OIL

MAXIMUM SAFETY® MAD MAX™

| STYLE NUMBER | ANSI | EN388 | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|------|-------|------------------|---------|---------|-----------------------|---------|
| 120-4000 | A2 | 3121 | PVC Diamond Grip | Spandex | Slip-On | Hi-Vis Yellow / Black | S - XXL |
| 120-4050 | --- | 4121 | PVC Dot | Spandex | Slip-On | Hi-Vis Yellow / Black | S - XXL |
| 120-4070 | --- | 3121 | PVC Sandy Grip | Spandex | Slip-On | Hi-Vis Yellow / Black | S - XXL |

MAXIMUM SAFETY® TUFFMAX™

| | | | | | | | |
|----------|----|------|----------------------|------|----------------------------------|-----------------------|---------|
| 120-5150 | A3 | 4544 | Nitrile MicroSurface | HPPE | Slip-On with Hook & Loop Closure | Hi-Vis Orange / Black | M - XXL |
| 120-5130 | A2 | 4344 | Nitrile MicroSurface | HPPE | Slip-On with Hook & Loop Closure | Hi-Vis Green / Black | M - XXL |

HIGH PERFORMANCE GLOVES

OIL & GAS



& GAS



KEVLAR® STITCHED

▲ 120-5200



KEVLAR® LINED

▲ 120-5250



WATERPROOF LINER

▲ 120-5275



REFLECTIVE BACK

▲ 120-5300

MAXIMUM SAFETY® ROUSTABOUT™

- Synthetic leather palm with silicone for enhanced grip in wet and dry applications
- Thermoplastic rubber (TPR) guards
- Dorsal protection
- Padding in palm for added comfort
- Kevlar® stitched for added durability
- Kevlar® fabric reinforced thumb joint for extended glove life
- ID badge on wrist

APPLICATIONS: Petrochemical, Heavy/Light Construction, Fleet and Mechanical Repair, Demolition, Manufacturing, Mining, Rigging, Fabrication, Landscaping

MAXIMUM SAFETY® ROUSTABOUT™

| STYLE NUMBER | EN388 | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|-------|----------|---------|---------|-----------------------|---------|
| 120-5200 | 3132 | Silicone | Spandex | Slip-On | Hi-Vis Yellow / Black | M - XXL |
| 120-5250 | 3333 | Silicone | Spandex | Slip-On | Hi-Vis Yellow / Black | M - XXL |
| 120-5275 | 3333 | Silicone | Spandex | Slip-On | Hi-Vis Yellow / Black | M - XXL |
| 120-5300 | 3132 | Silicone | Spandex | Slip-On | Hi-Vis Orange / Black | M - XXL |

**MAXIMUM
SAFETY**

HIGH PERFORMANCE GLOVES

OIL, GAS & MINING



▲ 120-5900

MAXIMUM SAFETY® MOG™

- Synthetic leather palm with reinforcements, for an enhanced grip in dry and slightly oily conditions
- Thermoplastic rubber (TPR) guards for pinch point protection
- Dorsal protection against impact to the back of the hand
- Back of the hand guard

APPLICATIONS: *Petrochemical, Light Construction, Auto Repair, Demolition, Manufacturing, Mining, Fabrication, Landscaping*



▲ 120-4720

MAXIMUM SAFETY® DERRICKMEN™

- Thermoplastic rubber (TPR) guards for pinch point protection
- Polycord canvas for additional comfort
- Rubber bumper for knuckle protection
- Reflective knuckle
- Double stitching at seams for additional durability and strength

APPLICATIONS: *Petrochemical, Light Construction, Auto Repair, Demolition, Manufacturing, Mining, Fabrication, Landscaping*



▲ 120-4700

MAXIMUM SAFETY® MINER'S MIRACLE™

- Synthetic leather palm with reinforcements for an enhanced grip in dry and slightly oily conditions
- Thermoplastic rubber (TPR) guards for pinch point protection
- Rubber bumper knuckle protection
- Reflective knuckle
- Double stitching at seams

APPLICATIONS: *Petrochemical, Light Construction, Auto Repair, Demolition, Manufacturing, Mining, Fabrication, Landscaping*

MAXIMUM SAFETY® MOG™

| STYLE NUMBER | EN 388 | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|--------|----------------|---------|--------------------------|-----------------------|----------|
| 120-5900 | 3111 | PVC Sandy Grip | Spandex | Slip-On with Hook & Loop | Hi-Vis Orange / Black | M - XXXL |

MAXIMUM SAFETY® DERRICKMEN™

| | | | | | | |
|----------|------|-----------------|---------|--------------------------|-----------------------|---------|
| 120-4720 | 1221 | Polycord Canvas | Spandex | Slip-On with Hook & Loop | Hi-Vis Orange / Black | M - XXL |
|----------|------|-----------------|---------|--------------------------|-----------------------|---------|

MAXIMUM SAFETY® MINER'S MIRACLE™

| | | | | | | |
|----------|------|-------------|---------|--------------------------|-----------------------|---------|
| 120-4700 | 4131 | PVC Popcorn | Spandex | Slip-On with Hook & Loop | Hi-Vis Orange / Black | S - XXL |
|----------|------|-------------|---------|--------------------------|-----------------------|---------|

MAXIMUM
SAFETY



GLOVES FOR CONSTRUCTION



▲ 120-4200

▲ 120-4100

▲ 120-4150

KEVLAR® LINED

MAXIMUM SAFETY®

- Reinforced goatskin leather palm and back provides abrasion resistance and comfort
- Thermoplastic rubber (TPR) guards for added protection
- Internal foam padded palm absorbs and dampens shock
- Reinforced thumb joint for extended glove life
- Reflective knuckle tape for visibility in low-light applications

APPLICATIONS: *Heavy/Light Construction, Excavation, Demolition, Manufacturing, Mining, Fabrication, Landscaping*

MAXIMUM SAFETY®

| STYLE NUMBER | EN 388 | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|--------|------------------|-----------------------------|---------|-----------------|----------|
| 120-4200 | 2112 | Goatskin Leather | Reinforced Goatskin Leather | Slip-On | ☐ Brown / Black | S - XXL |
| 120-4100 | 2332 | Goatskin Leather | Reinforced Goatskin Leather | Slip-On | ☐ Brown / Black | S - XXL |
| 120-4150 | 2332 | Goatskin Leather | Reinforced Goatskin Leather | Slip-On | ☐ Brown / Black | S - XXXL |

HIGH PERFORMANCE GLOVES

CONSTRUCTION & INDUSTRIAL



▲ 120-4400

MAXIMUM SAFETY® GUNNER-AV™

- Synthetic leather palm provides dexterity and a good grip in dry and slightly oily applications
- PVC sandy grip on palm, thumb joint, upper knuckle and fingertips
- Reinforced thumb joint for extended glove life
- Reflective piping across back for visibility in low-light applications

APPLICATIONS: *Heavy/Light Construction, Excavation, Demolition, Manufacturing, Mining, Fabrication, Landscaping*



▲ 120-4300

MAXIMUM SAFETY® GUNNER™

- Half-finger design for dexterity
- Synthetic leather pull-off hooks on fingers for easy on/off
- PVC sandy grip on palm & thumb joint
- Reinforced thumb joint for extended glove life

APPLICATIONS: *Heavy/Light Construction, Excavation, Demolition, Manufacturing, Mining, Fabrication, Landscaping*



▲ 120-4500

MAXIMUM SAFETY® TORQUE™

- Silicone triangle grip palm for enhanced grip
- Reinforced thumb joint for extended glove life
- Reflective tape on fingertips and back of hand for visibility in low-light applications

APPLICATIONS: *Heavy/Light Construction, Excavation, Demolition, Manufacturing, Mining, Fabrication, Landscaping*



▲ 120-4600

MAXIMUM SAFETY® VIZ™

- Silicone grip on index finger and thumb for small parts handling
- Reinforced thumb joint for extended glove life
- Hi-Vis color for enhanced visibility

APPLICATIONS: *Road Construction, Traffic Safety, Highway Maintenance, Manufacturing, Fleet maintenance*



▲ 120-4900

MAXIMUM SAFETY® BRICKYARD™

- Silicone grip on palm for improved grip
- Thermoplastic rubber (TPR) finger guards for pinch-point protection and hand guard for back of the hand protection

APPLICATIONS: *Road Construction, Traffic Safety, Highway Maintenance, Manufacturing, Fleet Maintenance*

TAILORED TO THE JOB



MAXIMUM SAFETY® GUNNER™

| STYLE NUMBER | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|----------------|------------------|----------------------------------|---|---------|
| 120-4400 | PVC Sandy Grip | Neoprene / Nylon | Slip-On with Hook & Loop Closure | <input type="checkbox"/> Black / Gray | S - XXL |
| 120-4300 | PVC Sandy Grip | Neoprene / Nylon | Slip-On with Hook & Loop Closure | <input checked="" type="checkbox"/> Gray / Yellow | S - XXL |

MAXIMUM SAFETY® TORQUE™

| | | | | | |
|----------|----------|------------------|----------------------------------|---------------------------------------|---------|
| 120-4500 | Silicone | Neoprene / Nylon | Slip-On with Hook & Loop Closure | <input type="checkbox"/> Gray / Black | S - XXL |
|----------|----------|------------------|----------------------------------|---------------------------------------|---------|

MAXIMUM SAFETY® VIZ™

| | | | | | |
|----------|----------|---------|---------|---|---------|
| 120-4600 | Silicone | Spandex | Slip-On | <input checked="" type="checkbox"/> Hi-Vis Orange / Black | S - XXL |
|----------|----------|---------|---------|---|---------|

MAXIMUM SAFETY® BRICKYARD™

| | | | | | |
|----------|----------|------------------|--------------------------------|---------------------------------------|---------|
| 120-4900 | Silicone | Neoprene / Nylon | Slip-On with Hook & Loop Close | <input type="checkbox"/> Black / Gray | S - XXL |
|----------|----------|------------------|--------------------------------|---------------------------------------|---------|

FOR PROFESSIONALS & ENTHUSIASTS

MECHANIC'S GLOVES

WITH TOUCH SCREEN CAPABILITY



▲ 120-MX2805



▲ 120-MX2820



▲ 120-MX2830



▲ 120-MX2840

**MAXIMUM SAFETY®
MECHANIC'S GLOVES**

- Synthetic leather palm provides dexterity and a good grip in dry and slightly oily applications
- Protection from heat, cold, cut and abrasions
- Stretch fabric back provides snug fit for increased grip and finger control
- Reinforced index finger for added durability

APPLICATIONS: Protects the Professional Mechanic or Enthusiast From Heat, Cold, Cuts and Abrasions

MAXIMUM SAFETY® MECHANIC'S GLOVES

| STYLE NUMBER | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|--------------------------|----------------------|----------------------------------|------------------|---------|
| 120-MX2805 | Amara® Synthetic Leather | Elastane / Polyester | Slip-On with Hook & Loop Closure | □ Black | S - XXL |
| 120-MX2820 | Amara® Synthetic Leather | Elastane / Polyester | Slip-On with Hook & Loop Closure | ■ Yellow / Black | S - XL |
| 120-MX2830 | Amara® Synthetic Leather | Elastane / Polyester | Slip-On with Hook & Loop Closure | ■ Blue / Black | S - XL |
| 120-MX2840 | Amara® Synthetic Leather | Elastane / Polyester | Slip-On with Hook & Loop Closure | ■ Red / Black | S - XL |



PROTECTS FROM HEAT, COLD, CUTS & ABRASIONS

HIGH PERFORMANCE GLOVES

LIFTING & SHOCK ABSORBING



MAXIMUM SAFETY® 122-AV14

- Good durability
- Half-finger for increased dexterity and sensitivity
- Reinforced palm to help absorb and dampen shock
- Mesh back for breathability and additional comfort

APPLICATIONS: *Lifting, Material Handling*



MAXIMUM SAFETY® 122-AV70

- Good durability
- Half-finger for increased dexterity and sensitivity
- Reinforced palm to help absorb and dampen shock
- Terry cloth back for breathability

APPLICATIONS: *Lifting, Material Handling*



MAXIMUM SAFETY® 122-AV71

- Half-finger for increased dexterity and sensitivity
- Reinforced palm to help absorb and dampen shock
- Lycra® construction for increased comfort
- Can be used as a glove liner

APPLICATIONS: *Lifting, Material Handling*

ERGONOMIC LIFTING GLOVES



MAXIMUM SAFETY® 122-169

- Good comfort and durability
- Reinforced palm to help absorb and dampen shock
- Leather driver's style

APPLICATIONS: *Lifting, Material Handling*



ENHANCED WRIST SUPPORT

▲ 122-AV20

▲ 122-AV40

MAXIMUM SAFETY® ANTI-VIBRATION LIFTING GLOVES

- Good durability
- Features heavy duty leather palm and knuckles
- Half-finger for increased dexterity and sensitivity
- Reinforced palm to help absorb and dampen shock
- Wraparound wrists for added support

APPLICATIONS: *Lifting, Material Handling*

MAXIMUM SAFETY LIFTING GLOVES

| STYLE NUMBER | GRIP | BACK | CUFF | COLOR | SIZES |
|--------------|---------------------------|---------------------------|---------------------|------------------|----------|
| 122-AV14 | Leather | Crocheted Cotton | Hook & Loop Closure | ■ Black | S - XXL |
| 122-AV70 | Sheepskin Leather | Stretch Fabric | Hook & Loop Closure | ■ Black / Gold | S - XXL |
| 122-AV71 | Goatskin Leather | Lycra® | Hook & Loop Closure | ■ Black | S - XXL |
| 122-169 | Top Grain Cowhide Leather | Top Grain Cowhide Leather | Slip-On | ■ Natural / Gray | XS - XXL |

MAXIMUM SAFETY ANTI-VIBRATION LIFTING GLOVES

| | | | | | |
|----------|--------------------|--------|---------------------|----------------|---------|
| 122-AV20 | Heavy Duty Leather | Cotton | Hook & Loop Closure | ■ Black | S - XXL |
| 122-AV40 | Heavy Duty Leather | Cotton | Hook & Loop Closure | ■ Black / Gold | S - XXL |

**MAXIMUM
SAFETY**

DESIGNED TO
REDUCE
FATIGUE

HIGH PERFORMANCE GLOVES

UTILITY

GLOVES FOR UTILITY



ANSI
A3

MAXIMUM SAFETY® 73-1703

- Inherently FR Nomex® material used in construction of glove
- Kevlar® lined and stitched for light heat and cut protection
- Fourchettes between the fingers provide a better fit
- Double palm enhances comfort and protection
- Reinforced thumb joint provides added durability

APPLICATIONS: *Material Handling, Stamping, Grinding, Cut Resistance, Multitasking Where Welding Could Be Part of the Task*



MAXIMUM SAFETY® 39-C1375

- Seamless knit construction is comfortable and flexible
- Latex crinkle coating provides superior grip in dry and wet, non-oily conditions
- Ergonomic shaped finger pattern reduces hand fatigue
- Fabric back provides breathability and flexibility
- Launderable

APPLICATIONS: *Light Construction, Auto Repair, Manufacturing, Fabrication Landscaping*



MAXIMUM SAFETY® 120-4800

- Provides high abrasion resistance and tactility
- 3M™ Thinsulate™ lining provides superior insulation without the bulk of fleece
- PVC diamond grip pattern on fingers and palm for enhanced grip
- Neoprene pad provides additional knuckle protection
- Breathable, waterproof liner keeps hands dry and comfortable
- Fourchettes between the fingers provide a better fit

APPLICATIONS: *Cold Weather Work, Petrochemical, Construction, Manufacturing, Mining, Fabrication*



MAXIMUM SAFETY® UTILITY GLOVES

| STYLE NUMBER | ANSI | EN 388 | FLAME RESISTANT | GRIP | LINED | CUFF | COLOR | SIZES |
|--------------|------|--------|-----------------|---|------------|------------|-----------------|----------|
| 73-1703 | A3 | 3342 | Yes | FR Synthetic Leather | Kevlar® | Slip-On | □ Black | S - XXXL |
| 39-C1375 | --- | 2243 | No | Latex Crinkle | Unlined | Knit Wrist | □ Black | S - XL |
| 120-4800 | --- | 3121 | No | Goatskin Leather with PVC Diamond Patches | Thinsulate | Knit Wrist | ▣ Black / Brown | S - XXL |

LEATHER UTILITY GLOVES

| | | | | | | | | |
|----------|-----|------|-----|----------------------------|---------|---------|-----------|----------|
| 09-K3700 | A2 | 2241 | No | Top Grain Goatskin Leather | Kevlar® | Slip-On | ▣ Brown | S - XXXL |
| 73-2000 | --- | 3122 | Yes | FR Synthetic Leather | Unlined | Slip-On | ▣ Gray | S - XXL |
| 09-K3720 | --- | 2344 | No | Top Grain Goatskin Leather | Kevlar® | Slip-On | ■ Natural | M - XL |

ARC RATED GLOVES

ELECTRICAL



ELECTRICAL ARC RATED HAND PROTECTION

MAXIMUM SAFETY® ELECTRICAL ARC RATED GLOVES

| STYLE NUMBER | ANSI | EN 388 | EN 407 | CAL/CM² | FLAME RESISTANT | GRIP | LINED | CUFF | COLOR | SIZES |
|-----------------|------|--------|--------|---------|-----------------|----------------------------|---------|------------|------------------|----------|
| 09-K3750 | A2 | 3342 | --- | 28.5 | Yes | Top Grain Goatskin Leather | Kevlar® | Slip-On | ■ Natural | S - XXXL |
| 73-K1800 | A4 | 2542 | 41212 | 6.3 | Yes | Nitrile Smooth | --- | Knit Wrist | ■ Yellow / Black | S - XXL |
| 73-1700 | --- | 2332 | --- | 30 | Yes | Goatskin Leather | Kevlar® | Slip-On | ■ Black / Brown | S - XXL |



MAXIMUM SAFETY® 09-K3750

- Arc rated with high cut protection
- Kevlar® lined for light heat and cut protection
- Provides high abrasion resistance
- Top grain goatskin leather is soft, abrasion resistant and provides tactility
- Straight thumb is ergonomic, providing better dexterity

APPLICATIONS: *Material Handling, General Maintenance, Woodworking, Recycling*



MAXIMUM SAFETY® 73-K1800

- Arc rated with high cut protection
- Seamless knit aramid liner is comfortable and flexible
- Nitrile coated palm and finger tips for enhanced grip

APPLICATIONS: *Oil and Gas Protection Against Arc and Flash Fires*



MAXIMUM SAFETY® 73-1700

- Arc rated
- Kevlar® lined for light heat and cut protection
- Mechanics drivers style glove
- Goatskin palm provides comfort
- Aramid fiber back for additional heat protection
- Wing thumb increases comfort in open-handed work

APPLICATIONS: *Oil and Gas Protection Against Arc and Flash Fires*



HEAT RESISTANCE,
CUT RESISTANCE
AND STRENGTH

COLD PROTECTION GLOVES

COATED SEAMLESS KNIT

EXCELLENT INSULATION

EN 388
4432



LATEX
MICROSURFACE
COATING



◀ 41-1420

- Latex foam crinkle coating provides a superior grip in dry and wet, non-oily conditions
- Moisture wicking material to keep hands dry
- Hi-Vis color for better visibility
- Stays flexible in cold weather

APPLICATIONS: Refrigerated Warehouses, Food Processing Facilities, Utilities, Construction, Outdoor Winter Tasks



EN 388
4432



NITRILE FOAM
COATING



◀ 41-1415

- Nitrile foam coating provides superior grip in dry, wet and oily applications
- Hi-Vis color for better visibility
- Quickly evaporates moisture from the skin

APPLICATIONS: General Maintenance, Cold Protection



DOUBLE-DIPPED

EN 388
3132



LATEX
FOAM CRINKLE
COATING



◀ G-TEK® GP™ 41-1425

- Latex crinkle coating provides superior grip in wet and dry conditions
- Hi-Vis color makes product very easy to see
- Acrylic gloves provide economical cold weather protection

APPLICATIONS: General Maintenance, Cold Protection



SEAMLESS KNIT COATED

| STYLE NUMBER | EN 388 | ANSI | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | GAUGE | SIZES |
|--------------|--------|------|--------------------|-----------------------------|--|---------------------|---|----------------------|-------|---------|
| 41-1420 | 1221 | --- | Latex Microsurface | Palm & Fingertips | <input type="checkbox"/> Black | Acrylic | <input checked="" type="checkbox"/> Lime | Coated Seamless Knit | 10 | S - XL |
| 41-1415 | 4432 | --- | Nitrile Foam | Palm, Full Finger & Knuckle | <input checked="" type="checkbox"/> Black / Blue | Polyester / Acrylic | <input checked="" type="checkbox"/> Hi-Vis Yellow | Coated Seamless Knit | 10 | S - XL |
| 41-1425 | 3132 | --- | Latex Crinkle | Palm & Fingertips | <input type="checkbox"/> Black | Acrylic | <input checked="" type="checkbox"/> Hi-Vis Yellow | Coated Seamless Knit | 10 | S - XXL |

COLD PROTECTION GLOVES

SEAMLESS KNIT GLOVES & LINERS / PVC COATED



4121

58-8650

- Special PVC blend that stays soft and flexible in cold applications
- Rough finish provides good grip in wet and dry applications
- Gauntlet cuff for additional forearm protection

APPLICATIONS: *Cold Environments, Fishing, Maintenance*



58-7313

- Foam insulation keeps hands warm and dry
- Liquid-proof
- Crystal grip provides excellent grip in wet applications
- Hi-Vis color for better visibility

APPLICATIONS: *Cold Environments, Handling Grease, Oils, Acids, Caustics, Solvents, Warehousing, Highway Construction, Traffic Control*



41-130

- Merino® Wool provides superior insulating properties even when wet, and withstands moderately high temperatures
- Great liner for use with Novax® electrical gloves
- Ambidextrous

APPLICATIONS: *Refrigeration, Utilities, Outdoor Winter Activities and Recreation, Food Processing, Construction*



GREAT LINER FOR NOVAX® ELECTRICAL GLOVES

41-001W

- Thermax® helps keep moisture away from the hands, keeping hands warm, dry and comfortable
- Can be used as a glove or as a glove liner in cold weather
- Extra softness for non-chafing comfort
- Ambidextrous

APPLICATIONS: *Refrigeration, Utilities, Outdoor Winter Activities and Recreation, Food Processing, Construction*



PVC GLOVES FOR COLD & WET CONDITIONS

SEAMLESS KNIT GLOVES AND LINERS

| STYLE NUMBER | MATERIAL | COLOR | GAUGE | WEIGHT | SIZES |
|--------------|----------------------------------|-----------|-------|--------|----------|
| 41-005 | Polypropylene | Dark Blue | 13 | Light | XS - XL |
| 41-070 | 75% Wool, 25% Nylon | Natural | 7 | Medium | L |
| 41-075 | 75% Wool, 25% Nylon, Half-Finger | Natural | 7 | Medium | L |
| 41-010 | 100% Acrylic | Natural | 7 | Medium | XS, S, L |
| 41-013 | 100% Acrylic | Orange | 7 | Medium | XS, S, L |
| 41-011 | 100% Acrylic | Black | 7 | Medium | S - XL |
| 41-001 | Thermax® | Black | 13 | Light | M - L |
| 41-001NB | Thermax® | Navy Blue | 13 | Light | L |
| 41-001W | Thermax® | White | 13 | Light | L |
| 41-002 | Thermal Yarn / Lycra® | White | 13 | Light | L |
| 41-130 | Merino Wool | Black | 13 | Light | L |

PVC

| STYLE NUMBER | EN 388 | POLYMER | COLOR | CUFF | LENGTH | CONSTRUCTION | GRIP | LINING | SIZES |
|--------------|--------|---------|---------------|------------|--------|--------------|---------|--------|-------|
| 58-7303 | --- | PVC | Hi-Vis Orange | Knit Wrist | 11" | Supported | Smooth | Foam | Men's |
| 58-7304 | --- | PVC | Hi-Vis Orange | Straight | 12" | Supported | Smooth | Foam | Men's |
| 58-7305 | --- | PVC | Hi-Vis Orange | Safety | 11" | Supported | Smooth | Foam | Men's |
| 58-7313 | --- | PVC | Hi-Vis Orange | Knit Wrist | 11" | Supported | Crystal | Foam | Men's |
| 58-7315 | --- | PVC | Hi-Vis Orange | Safety | 11" | Supported | Crystal | Foam | Men's |

SPECIALTY PVC BLENDS

| | | | | | | | | | |
|---------|------|-----|-------|----------|-----|-----------|-------|-----------|--------|
| 58-8650 | 4121 | PVC | Brown | Straight | 10" | Supported | Rough | Interlock | S - XL |
| 58-8651 | 4121 | PVC | Brown | Straight | 12" | Supported | Rough | Interlock | S - XL |

COLD PROTECTION GLOVES

INSULATED LEATHER

INSULATED LEATHER

TOP GRAIN COWHIDE LEATHER DRIVERS

| STYLE NUMBER | HIDE | GRADE | INSULATION | PATTERN | THUMB | BACK | COLOR | CUFF | SIZE |
|--------------|---------|---------|-----------------|---------|----------|------|-------|---------|---------|
| 77-218 | Cowhide | Premium | White Thermal | --- | Straight | --- | --- | Slip-On | S - XL |
| 77-265 | Cowhide | Premium | White Thermal | --- | Keystone | --- | --- | Slip-On | S - XL |
| 77-268 | Cowhide | Premium | Red Thermal | --- | Keystone | --- | --- | Slip-On | S - XL |
| 77-208 | Cowhide | Premium | Red Foam | --- | Straight | --- | --- | Slip-On | S - XXL |
| 77-269 | Cowhide | Premium | 3M™ Thinsulate™ | --- | Keystone | --- | --- | Slip-On | S - XL |
| 77-298 | Cowhide | Premium | Fleece Pile | --- | Keystone | --- | --- | Slip-On | S - XXL |

TOP GRAIN PIGSKIN LEATHER DRIVERS

| | | | | | | | | | |
|--------|---------|---------|-----------------|-----|----------|-----|-----|---------|--------|
| 77-418 | Pigskin | Premium | White Thermal | --- | Straight | --- | --- | Slip-On | S - XL |
| 77-468 | Pigskin | Premium | Red Thermal | --- | Keystone | --- | --- | Slip-On | S - XL |
| 77-469 | Pigskin | Premium | 3M™ Thinsulate™ | --- | Keystone | --- | --- | Slip-On | S - XL |

SPLIT COWHIDE LEATHER DRIVERS

| | | | | | | | | | |
|----------|---------|---------|-----------------|-----|----------|-----|-----|---------|---------|
| 77-238 | Cowhide | Regular | White Thermal | --- | Straight | --- | --- | Slip-On | S - XL |
| 77-289TL | Cowhide | Regular | 3M™ Thinsulate™ | --- | Keystone | --- | --- | Slip-On | S - XXL |
| 77-289 | Cowhide | Regular | Fleece Pile | --- | Keystone | --- | --- | Slip-On | S - XXL |

SPLIT COWHIDE LEATHER PALM

| | | | | | | | | | |
|----------|---------|---------|-------------|------|------|--------|---------------|--------------------|--------|
| 78-7863B | Cowhide | Regular | Fleece Pile | Gunn | Wing | Canvas | Blue / Yellow | Safety, Rubberized | L - XL |
| 78-7825 | Cowhide | Regular | Red Foam | Gunn | Wing | Canvas | Gray / Red | Safety, Rubberized | L - XL |

TOP GRAIN PIGSKIN LEATHER PALM

| | | | | | | | | | |
|-----------|---------|---------|-----------------|------|----------|--------|--------------|--------------------|--------|
| 78-3927 | Pigskin | Premium | 3M™ Thinsulate™ | Gunn | Straight | Canvas | Blue / Green | Safety, Rubberized | M - XL |
| 78-3927KW | Pigskin | Premium | 3M™ Thinsulate™ | Gunn | Straight | Canvas | Blue / Green | Knit Wrist | M - XL |

TYPES OF LINING

WHITE THERMAL

BASIC INSULATION

RED THERMAL

DENSER, HEAVIER FABRIC FOR BETTER INSULATION

RED FOAM

ENHANCED INSULATION & MOISTURE PROTECTION

FLEECE PILE

EXTRA THICK FOR SUPERIOR WARMTH

3M™ THINSULATE™

SUPERIOR WARMTH WITHOUT BULK



WHITE THERMAL LINING



77-218

- White thermal liner provides insulation
- Straight thumb increases comfort in close-fisted work

APPLICATIONS: Cold Storage, Construction, Farming



3M™ THINSULATE™ LINING



77-469

- 3M™ Thinsulate™ liner for superior warmth without the bulk
- Keystone thumb is ergonomic, providing better dexterity
- Breathable for added comfort

APPLICATIONS: Cold Storage, Construction, Farming



FLEECE PILE LINING



78-7863B

- Fleece pile lining provides superior warmth
- Fabric back provides breathability and flexibility
- Rubberized safety cuff for easy donning and doffing, and water resistance

APPLICATIONS: Cold Weather Farming, Construction, Machine Operation and Refrigeration

HANDLE THE HEAT



**RED VIPER™
73-7015**

- One piece back for extended life
- Fully welted to protect seams from abrasions
- Wing thumb increases comfort in open-handed work
- Reinforced thumb joint for additional wear protection

APPLICATIONS: *Welding and Hot, Heavy Material Handling*



73-320

- Unlined palm provides dexterity
- Kevlar® stitched for strength and burn resistance
- Split leather gauntlet cuff provides additional forearm protection
- Straight thumb increases comfort in close-fisted work

APPLICATIONS: *Mig Tig, Welding, Metal Fabrication, Automotive*

AVAILABLE IN LHO & RHO



74-SC7104

- Heavier construction for increased durability
- Leather gauntlet cuff provides additional forearm protection
- Thick wool lining for thermal insulation
- Straight thumb increases comfort in close-fisted work

APPLICATIONS: *Foundries and Hot Metal Handling*

KEVLAR® STITCHING

WELDING GLOVES

| STYLE NUMBER | HIDE | GRADE | STITCHING | COLOR | LINING | CUFF | REINFORCED THUMB JOINT | SIZES |
|-------------------|---------------|-----------------|-----------|--------------|-------------|----------|------------------------|----------------|
| 73-888A | Split Cowhide | Economy | Nylon | Gray | Cotton | Straight | No | L |
| 73-888 | Split Cowhide | Shoulder | Nylon | Gray | Cotton | Straight | No | L |
| 73-888LHO | Split Cowhide | Shoulder | Nylon | Gray | Cotton | Straight | No | L (Left Hand) |
| 73-888RHO | Split Cowhide | Shoulder | Nylon | Gray | Cotton | Straight | No | L (Right Hand) |
| 73-7088 | Split Cowhide | Shoulder | Nylon | Golden Brown | Cotton | Straight | No | L |
| 73-7015A | Split Cowhide | Shoulder | Nylon | Russet | Cotton | Straight | No | L |
| 73-7018 | Split Cowhide | Shoulder | Kevlar® | Blue | Cotton Foam | Straight | Yes | L |
| 73-7085 | Split Cowhide | Shoulder | Kevlar® | Brown | Cotton Foam | Straight | Yes | L |
| 73-7007 | Split Cowhide | Select Shoulder | Kevlar® | Blue | Cotton | Straight | Yes | L |
| 73-7007LHO | Split Cowhide | Select Shoulder | Kevlar® | Blue | Cotton | Straight | Yes | L (Left Hand) |
| 73-7007RHO | Split Cowhide | Select Shoulder | Kevlar® | Blue | Cotton | Straight | Yes | L (Right Hand) |
| 73-7015 | Split Cowhide | Select Shoulder | Kevlar® | Russet | Cotton | Straight | Yes | L |
| 73-7080 | Split Cowhide | Side Split | Kevlar® | Blue | Cotton Foam | Straight | Yes | L |
| 73-7150 | Split Cowhide | Side Split | Kevlar® | Brown | Cotton Foam | Straight | Yes | L |
| 73-7250 | Split Cowhide | Side Split | Kevlar® | Blue | Cotton Foam | Straight | Yes | L |

MIG TIG WELDER'S GLOVES

| STYLE NUMBER | HIDE | GRADE | STITCHING | COLOR | LINING | CUFF | SIZES |
|-------------------|--------------------|---------|-----------|-------------|---------|-----------------------------|---------------------|
| 75-2022 | Top Grain Cowhide | Premium | Kevlar® | Natural | Unlined | Split Leather Band Top | M - XL |
| 75-2026 | Top Grain Cowhide | Premium | Kevlar® | Natural | Unlined | Leather Gauntlet | M - XL |
| 75-320 | Top Grain Pigskin | Premium | Kevlar® | Natural | Unlined | Split Leather Gauntlet | S - XL |
| 75-320/LHO | Top Grain Pigskin | Premium | Kevlar® | Natural | Unlined | Split Leather Gauntlet | M - XL (Left Hand) |
| 75-320/RHO | Top Grain Pigskin | Premium | Kevlar® | Natural | Unlined | Split Leather Gauntlet | M - XL (Right Hand) |
| 75-4904 | Top Grain Goatskin | Premium | Kevlar® | Gray | Unlined | Goatskin Band Top Cuff | S - XL |
| 75-4854 | Top Grain Goatskin | Premium | Kevlar® | Gray / Blue | Unlined | Blue Cowhide Split Gauntlet | XS - XL |

FOUNDRY GLOVES

| | | | | | | | |
|------------------|---------------|---------|---------|------|------|-----------------------------|---|
| 74-SC7104 | Split Cowhide | Premium | Kevlar® | Gray | Wool | Split Leather Gauntlet Cuff | L |
|------------------|---------------|---------|---------|------|------|-----------------------------|---|

HEAT PROTECTION GLOVES

FABRIC HOT MILL & BAKERS

TERRYCLOTH LOOP-OUT DESIGN



94-928G

- Multi-layer construction provides comfort, insulation, and superior heat protection
- Burlap lining creates an air pocket providing increased heat protection
- Knuckle strap for enhanced protection
- Gauntlet cuff for additional forearm protection

APPLICATIONS: *Forging, Hot Metal Handling, Castings, Molds and other operations that require heat protection*



42-C700

- Seamless construction offers increased comfort and breathability
- Provides comfortable resistance to cuts, abrasions and heat
- Loop out design helps protect against intermittent contact with hot surfaces
- Ambidextrous pattern

APPLICATIONS: *Operations that require heat and abrasion protection*



42-853

- Seamless construction offers increased comfort and breathability
- Provides comfortable resistance to cuts, abrasions and heat
- Loop out design helps protect against intermittent contact with hot surfaces
- 13" length provides additional forearm protection
- Double-insulated for excellent thermal protection

APPLICATIONS: *Food Service, Bakeries*

FABRIC HOT MILL GLOVES

| STYLE NUMBER | WEIGHT | COLOR | LAYERS | CUFF | BURLAP | SIZES |
|--------------|--------|---------------------|--------|-------------------|--------|-------|
| 94-924 | 24 oz. | ■ Natural | Two | Band Top | No | Men's |
| 94-924I | 24 oz. | ■ Natural | Two | Band Top | No | Men's |
| 94-924R | 24 oz. | ■ Natural | Two | Band Top | No | Men's |
| 94-924G | 24 oz. | ■ Natural | Two | Starched Gauntlet | No | Men's |
| 94-928 | 28 oz. | ■ Natural | Three | Band Top | Yes | Men's |
| 94-928I | 28 oz. | ■ Natural | Three | Band Top | Yes | Men's |
| 94-928G | 28 oz. | ■ Natural | Three | Starched Gauntlet | Yes | Men's |
| 94-930 | 30 oz. | ■ Natural | Three | Band Top | No | Men's |
| 94-932 | 32 oz. | ■ Natural | Three | Band Top | Yes | Men's |
| 94-932G | 32 oz. | ■ Natural | Three | Starched Gauntlet | Yes | Men's |
| 94-934 | 34 oz. | ■ Natural / ■ Denim | Three | Band Top | No | Men's |

TERRYCLOTH GLOVES

| STYLE NUMBER | WEIGHT | COLOR | CUFF | SIZES |
|--------------|--------|-----------|---------------|-------|
| 42-C700 | 24 oz. | ■ Natural | Knit Wrist | S & L |
| 42-C750 | 24 oz. | ■ Gray | Knit Wrist | L |
| 42-C713 | 18 oz. | ■ Natural | Knit Wrist | S & L |
| 42-C753 | 18 oz. | ■ Gray | Knit Wrist | S & L |
| 42-C920 | 32 oz. | ■ Brown | Gauntlet Cuff | L |

TERRYCLOTH SLEEVES

| | | | | |
|--------|--------------|-----------|------------|-----|
| 42-215 | Heavy Weight | ■ Natural | Knit Wrist | 15" |
| 42-329 | Heavy Weight | ■ Natural | Open | 19" |

TERRYCLOTH BAKERS PADS & MITTS

| | | | | |
|--------|---------------------|-----------|---------------|-----------|
| 42-811 | Heavy Weight, 2-Ply | ■ Natural | Pad | 10" x 11" |
| 42-857 | Heavy Weight, 2-Ply | ■ Natural | Gauntlet Cuff | L |
| 42-853 | Heavy Weight, 2-Ply | ■ Natural | Gauntlet Cuff | L |

PROTECTS FROM INTERMITTENT CONTACT WITH HOT SURFACES

HOT MILL SEAMLESS KNITS



▲ 43-500



▲ 43-502

▶ HOT MILL GLOVES

- EverGrip™ nitrile coating resists melting while providing improved grip
- Double-layered for increased heat protection
- Ambidextrous

APPLICATIONS: Glass Handling, Hot Metal Handling, Forging Operations



▲ 43-858



▶ 43-851

- Kevlar®/Preox blend provides cut, abrasion and heat protection
- Flame resistant
- Silagrip coating for enhanced grip and resists melting
- Ambidextrous
- Meets CFR 1910.269 standards
- Complies with NFPA 70E standards

APPLICATIONS: Glass Handling, Hot Metal Handling, Forging Operations

HOT MILL KNIT GLOVES

| STYLE NUMBER | COATING | COATING COVERAGE | COATING COLOR | LINER MATERIAL | LINER COLOR | CONSTRUCTION | CUFF | WEIGHT | SIZES |
|--------------|-------------------|------------------|---------------|---|-------------|-------------------------------------|------------|--------|----------|
| 43-502 | EverGrip™ Nitrile | Single-Sided | ■ Rust | 100% Cotton | ■ Natural | Coated Double-Layered Seamless Knit | Open | 24 oz. | S, L |
| 43-500 | Uncoated | Uncoated | Uncoated | 100% Cotton | ■ Natural | Coated Double-Layered Seamless Knit | Open | 24 oz. | S, L |
| 43-802 | EverGrip™ Nitrile | Single-Sided | ■ Rust | 100% Cotton | ■ Natural | Coated Double-Layered Seamless Knit | Open | 32 oz. | S, L |
| 43-552 | EverGrip™ Nitrile | Single-Sided | ■ Rust | Kevlar® / Cotton Blend | ■ Yellow | Coated Double-Layered Seamless Knit | Open | 24 oz. | S, L |
| 38-720 | EverGrip™ Nitrile | Double-Sided | ■ Rust | Cotton / Polyester | ■ Natural | Coated Seamless Knit | Knit Wrist | Heavy | S, L |
| 43-850 | Uncoated | Uncoated | Uncoated | Kevlar® / Preox Blend, Terry Cotton Lined | ■ Green | Coated Double-Layered Seamless Knit | Open | 32 oz. | L |
| 43-851 | Silagrip | Double-Sided | □ Black | Kevlar® / Preox Blend, Terry Cotton Lined | ■ Green | Coated Double-Layered Seamless Knit | Open | 32 oz. | L |
| 43-858 | Uncoated | Uncoated | Uncoated | Kevlar® / Preox Blend, Terry Cotton Lined | ■ Green | Coated Double-Layered Seamless Knit | Open | 32 oz. | S, L, XL |
| 43-859 | Silagrip | Double-Sided | □ Black | Kevlar® / Preox Blend, Terry Cotton Lined | ■ Green | Coated Double-Layered Seamless Knit | Open | 32 oz. | L |

EMERGENCY RESPONDER GLOVES

EXTRICATION & RESCUE

EXTRICATION GLOVES

MELT-RESISTANT FINGERTIPS



AUTO X™

- Fingertips won't melt and will withstand contact with hot materials up to 212°F (100°C)
- Puncture-resistant palm pads
- Kevlar® stitching
- Abrasion-resistant fingers/knuckles
- Maintains grip when wet and does not harden after drying

APPLICATIONS: *Emergency Rescue Situations Requiring Cut Protection, Heat Resistance and Close-Range Dexterity*



AUTO X™ PLUS 911-AX9P

- Includes a breathable vapor barrier, making the gloves bloodborne pathogen resistant

APPLICATIONS: *Emergency Rescue Situations Requiring Cut Protection, Heat Resistance and Close-Range Dexterity*

AUTO X™ EXTRICATION GLOVE

| STYLE NUMBER | PALM | BARRIER | COLOR | SIZES |
|--------------|--------------------------|---------|----------------|--------|
| 911-AX9 | Polyurethane & Synthetic | None | Orange / Black | S - XL |

AUTO X™ PLUS EXTRICATION GLOVE

| | | | | |
|----------|--------------------------|-------------------------------|----------------|--------|
| 911-AX9P | Polyurethane & Synthetic | PTFE Breathable Vapor Barrier | Orange / Black | S - XL |
|----------|--------------------------|-------------------------------|----------------|--------|

SERVE & PROTECT



▲ 130-600WM



▲ 130-650BM

100% STRETCH NYLON DRESS GLOVE

- Constructed in full fashion pattern with fourchettes and set-in thumbs for a tailored fit
- Three lines of raised stitching on back

APPLICATIONS: *For Formal Occasions by Police, Firemen, Waiters, Marching Bands, Military, Pallbearers*

CABARET™ - 100% STRETCH NYLON DRESS GLOVE

| STYLE NUMBER | COLOR | CUFF STYLE | SIZES |
|--------------|---------|--------------|---------|
| 130-600WM | ■ White | Open Cuff | Men's |
| 130-600WL | ■ White | Open Cuff | Ladies' |
| 130-650WM | ■ White | Snap Closure | Men's |
| 130-650WL | ■ White | Snap Closure | Ladies' |
| 130-650BM | □ Black | Snap Closure | Men's |

PARADE & UNIFORM GLOVES

COTTON DRESS

100% COTTON - THAT EXTRA TOUCH



▲ 130-100WM



▲ 130-100GM



DOTTED PALM

▲ 130-100WMPD

CABARET™ - 100% COTTON DRESS GLOVE

| STYLE NUMBER | COLOR | CUFF STYLE | PALM | RAISED STITCHING | SIZES |
|--------------|---------|--------------|----------------|------------------|---------|
| 130-100WM | ■ White | Open Cuff | Standard | With | S - XL |
| 130-100GM | □ Gray | Open Cuff | Standard | With | Men's |
| 130-150WM | ■ White | Snap Closure | Standard | With | S - XL |
| 130-100WMPD | ■ White | Open Cuff | Plastic Dotted | With | S - XL |
| 130-100WMNZ | ■ White | Open Cuff | Standard | Without | XS - XL |

MEDIUM WEIGHT TWO-PIECE AMBIDEXTROUS COTTON GLOVE

| STYLE NUMBER | COLOR | HEM STYLE | SIZES |
|--------------|---------|-------------------|---------|
| 97-520R | ■ White | Rolled | Men's |
| 97-520H | ■ White | Overlock Stitched | Men's |
| 97-520 | ■ White | Unhemmed | Men's |
| 97-521 | ■ White | Unhemmed | Ladies' |

FUNDAMENTALS OF **ARM PROTECTION**

120 FORM-FIT SEAMLESS KNIT SLEEVES

WHEN WEARING CUT RESISTANT GLOVES, ALSO CONSIDER ARM PROTECTION TO EXTEND YOUR SAFETY COVERAGE AND PROTECT AGAINST OTHER POTENTIAL INJURIES. WHETHER YOU HANDLE LARGE AND/OR SHARP OBJECTS, ARE EXPOSED TO SPARKS, OR JUST NEED TO HAVE YOUR FOREARMS COVERED, PROTECTIVE SLEEVES CAN PROVIDE VARIOUS SOLUTIONS TO MEET YOUR SAFETY NEEDS.

APPLICATIONS

The most common application need for arm protection is **cut resistance**. In addition to **cut protection**, you can also achieve options that provide:

- **Maximum comfort**
- **Heat protection**
- **Food handling Capabilities**

Several customizable options are also available to help maximize protection by ensuring the sleeve stays in place as consistently as possible.

- Options such as **thumb holes** can help hold the sleeve up to the heel of your hand.

ARM PROTECTION

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



CUT & HEAT RESISTANCE
FOR MAXIMUM PROTECTION



TRUSTED & PROVEN MAXIMUM CUT RESISTANCE



**KUT GARD®
MADE WITH KEVLAR®
10-KS18**

- High cut protection
- Light heat protection
- 2-ply for additional wear protection

APPLICATIONS: *Glass Operations,
Metal Stamping, Sheet Metal,
Automotive, Construction*



**KUT GARD®
MADE WITH KEVLAR®
10-KS18TO**

- High cut protection
- Light heat protection
- 2-ply for additional wear protection
- Thumb hole helps hold the sleeve up to the heel of your hand

APPLICATIONS: *Glass Operations,
Metal Stamping, Sheet Metal,
Automotive, Construction*



Kevlar.

DARE < BIGGER™

Sleeves with DuPont™ Kevlar® provide excellent cut protection and protection from light heat for the wrists and arms. Available in single-ply or double-ply for added protection. Cotton inner ply styles offers added comfort. MTO options available for all sleeves in any length.

KUT GARD® MADE WITH KEVLAR®

| STYLE NUMBER | ASTM | MATERIAL | CONSTRUCTION | PLY | COLOR | LENGTH |
|--------------|------|-----------------|-------------------------------|-----|--------|--------|
| 10-KS12 | A3 | DuPont™ Kevlar® | Seamless Knit | 2 | Yellow | 12" |
| 10-KS14 | A3 | DuPont™ Kevlar® | Seamless Knit | 2 | Yellow | 14" |
| 10-KS18 | A3 | DuPont™ Kevlar® | Seamless Knit | 2 | Yellow | 18" |
| 10-KS12TO | A3 | DuPont™ Kevlar® | Seamless Knit with Thumb Hole | 2 | Yellow | 12" |
| 10-KS14TO | A3 | DuPont™ Kevlar® | Seamless Knit with Thumb Hole | 2 | Yellow | 14" |
| 10-KS18TO | A3 | DuPont™ Kevlar® | Seamless Knit with Thumb Hole | 2 | Yellow | 18" |

Replace length with any custom length from 10" - 24"

FORM-FIT SEAMLESS KNIT SLEEVES

SECURE CLOSE-TO-SKIN COMFORT



UNPARALLELED COMFORT & COOLNESS MAXIMUM CUT RESISTANCE



Sleeves made with Dyneema® Technology offer unparalleled comfort and coolness, while providing cut and abrasion resistance.



ANSI
A4

KUT GARD® WITH DYNEEMA® 20-DA18

- Excellent cut resistance
- Excellent abrasion protection
- 2-ply for additional wear protection
- Breathable
- Made from component materials that comply with federal regulations for food contact 21CFR 170-199

APPLICATIONS: *Electronics Manufacturing, Glass Cutting, Paper Processing, Food Processing*



THUMB HOLE

ANSI
A4

KUT GARD® WITH DYNEEMA® 20-DA18TO

- Excellent cut resistance
- Excellent abrasion protection
- 2-ply for additional wear protection
- Breathable
- Thumb hole helps hold the sleeve up to the heel of your hand
- Made from component materials that comply with federal regulations for food contact 21CFR 170-199

APPLICATIONS: *Electronics Manufacturing, Glass Cutting, Paper Processing, Food Processing*

KUT GARD® WITH DYNEEMA®

| STYLE NUMBER | ASTM | MATERIAL | CONSTRUCTION | PLY | COLOR | LENGTH |
|--------------|------|-----------------------|-------------------------------|-----|--------|--------|
| 20-DA12 | A4 | ACP™ / Dyneema® Blend | Seamless Knit | 2 | ■ Gray | 12" |
| 20-DA12TO | A4 | ACP™ / Dyneema® Blend | Seamless Knit with Thumb Hole | 2 | ■ Gray | 12" |
| 20-DA14 | A4 | ACP™ / Dyneema® Blend | Seamless Knit | 2 | ■ Gray | 14" |
| 20-DA14TO | A4 | ACP™ / Dyneema® Blend | Seamless Knit with Thumb Hole | 2 | ■ Gray | 14" |
| 20-DA18 | A4 | ACP™ / Dyneema® Blend | Seamless Knit | 2 | ■ Gray | 18" |
| 20-DA18TO | A4 | ACP™ / Dyneema® Blend | Seamless Knit with Thumb Hole | 2 | ■ Gray | 18" |

Replace length with any custom length from 10" - 24"

FUNDAMENTALS OF EYE PROTECTION

EYE PROTECTION IS DESIGNED TO HELP SHIELD YOUR EYES FROM CERTAIN IMPACTS, DEBRIS, DUST, SPLASHES, AND OTHER POTENTIAL HAZARDS THAT COULD PRESENT SEVERE INJURY TO THE EYES, INCLUDING POTENTIAL BLINDNESS. PIP'S BOUTON® OPTICAL PROVIDES A COMPREHENSIVE LINE OF POTENTIAL SOLUTIONS FOR SAFETY EYEWEAR NEEDS.

SAFETY GLASSES

In addition to temples and nose pads to improve fit and comfort, there are several options also available to meet specific needs:

- **Readers** are available in different diopters and help magnify text so it becomes easier to read.
- **Foam-Lined Safety Glasses** seal better against the wearer's face, helping better protect against dust and other small debris. This style of eye protection is not recommended for splash protection.
- **Over-The-Glass (OTG) Safety Glasses** can be worn over prescription eyewear to provide the required protection. Standard eyeglasses cannot act as safety glasses and should not be treated as such.
- **Dielectric Safety Glasses** do not contain any metal components, making them non-conductive for those who are working near or around electricity.

Once the style of protective eyewear is chosen, the next consideration should be the lens technology for the task at hand. Depending on the work environment and lighting conditions, there are several different options for lenses. This information is detailed in the Bouton® Optical Lens Treatment Quick Guide on the subsequent pages.

GOGGLES & FACE SHIELDS

With goggles, the type of venting required for the work environment is the most critical consideration.

- **Direct Vented** goggles help minimize fogging and should be used when there is no liquid splash risk. Direct vented goggles have straight-line perforations that allow direct airflow from the work environment.
- **Indirect Vented** goggles help minimize fogging and should be used when there is liquid splash risk. Indirect vented goggles have hooded vents to allow indirect airflow from the work environment.
- **Non-Vented** have no openings for airflow or ventilation.

Face shields do just that – they protect the face from debris, such as sparks, or certain impacts. Face shields should not be used as a replacement for safety eyewear, as they are designed to be used in conjunction with eye protection products. Face shields can be worn with standard head gear or they can be fitted on your hard hat with the assistance of an adapter or bracket.

124 LENS TECHNOLOGIES

128 SAFETY GLASSES

158 SAFETY GOGGLES

162 FACE PROTECTION

164 ACCESSORIES

bouton
OPTICAL

ANSI ALL STYLES MEET ANSI Z87.1+

CE ALSO MEETING EN166

CSA ALSO MEETING CSA Z94.3

EYE & FACE PROTECTION



bouton[®] OPTICAL

FOR OVER 60 YEARS,
BOUTON[®] HAS BUILT ITS NAME
BY DEVELOPING SAFETY GLASSES
WORKERS WANT TO WEAR. BY
FOCUSING ON INNOVATION AND
STYLE, THE BOUTON[®] LEGACY
CONTINUES TO GROW TODAY.

BOUTON[®] LENS TECHNOLOGIES




ANTI-REFLECTIVE PLUS[™] TECHNOLOGY

THE CLOSEST THING TO NOT WEARING GLASSES

Bouton[®] Anti-ReflectivePLUS[™] lenses allow an astounding 96% Visible Light Transmission (VLT) compared to the 88–90% VLT provided by standard clear lenses. Durable Anti-ReflectivePLUS[™] Anti-Reflective coating significantly reduces the amount of light that reflects back into the wearer's eyes, providing ultimate visual acuity. Inspect, distinguish and see with more clarity—and less eye fatigue.

Available in the Following Styles: Bullseye, Recon, Commander, Supersonic, Q-Vision, Radar, Captain



TAKE ANTI-REFLECTIVE PLUS™ TECHNOLOGY OUTDOORS WITH MIRROR PLUS LENSES

A mirror coating on the face of the lens will deflect sunlight from the wearer's eyes, delivering noticeably less glare and reflection than standard gray lenses. Anti-ReflectivePLUS™ coating on the back of the lens significantly reduces light reflecting back into the eye for enhanced comfort and performance.

Available in the Following Styles: Sunburst, Squadron, Bond



FILTER REFLECTED SUNLIGHT FOR A CLEAR VIEW

Reflected sunlight from smooth surfaces, such as water, pavement, and snow can dangerously hinder vision and cause significant eyestrain. PolarizedXL5™ lenses filter the scatter light by controlling the angle at which it enters the lens. The result is clearer vision of the surrounding area and greatly reducing eye glare.

Available in the Following Styles: Commander, Sunburst



I/O BLUE
TECHNOLOGY

PROTECT AGAINST HARMFUL BLUE LIGHT

Overexposure to blue light, including smart phones, tablets and computer screens, has been known to cause eyestrain, fatigue and possibly contribute to long term macular degeneration. I/O Blue lenses are uniquely coated to help filter out harsh blue light and improve worker comfort and visual acuity. Lenses are also treated with a contrast booster to enhance color contrast.

Available in the Following Styles: Bullseye, Recon, Commander, Supersonic, Q-Vision, Radar, Captain, Bond, Blizzard



GRADIENT™
TECHNOLOGY

REDUCE GLARE FROM OVERHEAD LIGHT

High-powered overhead lights, such as fluorescent and mercury lighting, can cause glare that increases eye strain. Gradient lenses feature a slight mirror coating on the top portion of the lens, reducing glare, while the remainder of the lens remains clear. As a result, workers are still able to see clearly when looking straight ahead or down at their work.

Available in the Following Styles: Bullseye, Recon, Supersonic

IT'S NOT LESS FOG IT'S FOGLESS®



Lenses fog for many reasons, all of which are related to ambient temperature and moisture in the air. When a rapid temperature change occurs, micro-water droplets in the air will collect on untreated lenses, causing the lenses to fog and impede vision.

FOGLESS® 3SIXTY™ TECHNOLOGY PROVIDES THE ULTIMATE FOG PREVENTION WHEN:

- Transitioning between warm and cool environments
- Working in a humid or wet environment
- Engaging in an activity that causes perspiration
- Eye protection is used with respiratory equipment

FogLess® 3Sixty™ Technology

Standard Anti-Fog

THE CHOICE IS CLEAR

BOUTON® FOGLESS® 3SIXTY™ was tested in accordance to procedures outlined in the European EN 166 standard in performing this test, lenses were pre-treated and repeatedly exposed to moisture for an extensive period, wiping continually to simulate harsh field conditions.


FOGLESS® 3SIXTY™ REMAINED CLEAR EVEN AFTER SIX MINUTES OF TESTING, NO OTHER PRODUCT WITH STANDARD ANTI-FOG TREATMENT CAME CLOSE.

PERFORMANCE

Most eyewear on the market has only a light anti-fog coating that wears away quickly. Only Bouton® FogLess® 3Sixty™ Technology applies a densely bonded coating that continues to bead away water and moisture, even after repeated cleaning.

CAUTION

Lens fogging inhibits vision and productivity, which may result in workers removing their safety glasses - exposing their eyes to debris and impact. PIP's advanced FogLess® 3Sixty™ formulation was developed to adhere permanently to the lens, ensuring long-lasting performance that is able to withstand multiple lens cleanings.





DARE TO BE BOLD



SUNBURST™

- :: Lightweight, full frame design offers all day comfort
- :: Bayonet temples are rubber co-molded for a secure fit
- :: Non-slip rubber nose pads provide long-wear comfort
- :: Anti-fog coating is standard on most models
- :: 8 base curve

LENS TECHNOLOGY



ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|---------------------------------|-------------------------|----------|
| 250-47-0041 | Gray Polarized XL5™ Technology | Anti-Scratch / Anti-Fog | Black CE |
| 250-47-0004 | Red Mirror Plus™ Technology | Anti-Scratch | Black CE |
| 250-47-0005 | Silver Mirror Plus™ Technology | Anti-Scratch | Black |
| 250-47-0006 | Blue Mirror Plus™ Technology | Anti-Scratch | Black |
| 250-47-0007 | Gold Mirror Plus™ Technology | Anti-Scratch | Black |
| 250-47-0020 | Clear | Anti-Scratch / Anti-Fog | Black |
| 250-47-0021 | Gray | Anti-Scratch / Anti-Fog | Black CE |
| 250-47-1008 | Green Mirror Plus™ Technology | Anti-Scratch / Anti-Fog | Brown |
| 250-47-1042 | Brown Polarized XL5™ Technology | Anti-Scratch / Anti-Fog | Brown |





WORK & ADVENTURE

SQUADRON™

ANSI ALL STYLES MEET ANSI Z87.1+

- :: Full frame style designed to provide a universally comfortable fit
- :: Nylon bayonet temples eliminate pressure for all day comfort
- :: Stylish design looks good for work and leisure
- :: Dielectric design contains no metal parts
- :: Anti-fog coating is standard on most models
- :: 8.5 base curve

LENS TECHNOLOGY



| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--------------------------------|-------------------------|---------|
| 250-53-0020 | ■ Clear | Anti-Scratch / Anti-Fog | □ Black |
| 250-53-0021 | ■ Gray | Anti-Scratch / Anti-Fog | □ Black |
| 250-53-0022 | ■ I/O | Anti-Scratch / Anti-Fog | □ Black |
| 250-53-0006 | ■ Blue Mirror Plus™ Technology | Anti-Scratch | □ Black |
| 250-53-1024 | ■ Brown | Anti-Scratch / Anti-Fog | ■ Camo |



CAMO FRAME AVAILABLE

bouton
OPTICAL

MODERN CLASSIC

BOND™

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

- :: Lightweight nylon frame provides ultimate comfort with practically no pressure behind the ear
- :: Keyhole bridge design sits naturally on the nose to fit many different faces
- :: Latest design trend in premium eye wear
- :: Dielectric materials and parts contain no metal
- :: Anti-fog coating is standard on most models
- :: 8.5 base curve

LENS TECHNOLOGY



| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|-------------------------------|-------------------------|-------------|
| 250-57-0020 | Clear | Anti-Scratch / Anti-Fog | Charcoal CE |
| 250-57-0021 | Gray | Anti-Scratch / Anti-Fog | Charcoal CE |
| 250-57-0226 | I/O Blue Technology | Anti-Scratch / Anti-Fog | Charcoal |
| 250-57-0004 | Red Mirror Plus™ Technology | Anti-Scratch | Charcoal CE |
| 250-57-0008 | Green Mirror Plus™ Technology | Anti-Scratch | Charcoal |

bouton
OPTICAL

COMMANDER™

- :: Lightweight, semi-rimless design offers extended eye coverage and all day comfort
- :: Bayonet style temples with non-slip rubber pads for a secure fit
- :: Adjustable rubber nose pads offer a custom fit
- :: Anti-fog coating is standard on most models
- :: 9.5 base curve

LENS TECHNOLOGY



bouton
OPTICAL



COMMAND ATTENTION

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166
ALSO MEETING CSA Z94.3

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--|-------------------------|----------|
| 250-33-0020 | ■ Clear | Anti-Scratch / Anti-Fog | □ Black |
| 250-33-0021 | ■ Gray | Anti-Scratch / Anti-Fog | □ Black |
| 250-33-0010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | □ Black |
| 250-33-0226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | □ Black |
| 250-33-0041 | ■ Gray Polarized XL5™ Technology | Anti-Scratch | □ Black |
| 250-33-1020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Bronze |
| 250-33-1024 | ■ Gray | Anti-Scratch / Anti-Fog | ■ Bronze |
| 250-33-1010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | ■ Bronze |
| 250-33-1226 | ■ I/O Blue | Anti-Scratch / Anti-Fog | ■ Bronze |
| 250-33-1042 | ■ Brown Polarized XL5™ Technology | Anti-Scratch | ■ Bronze |





FIRST IN STYLING


bouton
OPTICAL



ANSER™

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING CSA Z94.3

- :: Lightweight, semi-rimless design provides all day user comfort
- :: Sleek, sporty style with wraparound lens protection
- :: Bayonet temples with flexible rubber tips offer a comfortable, secure fit
- :: Soft rubber nose pads help keep the glasses in place
- :: Unique folding temples prevent arms from folding into and scratching the lenses
- :: 9 base curve



| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|---------------|-------------------------|------------|
| 250-AN-10110 | Clear | Anti-Scratch | Black |
| 250-AN-10111 | Clear | Anti-Scratch / Anti-Fog | Black |
| 250-AN-10112 | Gray | Anti-Scratch | Black |
| 250-AN-10113 | Light Blue | Anti-Scratch | Black |
| 250-AN-10114 | I/O | Anti-Scratch | Black |
| 250-AN-10115 | Blue Mirror | Anti-Scratch | Black |
| 250-AN-10116 | Red Mirror | Anti-Scratch | Black |
| 250-AN-10118 | IR Filter 3.0 | Anti-Scratch | Black |
| 250-AN-10119 | IR Filter 5.0 | Anti-Scratch | Black |
| 250-AN-10120 | Amber | Anti-Scratch | Black |
| 250-AN-10125 | Silver Mirror | Anti-Scratch | Black |
| 250-AN-10126 | Gray | Anti-Scratch / Anti-Fog | Black |
| 250-AN-10117 | Gray | Anti-Scratch | Red |
| 250-AN-10121 | Brown | Anti-Scratch | Camouflage |
| 250-AN-10122 | Amber | Anti-Scratch | Camouflage |
| 250-AN-10123 | Gray | Anti-Scratch | Camouflage |
| 250-AN-10124 | Brown | Anti-Scratch / Anti-Fog | Camouflage |
| 250-AN-10127 | Amber | Anti-Scratch / Anti-Fog | Camouflage |
| 250-AN-10128 | Silver Mirror | Anti-Scratch | Camouflage |
| 250-AN-10130 | Clear | Anti-Scratch | Camouflage |
| 250-AN-10131 | Clear | Anti-Scratch / Anti-Fog | Camouflage |



CAMO FRAME AVAILABLE



ATHLETIC DESIGN



Q-VISION™

- :: Rimless design offers improved field of vision and comfort
- :: Co-injected rubber temple ends provide excellent temple grip
- :: Flexible nose bridge for a comfortable fit
- :: Dielectric, non-conductive frame
- :: Anti-fog coating is standard on most models
- :: 9.75 base curve

LENS TECHNOLOGY



ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--|-------------------------|------------|
| 250-36-0020 | ■ Clear | Anti-Scratch / Anti-Fog | □ Burgundy |
| 250-36-0021 | ■ Gray | Anti-Scratch / Anti-Fog | □ Burgundy |
| 250-36-0010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | □ Burgundy |
| 250-36-0025 | ■ Silver Mirror | Anti-Scratch / Anti-Fog | □ Burgundy |
| 250-36-0226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | □ Burgundy |
| 250-36-1020 | ■ Clear | Anti-Scratch / Anti-Fog | □ Lime CE |
| 250-36-1021 | ■ Gray | Anti-Scratch / Anti-Fog | □ Lime CE |
| 250-36-1010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | □ Lime |
| 250-36-1226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | □ Lime |

bouton
OPTICAL



RADAR™

ANSI ALL STYLES MEET ANSI Z87.1+

- :: Lightweight, rimless design offers optimal protection
- :: Bayonet temples are rubber co-molded for a comfortable fit
- :: Non-slip rubber nose pads provide a secure fit
- :: Anti-fog coating is standard on most models
- :: 10 base curve

LENS TECHNOLOGY



| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--|-------------------------|--------|
| 250-45-0020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Gray |
| 250-45-0021 | ■ Gray | Anti-Scratch / Anti-Fog | ■ Gray |
| 250-45-0010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | ■ Gray |
| 250-45-0226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | ■ Gray |
| 250-45-1020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Red |
| 250-45-1021 | ■ Gray | Anti-Scratch / Anti-Fog | ■ Red |
| 250-45-1010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | ■ Red |
| 250-45-1226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | ■ Red |

LOCKED IN LOCKED ON

bouton
OPTICAL

RUGGED & RAW

RECON™

- :: Lightweight, rimless design for ergonomic fit
- :: Flexible bayonet temples contain rubber pads for a secure, non-slip fit
- :: Adjustable rubber nosepiece provides a comfortable fit
- :: Anti-fog coating is standard on most models
- :: 9 base curve

ANSI ALL STYLES MEET ANSI Z87.1+
 CE ALSO MEETING EN166
 ALSO MEETING CSA Z94.3

LENS TECHNOLOGY

 ANTI-REFLECTIVE PLUS™ TECHNOLOGY

 I/O BLUE TECHNOLOGY

 FOGLESS³SIXTY™ TECHNOLOGY

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--|---|--------------|
| 250-32-0020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Clear CE ☘ |
| 250-32-0021 | ■ Gray | Anti-Scratch / Anti-Fog | □ Black CE ☘ |
| 250-32-0010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | ■ Clear CE ☘ |
| 250-32-0226 | ■ I/O | Anti-Scratch / Anti-Fog | ■ Brown CE ☘ |
| 250-32-0031 | ■ Gradient | Anti-Scratch / Anti-Fog | □ Black CE ☘ |
| 250-32-0520 | ■ Clear | Anti-Scratch / FogLess [®] 3Sixty™ | ■ Clear |
| 250-32-0521 | ■ Gray | Anti-Scratch / FogLess [®] 3Sixty™ | ■ Gray |



bouton
OPTICAL

CAPTAIN™

- :: Lightweight, rimless design provides all day user comfort
- :: Bayonet temples with end tips that curve out for ease of placement on face
- :: Non-slip rubber nose pads offer a secure fit
- :: Anti-fog coating is standard on most models
- :: 10 base curve

LENS TECHNOLOGY



ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|--|---------------------------------|------------|
| 250-46-0020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Clear CE |
| 250-46-0021 | ■ Gray | Anti-Scratch / Anti-Fog | ■ Gray CE |
| 250-46-0010 | ■ Clear Anti-Reflective Plus™ Technology | Anti-Scratch | ■ Clear |
| 250-46-0226 | ■ I/O Blue Technology | Anti-Scratch / Anti-Fog | ■ Brown |
| 250-46-0520 | ■ Clear | Anti-Scratch / FogLess® 3Sixty™ | ■ Clear |
| 250-46-0521 | ■ Gray | Anti-Scratch / FogLess® 3Sixty™ | ■ Gray |

TAKE THE LEAD





BOUTON[®] LENS TREATMENT QUICK GUIDE

| LENS TREATMENT/COLOR | VISIBLE LIGHT TRANSMISSION | DESCRIPTION | BENEFITS |
|------------------------------|----------------------------|---|--|
| ANTI-SCRATCH | --- | "Hardcoat" treatment toughens lens surface | Longer product life with fewer scratches. |
| ANTI-FOG | --- | Surface coating that reduces fogging | Maintains clear vision. Ideal for food plants or cleaning operations with high-humidity environments. |
| ■ CLEAR | 90% | Clear polycarbonate lens | No color distortion, all polycarbonate has 99.9% UV absorption. General use. |
| ■ AMBER | 82% | Polycarbonate made of bright amber/yellow color | Enhances visual acuity. Ideal for professional drivers in foggy, rainy or snowy conditions. |
| ■ INDOOR/OUTDOOR | 60% | Light mirror coating on clear lens | Enough light transmission for use indoors, reduces pupil adjustment time. Ideal for indoor-outdoor workers. |
| ■ INDOOR/OUTDOOR BLUE | 55% | Slight yellow tint + light mirror coating | Alleviates "digital eye strain" from screens, ideal for anyone working extended periods with computer screens or electronic devices. |
| ■ LIGHT BLUE | 58% | Light blue tinted polycarbonate | Relieves eye strain from bright, overhead fluorescent lighting. |
| ■ GRAY | 12% | Gray polycarbonate lens | Darkening effect with little color distortion, best used outdoors in bright sun. |
| ■ DARK BROWN | 12% | Brown polycarbonate lens | Darkening effect with improved color contrast. Best used outdoors in nature—green colors enhanced. |
| ■ MIRROR | 10–18% | Front surface coating reflects light from lens | Less light transmission for a darkening effect, great in bright environments: snow, sand, rocks, water. |
| ■ IR FILTER SHADE 3.0 | 10% | Dark green polycarbonate lens | Protection from welding arc and IR light. Not to be used for welding or when operating vehicles. |
| ■ IR FILTER SHADE 5.0 | 2% | Dark green polycarbonate lens | Protection from welding arc and IR light. Not to be used for welding or when operating vehicles. |

bouton
OPTICAL

SAFETY EYEWEAR DESIGN EVOLUTION



1950 - 1960's



1970 - 1980's



1990 - 2000's



TODAY



LIGHTWEIGHT

Weighing only 16 grams, it is among the lightest in the market today



ENHANCED PROTECTION

Enhanced lens design extends field of vision and protection



MODERN STYLE

Squared lens shape with a slight taper, provides modern styling for the wearer



SECURE FIT

Sleek temples with strategically perforated design ensures a flexible, secure fit to multiple head shapes and sizes

bouton
OPTICAL

ZENON Z-LYTE EVOLVED EYE PROTECTION

ZENON Z-LYTE

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Lightweight – Only 16 grams | | |
|--------------|-----------------------------|-------------------------|---------|
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 9.5 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-09-0000 | ■ Clear | Anti-Scratch | ■ Clear |
| 250-09-0001 | ■ Gray | Anti-Scratch | ■ Gray |
| 250-09-0002 | ■ I/O | Anti-Scratch | ■ Clear |
| 250-09-0020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Clear |
| 250-09-0021 | ■ Gray | Anti-Scratch / Anti-Fog | ■ Gray |

NEVER-ENDING INNOVATION
WEIGHS ONLY
16 GRAMS



FOAM LINED STYLES
AVAILABLE

Go to page 205

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166
ALSO MEETING CSA Z94.3

ZENON Z12

KEY FEATURE Popular Style – Fits Most Workers and Applications


FIT Universal

BRIDGE Molded

TEMPLE Spatula

BASE CURVE 9.5

| STYLE NUMBER | LENS | COATING | FRAME | |
|--------------|---------------|-------------------------|------------|------|
| 250-01-0000 | Clear | Anti-Scratch | Black | |
| 250-01-0001 | Gray | Anti-Scratch | Black | CE |
| 250-01-0002 | I/O | Anti-Scratch | Black | |
| 250-01-0004 | Orange | Anti-Scratch | Black | |
| 250-01-0005 | Silver Mirror | Anti-Scratch | Black | |
| 250-01-0020 | Clear | Anti-Scratch / Anti-Fog | Black | |
| 250-01-0021 | Gray | Anti-Scratch / Anti-Fog | Black | ☼ |
| 250-01-0080 | Clear | Uncoated | Black | |
| 250-01-5503 | Light Blue | Anti-Scratch | Light Blue | |
| 250-01-5504 | Dark Brown | Anti-Scratch | Dark Brown | |
| 250-01-5509 | Amber | Anti-Scratch | Amber | |
| 250-01-0900 | Clear | Anti-Scratch | Clear | CE ☼ |
| 250-01-0902 | I/O | Anti-Scratch | Clear | |
| 250-01-0920 | Clear | Anti-Scratch / Anti-Fog | Clear | ☼ |
| 250-01-0980 | Clear | Uncoated | Clear | |



bouton
OPTICAL

ZENON SERIES #1 VALUE FOR SAFETY & COMFORT



NARROW
FIT



RUBBER
TEMPLE TIPS



RUBBER
NOSE BRIDGE

RUBBER
TEMPLE TIPS

ZENON Z11SM

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING CSA Z94.3

| KEY FEATURE | Redesigned Z12 for Narrower Faces | | |
|--------------|-----------------------------------|-------------------------|-------|
| FIT | Narrow | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-00-0000 | Clear | Anti-Scratch | Black |
| 250-00-0020 | Clear | Anti-Scratch / Anti-Fog | Clear |
| 250-00-0001 | Gray | Anti-Scratch | Black |
| 250-00-0002 | I/O | Anti-Scratch | Black |
| 250-00-0900 | Clear | Anti-Scratch | Clear |
| 250-00-0920 | Clear | Anti-Scratch / Anti-Fog | Black |

ZENON Z13

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING EN166
ALSO MEETING CSA Z94.3

| KEY FEATURE | Flexible Rubber Temples | | |
|--------------|-------------------------|-------------------------|------------|
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-06-0000 | Clear | Anti-Scratch | Clear |
| 250-06-0002 | I/O | Anti-Scratch | Brown |
| 250-06-0020 | Clear | Anti-Scratch / Anti-Fog | Clear |
| 250-06-0080 | Clear | Uncoated | Clear |
| 250-06-0005 | Silver Mirror | Anti-Scratch | Black |
| 250-06-0006 | Blue Mirror | Anti-Scratch | Black |
| 250-06-5501 | Gray | Anti-Scratch | Dark Gray |
| 250-06-5521 | Gray | Anti-Scratch / Anti-Fog | Dark Gray |
| 250-06-5503 | Light Blue | Anti-Scratch | Light Blue |
| 250-06-5504 | Dark Brown | Anti-Scratch | Dark Brown |
| 250-06-5509 | Amber | Anti-Scratch | Amber |

ZENON Z14SN

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING CSA Z94.3

| KEY FEATURE | Flexible Rubber Temples & Comfortable Rubber Nose Bridge | | |
|--------------|--|-------------------------|------------|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-08-0000 | Clear | Anti-Scratch | Clear |
| 250-08-0002 | I/O | Anti-Scratch | Clear |
| 250-08-0020 | Clear | Anti-Scratch / Anti-Fog | Clear |
| 250-08-0001 | Gray | Anti-Scratch | Black |
| 250-08-0005 | Silver Mirror | Anti-Scratch | Black |
| 250-08-0021 | Gray | Anti-Scratch / Anti-Fog | Black |
| 250-08-5503 | Light Blue | Anti-Scratch | Light Blue |
| 250-08-5509 | Amber | Anti-Scratch / Anti-Fog | Amber |

LIGHTWEIGHT & UNOBSTRUCTED PERIPHERAL VISION



EVA® ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------------|--|-------------------------|--|
| KEY FEATURE | Safety Eyewear Designed Specifically for Women | | |
| FIT | Women | | |
| BRIDGE | Molded | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-10-0900 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink |
| 250-10-0920 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Clear / Pink |
| 250-10-0904 | <input checked="" type="checkbox"/> Pink | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink |
| 250-10-5501 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Gray / Pink |

EVA® PETITE ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------------|--|-------------------------|--|
| KEY FEATURE | Women's Style Designed for Slender Faces | | |
| FIT | Women | | |
| BRIDGE | Molded | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 11 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-11-0900 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink |
| 250-11-0920 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Clear / Pink |
| 250-11-0904 | <input checked="" type="checkbox"/> Pink | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink |
| 250-11-5501 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Gray / Pink |

LADY EVA® READER ANSI ALL STYLES MEET ANSI Z87.1+

| | | | | |
|--------------------|-------------------------------------|--------------|--|---------|
| KEY FEATURE | Safety Readers Engineered for Women | | | |
| FIT | Women | | | |
| BRIDGE | Molded | | | |
| TEMPLE | Rubber Tips | | | |
| BASE CURVE | 10 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-12-0100 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.00 |
| 250-12-0125 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.25 |
| 250-12-0150 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.50 |
| 250-12-0175 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.75 |
| 250-12-0200 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.00 |
| 250-12-0225 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.25 |
| 250-12-0250 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.50 |
| 250-12-0275 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.75 |
| 250-12-0300 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 3.00 |



EVA® SERIES DESIGNED TO FIT WOMEN



NEPTUNE

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | |
|-----------------------|--|-------------------------|--|
| KEY FEATURE | Pivoting and adjustable temples with soft end tips | | |
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Nylon with Rubber Tips | | |
| BASE CURVE | 9 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-57-0020-EN | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Gray |
| 250-57-0021-EN | <input type="checkbox"/> Smoke 3.1 | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Gray |
| 250-57-1020-EN | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Hi-Vis Yellow |
| 250-57-1021-EN | <input type="checkbox"/> Smoke 3.1 | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Hi-Vis Yellow |



ATLAS

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | |
|-----------------------|---|-------------------------|------------------------------------|
| KEY FEATURE | Large Field of Vision, Lateral and Eyebrow Protection | | |
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Nylon | | |
| BASE CURVE | 6 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-56-0020-EN | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Navy Blue |
| 250-56-0015-EN | <input type="checkbox"/> Tint 5 | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Navy Blue |



SIGMA

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | | |
|------------------------|--|-------------------------|-------------------------------|----------|
| KEY FEATURE | Incomparable Comfort Thanks To Its Shape | | | |
| APPLICATIONS | Industrial, Construction, Medical | | | |
| FRAME MATERIAL | PVC | | | |
| FIT | Will Fit Over Prescription Glasses | | | |
| BASE CURVE | 5.5 | | | |
| INDIRECT VENTILATION | | | | |
| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
| 251-5300-400-EN | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Blue | Elastic |
| 251-5300-500-EN | <input type="checkbox"/> Clear Acetate | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Blue | Elastic |

FOAM LINING PROTECTS AGAINST DEBRIS & AIRBORNE PARTICLES



Removeable
dust protection insert

SEQUENCE

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | | |
|-----------------------|-----------------------------------|-------------------------|--------------------------------|--|
| KEY FEATURE | Removeable Dust Protection Insert | | | |
| FIT | Universal | | | |
| BRIDGE | Rubber | | | |
| TEMPLE | Nylon | | | |
| BASE CURVE | 10 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | |
| 250-88-0120-EN | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Black | |



bouton
OPTICAL

RIMLESS FRAME



WILCO

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| KEY FEATURE | Panoramic View with Adjustable Length Temples | | |
|--------------|---|-------------------------|------------|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Adjustable Spatula | | |
| BASE CURVE | 8 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-92-0000 | <input type="checkbox"/> Clear | Anti-Scratch | ■ Black CE |
| 250-92-0001 | <input type="checkbox"/> Gray | Anti-Scratch | ■ Black CE |
| 250-92-0002 | <input type="checkbox"/> I/O | Anti-Scratch | ■ Black |
| 250-92-0005 | <input type="checkbox"/> Silver Mirror | Anti-Scratch | ■ Black |
| 250-92-0009 | <input type="checkbox"/> Amber | Anti-Scratch | ■ Black |
| 250-92-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black |
| 250-92-0021 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |

SUPERIOR SAFETY,



RUBBER NOSE BRIDGE



ANSI ALL STYLES MEET ANSI Z87.1+
 CE ALSO MEETING EN166
 ALSO MEETING CSA Z94.3

PULSE

| KEY FEATURE | Style and User Comfort in a Lightweight Design | | |
|--------------|--|-------------------------|--|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Bayonet, Rubber Tips | | |
| BASE CURVE | 9.75 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-49-0000 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear |
| 250-49-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Clear |
| 250-49-0021 | <input checked="" type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Gray |
| 250-49-0022 | <input type="checkbox"/> I/O | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Brown |



RUBBER NOSE BRIDGE



ANSI ALL STYLES MEET ANSI Z87.1+

MONTERAY II

| KEY FEATURE | Modern Squared Lens Design with Rubber Temples and Bridge | | |
|--------------|---|-------------------------|---|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 9.75 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-MT-10070 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-MT-10071 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black |
| 250-MT-10072 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-MT-10074 | <input checked="" type="checkbox"/> Amber | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-MT-10075 | <input type="checkbox"/> I/O | Anti-Scratch | <input checked="" type="checkbox"/> Black |



« UNIQUE TEMPLE » DESIGN

ANSI ALL STYLES MEET ANSI Z87.1+

TRANZMISSION

| KEY FEATURE | Wraparound Style and Special Temple Design for Comfort | | |
|--------------|--|-------------------------|---|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-71-0000 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-71-0002 | <input checked="" type="checkbox"/> I/O | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-71-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black |
| 250-71-0001 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-71-0005 | <input type="checkbox"/> Silver Mirror | Anti-Scratch | <input checked="" type="checkbox"/> Black |
| 250-71-0021 | <input checked="" type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black |

COMFORT & ENHANCED FEATURES



bouton
OPTICAL

RIMLESS FRAME ULTIMATE IN COMFORT & STYLE



BULLSEYE

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING CSA Z94.3

| KEY FEATURE | Modern Design Available in a Variety of Lenses | | |
|--------------|--|-------------------------|--|
| FIT | Round | | |
| BRIDGE | Molded | | |
| TEMPLE | Bayonet, Rubber Tips | | |
| BASE CURVE | 9 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-31-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Clear  |
| 250-31-0021 | <input checked="" type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Gray  |
| 250-31-0023 | <input checked="" type="checkbox"/> Light Blue | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Light Blue |
| 250-31-0029 | <input checked="" type="checkbox"/> Amber | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Amber |
| 250-31-0010 | <input type="checkbox"/> Clear Anti-Reflective PLUS™ | Anti-Scratch | <input type="checkbox"/> Clear |
| 250-31-0026 | <input checked="" type="checkbox"/> Blue Mirror | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Gray  |
| 250-31-0226 | <input checked="" type="checkbox"/> I/O Blue | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Brown |
| 250-31-0031 | <input type="checkbox"/> Gradient | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Clear |




SUPERSONIC CONVERTS TO A DUST GOGGLE

CONVERSION KIT SOLD SEPARATELY



FULLY ADJUSTABLE FRAME DESIGN
MORPHS FROM
GLASSES TO DUST GOGGLES



SUPERSONIC

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Fully Adjustable Temples, and an Optional Dust Goggle Kit | | |
|--------------|---|-------------------------|---------|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Fully Adjustable, Rubber Tips | | |
| BASE CURVE | 9 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-34-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0021 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0010 | <input type="checkbox"/> Clear Anti-Reflective PLUS™ | Anti-Scratch | ■ Black |
| 250-34-0226 | <input type="checkbox"/> I/O Blue | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0031 | <input type="checkbox"/> Gradient | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-FOAM | --- | Foam/Strap Kit | ■ Black |



HI-VOLTAGE ARC

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| KEY FEATURE | Economic Eye Protection with Adjustable Length Temples | | |
|---------------|--|--------------|------------------|
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 4 | | |
| STANDARDS MET | ANSI Z87.1+ | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-24-0000 | ■ Clear | Anti-Scratch | □ Black |
| 250-24-0001 | ■ Gray | Anti-Scratch | □ Black |
| 250-24-0080 | ■ Clear | Uncoated | □ Black |
| 250-24-0300 | ■ Clear | Anti-Scratch | ■ Red White Blue |
| 250-24-0301 | ■ Gray | Anti-Scratch | ■ Red White Blue |

HI-VOLTAGE AC


ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Contemporary Styling with Bayonet Temples for Excellent Fit | | |
|--------------|---|-------------------------|---------|
| FIT | Narrow | | |
| BRIDGE | Rubber | | |
| TEMPLE | Bayonet, Rubber Tips | | |
| BASE CURVE | 10 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-21-0100 | ■ Clear | Anti-Scratch | ■ Blue |
| 250-21-0101 | ■ Gray | Anti-Scratch | ■ Blue |
| 250-21-0102 | ■ I/O | Anti-Scratch | ■ Blue |
| 250-21-0120 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Blue |
| 250-21-0400 | ■ Clear | Anti-Scratch | □ Black |
| 250-21-0401 | ■ Gray | Anti-Scratch | □ Black |
| 250-21-0402 | ■ I/O | Anti-Scratch | □ Black |
| 250-21-0403 | ■ Light Blue | Anti-Scratch | □ Black |
| 250-21-0409 | ■ Amber | Anti-Scratch | □ Black |
| 250-21-0420 | ■ Clear | Anti-Scratch / Anti-Fog | □ Black |
| 250-21-0421 | ■ Gray | Anti-Scratch / Anti-Fog | □ Black |

BLIZZARD

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Sporty White Frame Stands Out When Working Outdoors | | |
|--------------|---|-------------------------|---------|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Bayonet, Rubber Tips | | |
| BASE CURVE | 8 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-48-0021 | ■ Gray | Anti-Scratch / Anti-Fog | ■ White |
| 250-48-0006 | ■ Blue Mirror | Anti-Scratch | ■ White |
| 250-48-0226 | ■ I/O Blue | Anti-Scratch / Anti-Fog | ■ White |



bouton
OPTICAL

SEMI-RIMLESS FRAME



RUBBER
NOSE BRIDGE


ADVERSARY

ANSI ALL STYLES MEET ANSI Z87.1+

| | |
|-------------|---|
| KEY FEATURE | Popular Wraparound Design Fits a Variety of Users |
| FIT | Round |
| BRIDGE | Rubber |
| TEMPLE | Bayonet, Rubber Tips |
| BASE CURVE | 8 |

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|-----------------|-------------------------|--------------------------------|
| 250-28-0000 | ■ Clear | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0001 | ■ Gray | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0002 | ■ I/O | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0003 | ■ Light Blue | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0006 | ■ Silver Mirror | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0009 | ■ Amber | Anti-Scratch | <input type="checkbox"/> Black |
| 250-28-0020 | ■ Clear | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Black |
| 250-28-0021 | ■ Gray | Anti-Scratch / Anti-Fog | <input type="checkbox"/> Black |

WRAPAROUND LENS



bouton
OPTICAL

FULL FRAME STYLE



SIDE SHIELD
PROTECTION

TRADITIONAL SPECTACLE

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Classic Styling in a Durable Propionate Frame | | |
|---------------------|---|-------------------------|---|
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 6 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 249-5907-400 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Smoke |
| 249-5907-401 | <input checked="" type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Smoke |
| 249-5907-207 | <input checked="" type="checkbox"/> IR Filter 3.0 | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Smoke |

STYLISH DESIGN &



FLASHFIRE

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Padded Upper Brow Provides Additional Comfort | | |
|--------------|--|-------------------------|--|
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Rubber Tips | | |
| BASE CURVE | 8 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-60-0620 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Silver / Blue |
| 250-60-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black / Red |
| 250-60-0630 | <input checked="" type="checkbox"/> Green Mirror | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Silver / Green |
| 250-60-0625 | <input checked="" type="checkbox"/> Red Mirror | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Silver / Red |
| 250-60-0628 | <input type="checkbox"/> Silver Mirror | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black / Red |
| 250-60-0626 | <input checked="" type="checkbox"/> Blue Mirror | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Silver / Blue |

ALL DAY COMFORT

CUSTOM IMPRINTED EYEWEAR

FAST, EASY & PRECISE


PIP has the ability to custom imprint your logo and/or personalized message onto our safety eyewear. Most styles can be printed on the temples or the lenses.

Imprinted eyewear has many benefits. Using your logo or brand promotes corporate identity and provides a uniform appearance throughout your workforce.



FOR MORE INFORMATION,
FOLLOW THIS QR CODE,
OR VISIT WWW.PIPGLOBAL.COM





bouton
OPTICAL

OVER- THE-GLASS FRAME



ANSI ALL STYLES MEET ANSI Z87.1+
 CE ALSO MEETING EN166
 ALSO MEETING CSA Z94.3

SCOUT

KEY FEATURE Popular Visitor Spec Designed to Fit Over All Personal Glasses

FIT Over-The-Glass

BRIDGE Molded

TEMPLE Spatula

BASE CURVE 4

| STYLE NUMBER | LENS | COATING | FRAME |
|--------------|---------|--------------|---------|
| 250-99-0900 | ■ Clear | Anti-Scratch | ■ Clear |
| 250-99-0901 | ■ Gray | Anti-Scratch | ■ Gray |
| 250-99-0980 | ■ Clear | Uncoated | ■ Clear |

CE

FITS OVER MOST



RANGER

ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------|---|--------------|---------|
| KEY FEATURE | Slimmer Design Fits Over Smaller Personal Eyewear | | |
| FIT | Over-The-Glass | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 6 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-37-0900 | ■ Clear | Anti-Scratch | ■ Clear |
| 250-37-0980 | ■ Clear | Uncoated | ■ Clear |

ZENON Z28

ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------|---|--------------|---------|
| KEY FEATURE | OTG Design with Adjustable Length Temples | | |
| FIT | Over-The-Glass | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 4 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-03-0000 | ■ Clear | Anti-Scratch | □ Black |
| 250-03-0001 | ■ Gray | Anti-Scratch | □ Black |
| 250-03-0080 | ■ Clear | Uncoated | □ Black |

OVERSITE

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | |
|--------------|--|-------------------------|-------------------|
| KEY FEATURE | Fully Adjustable OTG Design for a Customized Fit | | |
| FIT | Over-The-Glass | | |
| BRIDGE | Molded | | |
| TEMPLE | Fully Adjustable, Co-Molded | | |
| BASE CURVE | 3 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-98-0080 | ■ Clear | Uncoated | □ Black / Gray |
| 250-98-0000 | ■ Clear | Anti-Scratch | □ Black / Gray |
| 250-98-0013 | ■ IR Filter 3.0 | Anti-Scratch | □ Black / Gray |
| 250-98-0020 | ■ Clear | Anti-Scratch / Anti-Fog | □ Black / Gray CE |

PRESCRIPTION EYEWEAR OR USE AS A VISITOR SPECTACLE



bouton
OPTICAL

HYBRID STYLE



FUSELAGE

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Adapts to Any Working Condition with Dust Goggle Conversion | | |
|--------------|---|---------------------------------|---------|
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Bayonet, Rubber Tips | | |
| BASE CURVE | 8 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-50-0420 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0421 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0422 | <input type="checkbox"/> I/O | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0425 | <input type="checkbox"/> Silver Mirror | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0426 | <input type="checkbox"/> Blue Mirror | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0429 | <input type="checkbox"/> Amber | Anti-Scratch / Anti-Fog | ■ Black |
| 250-50-0520 | <input type="checkbox"/> Clear | Anti-Scratch / FogLess® 3Sixty™ | ■ Black |
| 250-50-0521 | <input type="checkbox"/> Gray | Anti-Scratch / FogLess® 3Sixty™ | ■ Black |

FUSELAGE READERS

| STYLE NUMBER | LENS | COATING | FRAME | DIOPTR |
|--------------|--------------------------------|-------------------------|---------|--------|
| 250-51-0015 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black | 1.50 |
| 250-51-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black | 2.00 |
| 250-51-0025 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black | 2.50 |
| 250-51-0030 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black | 3.00 |



CEFIRO

ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------|--|-------------------------|---------|
| KEY FEATURE | Foam Padded Design Converts to a Dust Goggle | | |
| FIT | Narrow | | |
| BRIDGE | Rubber | | |
| TEMPLE | Bayonet | | |
| BASE CURVE | 8 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-CE-10090 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black |
| 250-CE-10091 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |
| 250-CE-10092 | <input type="checkbox"/> I/O | Anti-Scratch / Anti-Fog | ■ Black |
| 250-CE-10093 | <input type="checkbox"/> Blue Mirror | Anti-Scratch / Anti-Fog | ■ Black |
| 250-CE-10095 | <input type="checkbox"/> Silver Mirror | Anti-Scratch / Anti-Fog | ■ Black |

SUPERSONIC

ANSI ALL STYLES MEET ANSI Z87.1+

| | | | |
|--------------|---|-------------------------|---------|
| KEY FEATURE | Fully Adjustable Temples, and an Optional Dust Goggle Kit | | |
| FIT | Universal | | |
| BRIDGE | Rubber | | |
| TEMPLE | Fully Adjustable, Rubber Tips | | |
| BASE CURVE | 9 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-34-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0021 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0010 | <input type="checkbox"/> Clear Anti-Reflective™ PLUS | Anti-Scratch | ■ Black |
| 250-34-0226 | <input type="checkbox"/> I/O Blue | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-0031 | <input type="checkbox"/> Gradient | Anti-Scratch / Anti-Fog | ■ Black |
| 250-34-FOAM | --- | Foam / Strap Kit | ■ Black |

ZENON Z12F

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| | | | |
|--------------|---------------------------------------|-------------------------|------------|
| KEY FEATURE | Foam Lined Version of the Popular Z12 | | |
| FIT | Universal | | |
| BRIDGE | Molded | | |
| TEMPLE | Spatula | | |
| BASE CURVE | 9.5 | | |
| STYLE NUMBER | LENS | COATING | FRAME |
| 250-01-F020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | ■ Black CE |
| 250-01-F021 | <input type="checkbox"/> Gray | Anti-Scratch / Anti-Fog | ■ Black |
| 250-01-F022 | <input type="checkbox"/> I/O | Anti-Scratch / Anti-Fog | ■ Black |

FOAM LINING PROTECTS AGAINST DEBRIS & AIRBORNE PARTICLES



ZENON Z12 READERS

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Reader Version of the Popular Z12 Style in +0.25 Diopters | | | |
|--------------|---|--------------|--------------------------------|---------|
| FIT | Universal | | | |
| BRIDGE | Rubber | | | |
| TEMPLE | Spatula, Co-Molded | | | |
| BASE CURVE | 10 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-27-0010 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.00 |
| 250-27-0012 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.25 |
| 250-27-0015 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.50 |
| 250-27-0017 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.75 |
| 250-27-0020 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.00 |
| 250-27-0022 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.25 |
| 250-27-0025 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.50 |
| 250-27-0027 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.75 |
| 250-27-0030 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 3.00 |
| 250-27-0115 | <input type="checkbox"/> Gray | Anti-Scratch | <input type="checkbox"/> Gray | 1.50 |
| 250-27-0120 | <input type="checkbox"/> Gray | Anti-Scratch | <input type="checkbox"/> Gray | 2.00 |
| 250-27-0125 | <input type="checkbox"/> Gray | Anti-Scratch | <input type="checkbox"/> Gray | 2.50 |
| 250-27-0130 | <input type="checkbox"/> Gray | Anti-Scratch | <input type="checkbox"/> Gray | 3.00 |

ZENON Z13 READERS

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Reader Version of the Popular Z13 Style in +0.25 Diopters | | | |
|--------------|---|--------------|--------------------------------|---------|
| FIT | Universal | | | |
| BRIDGE | Molded | | | |
| TEMPLE | Rubber Tips | | | |
| BASE CURVE | 10 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-26-0010 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.00 |
| 250-26-0012 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.25 |
| 250-26-0015 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.50 |
| 250-26-0017 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 1.75 |
| 250-26-0020 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.00 |
| 250-26-0022 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.25 |
| 250-26-0025 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 2.50 |
| 250-26-0030 | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | 3.00 |

READING MAG

bouton
OPTICAL



LADY EVA® READER

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Safety Readers Engineered For Women | | | |
|--------------|-------------------------------------|--------------|--|---------|
| FIT | Women | | | |
| BRIDGE | Molded | | | |
| TEMPLE | Rubber Tips | | | |
| BASE CURVE | 10 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-12-0100 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.00 |
| 250-12-0125 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.25 |
| 250-12-0150 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.50 |
| 250-12-0175 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 1.75 |
| 250-12-0200 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.00 |
| 250-12-0225 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.25 |
| 250-12-0250 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.50 |
| 250-12-0275 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 2.75 |
| 250-12-0300 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Clear / Pink | 3.00 |



RUBBER
NOSE BRIDGE

MAG READERS

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Safety Readers in a Semi-Rimless Design | | | |
|--------------|--|--------------|---|---------|
| FIT | Universal | | | |
| BRIDGE | Rubber | | | |
| TEMPLE | Rubber Tips | | | |
| BASE CURVE | 8 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-25-0010 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black | 1.00 |
| 250-25-0015 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black | 1.50 |
| 250-25-0020 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black | 2.00 |
| 250-25-0025 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black | 2.50 |
| 250-25-0030 | <input type="checkbox"/> Clear | Anti-Scratch | <input checked="" type="checkbox"/> Black | 3.00 |
| 250-25-0115 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black | 1.50 |
| 250-25-0120 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black | 2.00 |
| 250-25-0125 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black | 2.50 |
| 250-25-0130 | <input checked="" type="checkbox"/> Gray | Anti-Scratch | <input checked="" type="checkbox"/> Black | 3.00 |

DOUBLE MAG READERS - TOP & BOTTOM DIOPTER

| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
|--------------|--------------------------------|-------------------------|---|---------|
| 250-25-1515 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 1.50 |
| 250-25-2020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 2.00 |
| 250-25-2525 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 2.50 |



HYBRID

DUST GOGGLE
STRAP INCLUDED

FUSELAGE READERS

ANSI ALL STYLES MEET ANSI Z87.1+

| KEY FEATURE | Top Selling Fuselage Dust Goggle in a Reader Version | | | |
|--------------|--|-------------------------|---|---------|
| FIT | Universal | | | |
| BRIDGE | Molded | | | |
| TEMPLE | Bayonet, Rubber Tips | | | |
| BASE CURVE | 8 | | | |
| STYLE NUMBER | LENS | COATING | FRAME | DIOPTER |
| 250-51-0015 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 1.50 |
| 250-51-0020 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 2.00 |
| 250-51-0025 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 2.50 |
| 250-51-0030 | <input type="checkbox"/> Clear | Anti-Scratch / Anti-Fog | <input checked="" type="checkbox"/> Black | 3.00 |

NIFIERS



FOGLESS^{3SIXTY}
TECHNOLOGY

CONTEMPO

ANSI ALL STYLES MEET ANSI Z87.1+
ALSO MEETING CSA Z94.3

| | |
|----------------|--|
| KEY FEATURE | Modern Styling with Swivel Headband Adjustment |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | PVC |
| FIT | Will Fit Over Prescription Glasses |
| BASE CURVE | 5.75 |

INDIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|------------------|-------|-------------------------|-------|-----------------|
| 251-5300-000 | Clear | Anti-Scratch | Blue | Elastic |
| 251-5300-400 | Clear | Anti-Scratch / Anti-Fog | Blue | Elastic |
| 251-5300-400-RHB | Clear | Anti-Scratch / Anti-Fog | Blue | Neoprene Rubber |
| 251-5300-402 | Gray | Anti-Scratch / Anti-Fog | Blue | Elastic |

FORTIS II

ANSI ALL STYLES MEET ANSI Z87.1+
ALL STYLES MEET ANSI D3 DROPLET
ALSO MEETING EN166

| | |
|----------------|--|
| KEY FEATURE | Lightweight Goggle with Comfortable Sealing Properties |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | Synthetic Rubber |
| FIT | Will Fit Over Some Prescription Glasses |
| BASE CURVE | 5 |

INDIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|-----------------|-------|-------------------------|-------|-----------------|
| 251-80-0020 | Clear | Anti-Scratch / Anti-Fog | Gray | Elastic |
| 251-80-0020-RHB | Clear | Anti-Scratch / Anti-Fog | Gray | Neoprene Rubber |

STONE

ANSI ALL STYLES MEET ANSI Z87.1+
ALL STYLES MEET ANSI D3 DROPLET
ALSO MEETING EN166

| | |
|----------------|---|
| KEY FEATURE | Optional Visor Attachment for Face Protection |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | PVC |
| FIT | Will Fit Over Prescription Glasses |
| BASE CURVE | 5 |

INDIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|--------------|--|---|-------|----------|
| 251-60-0020 | Clear | Anti-Scratch / FogLess [®] 3Sixty [™] | Gray | Elastic |
| 251-60-000V | Visor Only - Polycarbonate - ANSI Z87.1+ | | | |



▼ 251-60-000V

EXTENDED FACE PROTECTION

Sold Separately

SUPERIOR COMFORT & HIGH PERFORMANCE



bouton
OPTICAL

PREMIUM GOGGLES

ELIMINATE FOGGING



ANTI-FOG
DOUBLE LENS
TECHNOLOGY

REACTION ANSI ALL STYLES MEET ANSI Z87.1+
ALL STYLES MEET ANSI D3 DROPLET

| | |
|----------------|---|
| KEY FEATURE | Dual Lens Design for Ultimate Anti-Fog Properties |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | PVC |
| FIT | Will Not Fit Over Prescription Glasses |
| BASE CURVE | 5.75 |

| INDIRECT VENTILATION | | | | |
|----------------------|---------|----------------------------|--------|--------------------|
| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
| 251-65-0020 | ■ Clear | Anti-Scratch / Anti-Fog | ■ Gray | Elastic |
| 251-65-0020-RHB | ■ Clear | Anti-Scratch / Anti-Fog | ■ Gray | Neoprene Rubber |
| 251-65-0021-RHB | ■ Gray | Anti-Scratch / Anti-Fog | ■ Gray | Neoprene Rubber |





bouton
OPTICAL

ECONOMY GOGGLES

SOLUTIONS FOR ALL APPLICATIONS



ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

BASIC

| | |
|----------------|--|
| KEY FEATURE | Popular Design for Economical Applications |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | Vinyl |
| FIT | Will Fit Over Prescription Glasses |
| BASE CURVE | Flat |

INDIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|---------------------|--------------------------------|--------------------|--------------------------------|----------|
| 248-4401-300 | <input type="checkbox"/> Clear | Uncoated | <input type="checkbox"/> Clear | Elastic |
| 248-4401-400 | <input type="checkbox"/> Clear | Anti-Scratch / Fog | <input type="checkbox"/> Clear | Elastic |

DIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|---------------------|--------------------------------|--------------------|--------------------------------|------------|
| 248-4400-300 | <input type="checkbox"/> Clear | Uncoated | <input type="checkbox"/> Clear | Elastic CE |
| 248-4400-400 | <input type="checkbox"/> Clear | Anti-Scratch / Fog | <input type="checkbox"/> Clear | Elastic |



ANSI ALL STYLES MEET ANSI Z87.1+
DROPLET ALSO MEETING ANSI D3
CE ALSO MEETING EN166

SOFTSIDES

| | |
|----------------|---|
| KEY FEATURE | Soft, Flexible Vinyl Body Molds Comfortably to the Face |
| APPLICATIONS | Industrial, Construction, Medical |
| FRAME MATERIAL | Vinyl |
| FIT | Will Fit Over Prescription Glasses |
| BASE CURVE | Flat |

INDIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|----------------------|--------------------------------|--------------------|--------------------------------|------------|
| 248-5190-300B | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | Elastic D3 |
| 248-5190-400B | <input type="checkbox"/> Clear | Anti-Scratch / Fog | <input type="checkbox"/> Clear | Elastic D3 |

DIRECT VENTILATION

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|----------------------|--------------------------------|--------------------|--------------------------------|----------|
| 248-5090-300B | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | Elastic |
| 248-5090-400B | <input type="checkbox"/> Clear | Anti-Scratch / Fog | <input type="checkbox"/> Clear | Elastic |

NON-VENTED

| STYLE NUMBER | LENS | COATING | FRAME | HEADBAND |
|----------------------|--------------------------------|--------------------|--------------------------------|----------|
| 248-5290-300B | <input type="checkbox"/> Clear | Anti-Scratch | <input type="checkbox"/> Clear | Elastic |
| 248-5290-400B | <input type="checkbox"/> Clear | Anti-Scratch / Fog | <input type="checkbox"/> Clear | Elastic |

VENTILATION OPTIONS



NON-VENTED

Non-vented goggles have no openings for airflow or ventilation.



INDIRECT VENTILATION

Indirect vented goggles help minimize fogging and should be used when there is liquid splash risk. Indirect vented goggles have hooded vents to allow indirect airflow from the work environment.



DIRECT VENTILATION

Direct vented goggles help minimize fogging and should be used when there is no liquid splash risk. Direct vented goggles have straight-line perforations that allow direct airflow from the work environment.

SAFE & RELIABLE, FITS SNUG TO THE FACE



boutan
OPTICAL

FACE PROTECTION

FACE SHIELD MATERIALS

PETG Ideal for general grinding and liquid splash applications.

POLYCARBONATE Ideal for grinding and liquid splash applications, and suitable for high heat and heavier duty applications.

MOLDED POLYCARBONATE Provide enhanced optics, including peripheral vision. Aspherical design allows for more comfortable movement.

STEEL WIRE MESH Product of choice for forestry and lumber applications. Screen mesh provides air circulation.

PETG



251-01-5211
251-01-7214
251-01-5212

MOLDED POLYCARBONATE



251-01-7301
251-01-7401

251-01-7401 features an
ERGONOMIC
TAPERED DESIGN



251-01-7311
251-01-7312
251-01-7313
251-01-7315

FLAT SHEET POLYCARBONATE



251-01-5201
251-01-7206
251-01-7204

STEEL WIRE MESH



251-01-7701

SAFETY VISORS - UNIVERSAL FIT

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| STYLE NUMBER | MATERIAL | LENS | THICKNESS | SIZE | BINDING | SHAPE |
|--------------|-----------------|-----------------|-----------------|------------|----------|--------------------|
| 251-01-5211 | PETG | ☐ Clear | 0.040" | 8" x 15.5" | --- | Flat |
| 251-01-5212 | PETG | ■ Medium Green | 0.040" | 8" x 15.5" | --- | Flat |
| 251-01-7214 | PETG | ☐ Clear | 0.040" | 9" x 15.5" | Aluminum | Curved |
| 251-01-5201 | Polycarbonate | ☐ Clear | 0.040" | 8" x 15.5" | --- | Flat |
| 251-01-7206 | Polycarbonate | ☐ Clear | 0.060" | 8" x 15.5" | --- | Flat |
| 251-01-7204 | Polycarbonate | ☐ Clear | 0.040" | 9" x 15.5" | Aluminum | Curved |
| 251-01-7301 | Polycarbonate | ☐ Clear | 0.078" | 8" x 15" | --- | Molded-Cylindrical |
| 251-01-7401 | Polycarbonate | ☐ Clear | 0.078" | 8" x 15" | --- | Molded-Aspherical |
| 251-01-7311 | Polycarbonate | ■ Medium Green | 0.078" | 8" x 15" | --- | Molded-Cylindrical |
| 251-01-7312 | Polycarbonate | ■ Dark Green | 0.078" | 8" x 15" | --- | Molded-Cylindrical |
| 251-01-7313 | Polycarbonate | ■ IR Filter 3.0 | 0.078" | 8" x 15" | --- | Molded-Cylindrical |
| 251-01-7315 | Polycarbonate | ■ IR Filter 5.0 | 0.078" | 8" x 15" | --- | Molded-Cylindrical |
| 251-01-7701 | Steel Wire Mesh | --- | 24 Wire per in. | 8" x 15.5" | Aluminum | Cylindrical |

JSP® SUREFIT™ SAFETY VISORS

| | | | | | | |
|--------------|---------------|---------|--------|----------|-----|-------------|
| 251-01-6201* | Polycarbonate | ☐ Clear | 0.047" | 8" x 21" | --- | Heat Formed |
| 251-01-6211* | Acetate | ☐ Clear | 0.047" | 8" x 21" | --- | Heat Formed |

JSP® Surefit™ Safety Visors only fit JSP® Surefit™ Hard Hat Bracket (251-01-6225)

HEADGEAR & BRACKETS

HEADGEAR Is used when a face shield is needed, but a hard hat is not

BRACKETS Allow the attachment of a safety visor to a hard hat

All Bouton® headgear and brackets are designed with a universal hole pattern.

HEADGEAR *Used without hard hats*



251-01-5200

BRACKETS *Used with hard hats*



251-01-5270
with 251-01-7401

251-01-5271
with 251-01-7401

251-01-6225
with 251-01-6201

HEADGEAR

ANSI ALL STYLES MEET ANSI Z87.1+
CE ALSO MEETING EN166

| STYLE NUMBER | STYLE | HOLE PATTERN | COLOR |
|--------------|----------------------------|--------------|--------|
| 251-01-5200 | Premium Fine Tooth Ratchet | Universal | ■ Blue |
| 251-01-5400 | Economy Ratchet | Universal | ■ Blue |

BRACKETS

| STYLE NUMBER | COMPATIBLE WITH | HOLE PATTERN | MATERIAL |
|-----------------|---|-----------------------------|----------|
| 251-01-5270 | Full Brim | Universal | Aluminum |
| 251-01-5271 | Cap Style | Universal | Aluminum |
| 251-01-6230-JSP | JSP® Evolution® Cap Style | Universal | Aluminum |
| 251-01-5225 | Cap Style Hard Hat with Universal Slots | Universal | Plastic |
| 251-01-6225** | JSP® Standard Brim & Short Brim | JSP® Surefit™ Safety Visors | Plastic |

JSP® Surefit™ Hard Hat Bracket will only fit the JSP® Surefit™ Safety Visors (251-01-6201 & 251-01-6211)

DISPLAY YOUR BOUTON® EYEWEAR



252-CDS-12



252-CDL-06

BOUTON® EYEWEAR DISPLAYS

| STYLE NUMBER | DESCRIPTION |
|--------------|---------------------------------------|
| 252-CDL-06 | Bouton® 6 Piece Diamond Plate Display |
| 252-CDS-12 | Bouton® 3 Sided Pop-Up Display |



BLACK NECK CORDS

ANSI ALL STYLES MEET ANSI Z87.1+
 CE ALSO MEETING EN166
 ALSO MEETING CSA Z94.3

- Keeps glasses close at hand for a safer workplace

STYLE NUMBER

| | | |
|----------|------------------------|----|
| 252-L401 | Rugged Nylon | CE |
| 252-L404 | Economy Slim Nylon | |
| 252-L407 | Adjustable Sports Cord | CE |



UNIVERSAL FLEX SIDESHIELDS

- Weaves through the temple for added side protection
- Molded to a bendable softness
- Temple will still fold correctly
- No parts or tools required
- Meets ANSI Z87.1+ requirements

| STYLE NUMBER | COLOR |
|--------------|--------------------------------|
| 252-FX-0001 | <input type="checkbox"/> Clear |

Patented product of Vision Aid

IDEAL FOR SAFETY GLASSES, GOGGLES OR FACESHIELDS



INDIVIDUALLY PACKAGED



PREVENT FOGGING



STATIONARY DESIGN

LENS CLEANING TOWELETTE DISPENSER

| STYLE NUMBER | CLEANING FUNCTION | MATERIALS | RESTRICTIONS | WALL MOUNT | PACKAGING |
|--------------|---------------------------------------|--------------------------|--------------|------------|---|
| 252-LCT100 | Anti-Fog, Anti-Static, Anti-Streaking | Pre-Moistened Towelettes | None | Yes | 100 individual towelettes, 10 dispensers per case |

LENS CLEANING STATION

| | | | | | |
|-----------|-------------------------------------|-----------------------------------|------|-----|--|
| 252-LCS08 | Anti-Fog, Anti-Static, Alcohol-Free | Spray Cleaner & Lint-free Tissues | None | Yes | 8 oz. bottle & two 300-count tissue boxes, 8 stations per case |
|-----------|-------------------------------------|-----------------------------------|------|-----|--|

FOG BUSTER

| | | | | | |
|----------|----------|--------------------------|------------------------------------|----|---|
| 252-FB30 | Anti-Fog | Pre-Moistened Towelettes | Mirrored or Anti-Reflective Coated | No | 30 applications per box, 6 boxes per case |
|----------|----------|--------------------------|------------------------------------|----|---|

BRINGING THE BEST OF THE WORLD TO YOU®

166 RESPIRATORY PROTECTION

169 HEAD PROTECTION

170 HEARING PROTECTION



RETAIL PRODUCTS

RETAIL SAFETY PRODUCTS

RESPIRATORY PROTECTION

HALF MASK RESPIRATORS

- Soft facepiece for enhanced comfort
- Unique hygiene guard keeps mask clean during storage
- Easy-to-adjust, comfortable head strap
- Lightweight, well contoured face seal for enhanced comfort and fit

* APF (Assigned Protection Factors) and product compatibility are only effective when the employer implements a continuing, effective respirator program as required by Section 29 CFR 1910.134, including training, fit testing, maintenance and use requirements.



SWX00319
Toxic Dust



SWX00321
Safety Works® Pro
Multi-Purpose



SWX00320
Multi-Purpose



SWX00318
Paint & Pesticide



SWX00386 Medium
SWX00387 Large
Half Mask Only



| STYLE NUMBER | CATEGORY | SIZE | NIOSH Particulate Rating | | Ammonia | Chlorine | Chlorine Dioxide | Formaldehyde | Hydrogen Chloride | Hydrogen Fluoride | Hydrogen Sulfide | Methylamine | Organic Vapors | Sulfur Dioxide | APF* | EACH/PACK | PACKAGED |
|-----------------|-----------------------|------|--------------------------|-----|---------|----------|------------------|--------------|-------------------|-------------------|------------------|-------------|----------------|----------------|------|-----------|------------|
| | | | P100 | P95 | | | | | | | | | | | | | |
| SWX00319 | Half Mask w/Cartridge | M | • | | | | | | | | | | | | 10 | 1 | Retail |
| SWX00321 | Half Mask w/Cartridge | M | • | | • | • | • | • | • | • | • | • | • | • | 10 | 1 | Retail |
| SWX00320 | Half Mask w/Cartridge | M | • | | | • | | | • | | | | | | 10 | 1 | Retail |
| SWX00318 | Half Mask w/Cartridge | M | | • | | | | | | | | | • | | 10 | 1 | Retail |
| SWX00386 | Half Mask Only | M | | | | | | | | | | | | | 10 | 1 | Industrial |
| SWX00387 | Half Mask Only | L | | | | | | | | | | | | | 10 | 1 | Industrial |



CARTRIDGES & FILTERS

- Compatible with Safety Works half mask and full facepiece

IMPORTANT: Respirator and cartridge type must be chosen based on the contaminant plus airborne concentration and the necessary Assigned Protection Factor (APF). Refer to WARNING on backside of brochure.

RETAIL PACKAGED



SWX00324
Toxic Dust



SWX00322
Paint & Pesticide



SWX00325
Multi-Purpose



SWX00326
Safety Works® Pro
Multi-Purpose



SWX00323
Pre-Filters



SWX00394
Filter Pad Retainer



SWX00389
Organic Vapor



SWX00392
Toxic Dust



SWX00395
P100 Pancake

INDUSTRIAL PACKAGED

FULL FACEPIECE RESPIRATORS

- Higher level of protection covering eye and face
- Helps protect against liquid splashes and irritating vapors
- Wrap around lens for excellent field of vision
- Integral nose cup for reducing fogging
- Soft facepiece for enhanced comfort



SWX00328
Safety Works® Pro
Multi-Purpose



SWX00327
Paint & Pesticide



SWX00388
Full Facepiece Only



| PRODUCT NUMBER | CATEGORY | SIZE | NIOSH Particulate Rating | | Ammonia | Chlorine | Chlorine Dioxide | Formaldehyde | Hydrogen Chloride | Hydrogen Fluoride | Hydrogen Sulfide | Methylamine | Organic Vapors | Sulfur Dioxide | APF* | EACH/PACK | PACKAGED |
|-----------------|----------------------------|------|--------------------------|-----|---------|----------|------------------|--------------|-------------------|-------------------|------------------|-------------|----------------|----------------|---------|-----------|------------|
| | | | P100 | P95 | AM | CL | CD | FM | HC | HF | HS | MA | OV | SD | | | |
| SWX00328 | Full Facepiece w/Cartridge | M/L | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | **10/50 | 1 | Retail |
| SWX00327 | Full Facepiece w/Cartridge | M/L | | ● | | | | | | | | | ● | | **10/50 | 1 | Retail |
| SWX00388 | Full Facepiece Only | M/L | | | | | | | | | | | | | **10/50 | 1 | Industrial |

** 10 - APF 10 with Qualitative Fit Testing / 50 - APF 50 with Quantitative Fit Testing

* APF (Assigned Protection Factors) and product compatibility are only effective when the employer implements a continuing, effective respirator program as required by Section 29 CFR 1910.134, including training, fit testing, maintenance and use requirements.



SWX00396
P100 Pancake for Nuisance
Level Organic Vapors



SWX00390
multi-purpose



SWX00391
Safety Works® Pro
Multi-Purpose

| STYLE NUMBER | CATEGORY | NIOSH Particulate Rating | | Ammonia | Chlorine | Chlorine Dioxide | Formaldehyde | Hydrogen Chloride | Hydrogen Fluoride | Hydrogen Sulfide | Methylamine | Organic Vapors | Sulfur Dioxide | EACH/PACK | PACKAGED |
|-----------------|------------------------------------|--------------------------|-----|---------|----------|------------------|--------------|-------------------|-------------------|------------------|-------------|----------------|----------------|-----------|-------------------|
| | | P100 | P95 | AM | CL | CD | FM | HC | HF | HS | MA | OV | SD | | |
| SWX00324 | Replacement Cartridges | ● | | | | | | | | | | | | 1 Pair | Retail |
| SWX00322 | Replacement Cartridge & Pre-Filter | | ● | | | | | | | | | ● | | 1 Pair | Retail |
| SWX00325 | Replacement Cartridges | ● | | | ● | | | ● | | | | ● | ● | 1 Pair | Retail |
| SWX00326 | Replacement Cartridges | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | 1 Pair | Retail |
| SWX00323 | Pre-Filter | | ● | | | | | | | | | | | 6 Pair | Industrial/Retail |
| SWX00394 | Pre-Filter Cap | | | | | | | | | | | | | 10 | Industrial/Retail |
| SWX00389 | Replacement Cartridges | | | | | | | | | | | ● | | 1 Pair | Industrial |
| SWX00392 | Replacement Filter | ● | | | | | | | | | | | | 1 Pair | Industrial |
| SWX00395 | Replacement Pancake | ● | | | | | | | | | | | | 1 Pair | Industrial |
| SWX00396 | Replacement Pancake | ● | | | | | | | | | | ● | | 1 Pair | Industrial |
| SWX00390 | Replacement Cartridges | ● | | | ● | | | ● | | | | ● | ● | 1 Pair | Industrial |
| SWX00391 | Replacement Cartridges | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | 1 Pair | Industrial |

RETAIL SAFETY PRODUCTS

RESPIRATORY PROTECTION

DISPOSABLE RESPIRATORS

- Designed for easy breathing
- Adjustable nose-clip improves fit and seal
- Dual point elastics for extra secure fit
- Moldable metal noseband helps reduce fogging of glasses



817633 2/Pack
N95 Harmful Dust



10102481 20/Pack
N95 Harmful Dust



10103821 1/Pack
N95 Harmful Dust
with Exhalation Valve



10102483 10/Pack
N95 Harmful Dust
with Exhalation Valve



10102485 1/Pack
N95 Harmful Dust
with Odor Filter



SWX00397 3/Pack
N100 Harmful Dust
with Exhalation Valve



SWX00398 10/Pack
N100 Harmful Dust
with Exhalation Valve



SWX00399 1/Pack
P100 Harmful Dust
with Exhalation Valve



SWX00404 5/Pack
P100 Harmful Dust
with Exhalation Valve



| STYLE NUMBER | NIOSH 42 CFR 84 | | | Odor Filter | Exhalation Valve | Moldable Metal Noseband | Nose Pad | Full Pad | Adjustable Straps | APF* | EACH/PACK | PACKAGED |
|--------------|-----------------|------|------|-------------|------------------|-------------------------|----------|----------|-------------------|------|-----------|------------|
| | N95 | N100 | P100 | | | | | | | | | |
| 817633 | • | | | | | • | | | | 10 | 2 | Retail |
| 10102481 | • | | | | | • | | | | 10 | 20 | Retail |
| 10103821 | • | | | | • | • | | | | 10 | 1 | Retail |
| 10102483 | • | | | | • | • | | | | 10 | 10 | Retail |
| 10102485 | • | | | • | | • | | | | 10 | 1 | Retail |
| SWX00397 | | • | | | | • | • | | | 10 | 3 | Industrial |
| SWX00398 | | • | | | | • | • | | | 10 | 10 | Industrial |
| SWX00399 | | | • | | • | • | | • | • | 10 | 1 | Industrial |
| SWX00404 | | | • | | • | • | | • | • | 10 | 5 | Industrial |

WHEEL RATCHET



PIN LOCK



HARD HATS

- Rain trough to help channel rain away from neck and ears

| STYLE NUMBER | BRIM | SHELL | SIZE ADJUSTMENT | SUSPENSION | STANDARD | COLOR | EACH/PACK |
|--------------|------|-------|-----------------|------------|-----------------|----------|-----------|
| SWX00346 | • | • | • | • | Type I, Class E | ■ White | 1 |
| SWX00347 | • | • | • | • | Type I, Class E | ■ Yellow | 1 |
| SWX00348 | • | • | • | • | Type I, Class E | ■ Pink | 1 |
| SWX00358 | • | • | • | • | Type I, Class E | ■ White | 1 |
| SWX00359 | • | • | • | • | Type I, Class E | ■ Yellow | 1 |
| SWX00344 | • | • | • | • | Type I, Class E | ■ White | 1 |
| SWX00345 | • | • | • | • | Type I, Class E | ■ Yellow | 1 |


ANSI Z89.1-2009
CSA Z94.1-05

RETAIL SAFETY PRODUCTS

HEARING PROTECTION

EAR MUFFS

- Safety Works® digital ear muffs help limit sound to below OSHA dangerous threshold levels – even when connected to digital music device by wire or Bluetooth®.



NRR 24 10088835
Multi-Position



NRR 24 SWX00115
Foldable



NRR 28 SWX00334
Pro Series



NRR 22 SWX00379
Industrial Grade



NRR 24 10121816
AM/FM Radio
All-In-One



NRR 23 SWX00260
AM/FM Radio
All-In-One with
Bluetooth® Technology



22

23

24

28

| STYLE NUMBER | NRR (dB) | AM/FM RADIO | BLUETOOTH | FOLDABLE | EACH/PACK |
|--------------|----------|-------------|-----------|----------|-----------|
| 10088835 | | • | | | 1 |
| SWX00115 | | • | | • | 1 |
| SWX00334 | | | • | • | 1 |
| SWX00379 | • | | | | 1 |
| 10121816 | | • | | | 1 |
| SWX00260 | • | • | • | | 1 |



SINGLE-USE EAR PLUGS

- Soft, low pressure foam ear plugs
- Easy-to-roll foam comfortably inserts into ear and then expands for custom fit
- Superior all day comfort



NRR 32 SWX00335
4 Pair



NRR 32 818074
2 Pair with Carrying Case



NRR 32 SWX00349
80 Pair



NRR 32 10059484
100 Pair



NRR 32 SWX10151070
200 Pair

MULTI-USE EAR PLUGS

- Soft, low pressure foam ear plugs
- Easy-to-roll foam comfortably inserts into ear and then expands for custom fit
- Superior all day comfort



NRR 25 SWX00231
Tri-Flange
with Carrying Case



NRR 23 SWX00353
Tri-Flange
with Carrying Case



NRR 26 SWX00271
Ear Band

| STYLE NUMBER | NRR (dB) | | | | | Single-Use | Multi-Use | Corded | Banded | CARRYING CASE | PAIR/PACK |
|--------------|----------|----|----|----|----|------------|-----------|--------|--------|---------------|-----------|
| | 20 | 21 | 23 | 25 | 26 | | | | | | |
| SWX00335 | | | | | | • | • | | | | 4 |
| 818074 | | | | | | • | • | | | • | 2 |
| SWX00349 | | | | | | • | • | | | | 80 |
| 10059484 | | | | | | • | • | | | | 100 |
| SWX10151070 | | | | | | • | • | | | | 200 |
| SWX00224 | • | | | | | | • | | | • | 2 |
| SWX00270 | | • | | | | | • | | • | | 1 |
| SWX00231 | | | | • | | | • | • | | • | 1 |
| SWX00353 | | | • | | | | • | • | | • | 1 |
| SWX00271 | | | | | • | | • | | • | | 1 |

RETAIL SAFETY PRODUCTS

BRINGING THE BEST OF THE WORLD TO YOU®

MERCHANDISING & HI-IMPACT PACKAGING ADAPTED TO YOUR NEEDS



PROTECTIVE INDUSTRIAL PRODUCTS

BRINGING THE BEST OF THE WORLD TO YOU®

TRADEMARKS

3GX[™], ACP[™], Adversary[™], Air Force[™], Ambi-dex[®], Ambi-Thix[™], Anti-ReflectivePLUS[™], ArmorFlex[™], ArmorGrip[™], ArmorLite[™], ArmorLiteXT[™], ArmorTuff[™], ArmorTuff XT[™], Assurance[™], Assurance[™] Plus, AutoX[™], Black Pearl, Blue Bison[™], Bouton[™] Optical, Bringing the Best of the World to You[™], Brahma Quality[™], Cabaret[™], ChemGrip[™], CleanTeam[™], Cut Risk Hazard Matrix[™], Double V[™], Duo-Pro[™], ESP[™], Eva[™], Excalibur[™], EZ-COOL[™], Falcon[™], FingerNails[™], FlashFire[™], Fogless[™], 3Sixty[™], Fuselage[™], GP[™], Great White[™], G-Tek[™], Hi-Voltage AC[™], Hi-Voltage ARC[™], KEV[™], K-Force[™], Lady Eva[™], Mag Readers[™], Maximum Safety[™], MirrorPLUS[™], Neofam[™], PermFlex[™], PolarizedXL5[™], PolyKor[™], Pritex[™], ProCoat[™], Red Viper[™], SafetyGear by PIP[™], Smart Fit[™], Supreme[™], The Scout[™], U-Fit[™], Xyystal[™], XtraTuff[™], Zenon Z11sm[™], Zenon Z12[™], Zenon Z12R[™], Zenon Z13[™], Zenon Z14sn[™], Zenon Z28[™], Zenon Z36[™], and Zenon Z44[™] are registered trademarks or trademarks pending registration of Protective Industrial Products, Inc.

EverGrip[™], Kut Gard[®] and Temp-Gard[®] are registered trademarks or trademarks pending registration of PR Industries.

Dare Bigger[™], DuPont[®], Kevlar[®], Lycra[®], Nomex[®] and Protera[®] are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

3M[™] and Thinsulate[™] are trademarks of 3M[™].

Dyneema[®] is a registered trademark of DSM.

LIMITED WARRANTY

Protective Industrial Products, Inc.® (PIP) warrants only that PIP products will be free from defects in materials and workmanship at the time of sale. Upon receipt of each shipment, the customer must examine the products for defect or shortage and notify PIP in writing within thirty (30) days after such receipt of any claims reasonably discernible within such thirty (30) day period. All claims not reasonably discernible within thirty (30) days must be made in writing within one (1) year after receipt of shipment. Any claim not timely made shall be waived. This limited warranty is exclusive and in lieu of all other warranties, express, implied or statutory. PIP's entire obligation and the exclusive remedy to any party for breach of this limited warranty shall be limited to replacement of the defective product or refund of the original purchase price of the product, at PIP's option. PIP's limited warranty shall not apply to PIP products that have been subject to misuse, accident, negligence, handling, storage, or use.

DISCLAIMER OF IMPLIED WARRANTIES

All implied warranties which may arise by implication of law or application, course of dealing, usage of trade, including, but not limited to, implied warranties of merchantability, fitness for a particular purpose title, and non-infringement are expressly excluded. The user is solely responsible for the suitability of the product selected for a particular application. This catalog is the exclusive property of Protective Industrial Products, Inc.® It may not be copied, duplicated or reproduced in whole or in part by any means without the written permission of Protective Industrial Products, Inc.®



PROTECTIVE INDUSTRIAL PRODUCTS, INC.

BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS

Corporate Headquarters & Sales Center
Latham, NY
Phone: 518-861-0133 · Toll Free: 800-262-5755
sales@pipusa.com · www.pipusa.com

New York Distribution Center
Guilderland Center, NY

California Sales & Distribution Center
Rancho Cucamonga, CA
Phone: 909-987-2350 · Toll Free: 800-225-9225

Tennessee Sales & Distribution Center
Memphis, TN
Phone: 901-370-5828 · Toll Free: 888-456-8378

USA Manufacturing Facility
Guilderland Center, NY

USA Manufacturing Facility
Bluffton, IN
Phone: 260-824-8146

USA Manufacturing Facility
Chaska, MN
Phone: 952-448-7430

Canada Distribution Center, Shipments & Returns
Bolton (Toronto), Ontario
Phone: 800-262-5755 x7258
www.pipcanada.ca

Mexico Sales & Distribution
Monterrey, N.L., Mexico
Phone: +52 (81) 8372-1825
www.pipmex.com

Mexico Regional Sales Office
San Pedro Garza Garcia, N.L., Mexico
Phone: +52 (81) 8335-4744 · +52 (81) 1365-9569

Latin America Independent Affiliate
Panamá, República de Panamá
Phone: (+507) 263-0175

Distributed by:

EUROPE

France Administrative & Sales Offices
L'hermenault, France
Phone: + 33 (0) 2 51 50 19 80
www.pipeurope.com

Greece Independent Affiliate
Athens, Greece
Phone: +30-210-3463910

ASIA PACIFIC

Asia Pacific Administrative Headquarters
Hong Kong, China
Phone: 852-2475-9228
www.pipasiapacific.com

China Administrative & Sales Center
Shanghai, China
Phone: 86-021-63170303

China Regional Sales Office
Yantai City, Shandong Province, China
Phone: 86-0535-6602843

Singapore Sales Office
Singapore
Phone: +65-91557756

Malaysia Sales Office
Penang, Malaysia
Phone: 6-04-399-3328

AUSTRALIA

Australia Independent Affiliate
Eagle Farm, Queensland, Australia
Phone: 1300 656 010
www.pipaus.com