



TECHNICAL SHEET

16-X585

G-TEK® POLYKOR® XRYSTAL® SEAMLESS KNIT POLYKOR® XRYSTAL® BLENDED GLOVE WITH NEOFOAM® COATED PALM & FINGERS TOUCHSCREEN COMPATIBLE

- Seamless construction offers increased comfort and breathability
- PolyKor® Xrystal® shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- NeoFoam® coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Touchscreen compatible to allow the user to operate a touchscreen phone or device without removing gloves
- Reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in a high-wear area
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light
- Meets EN 1149 for protective clothing electrostatic properties

APPLICATIONS

- Glass Cutting
- Electronics
- Sheet Metal Handling
- Parts Assembly
- Sharp Small Parts Handling
- Construction
- General Duty Applications

CARE INSTRUCTIONS

Recommend washing gloves in slightly warm water not exceeding 40°C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60°C).

TECHNICAL DATA

MATERIAL	PolyKor® Xrystal™ Engineered Yarn / NeoFoam® Coating				
CONSTRUCTION	Seamless knit				
COLOR	Shell: ■ Black/ Coating: ■ Black				
WRIST STYLE	Knitted				
SIZES	7- 11				
PACKAGING	1 pair per bag, 12 pairs per dozen, 72 pairs per case				
CASE DIMENSIONS	15" x 12.2" x 11.4" / 38cm x 31cm x 29cm				
CASE WEIGHT	7	8	9	10	11
	11.5 lbs 5.2 kgs	12.3 lbs 5.6 kgs	13.2 lbs 6 kgs	14.1 lbs 6.4 kgs	15 lbs 6.8 kgs
C00	China				


PERFORMANCE PROPERTIES

EN388: 4X42E	ASTM F2992-15 ANSI Cut Level A5 (Adopted by ANSI/ISEA 02/16)					
ABRASION	0	1	2	3	4	-
CUT (2003)	X	1	2	3	4	5
TEAR	0	1	2	3	4	-
PUNCTURE	0	1	2	3	4	-
CUT (ISO 13997)	A	B	C	D	E	F



DIMENSIONS (in/cm)

	7	8	9	10	11
A	9.3 / 23.5	9.6 / 24.5	10 / 25.5	10.4 / 26.5	10.8 / 27.5
B	3.6 / 9.3	3.8 / 9.6	4.1 / 10.5	4.3 / 11	4.4 / 11.2
C	■ Red	■ Yellow	■ Brown	■ Black	■ Blue



PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

PIP FRANCE SAS | 120 Grande Rue | 85570 L'Hermenault | Tel: +33 2 51 50 19 80 | info@pipeurope.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.