



# TECHNICAL SHEET

## 34-600



### G-TEK® NEOFOAM® SEAMLESS KNIT NYLON GLOVE WITH NEOFOAM® COATED PALM & FINGERTIPS – 15 GAUGE BLUE

- Seamless knit nylon shell offers increased comfort and finger dexterity
- Neofoam® coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Touch screen compatible to allow the user to operate a touchscreen phone or device without removing gloves
- Knit wrist helps prevent dirt and debris from entering the glove
- Cotton color binding denotes sizing
- Launderable for extended life and to reduce replacement costs
- Complies with FDA food handling requirements 21 CFR 177.2600

### APPLICATIONS

- Small Parts Handling
- Assembly
- Manufacturing
- Material Handling

### CARE INSTRUCTIONS

Recommend washing gloves in slightly warm water not exceeding 40°C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60°C).




### TECHNICAL DATA

MATERIAL	Nylon / Neofoam® Coating					
CONSTRUCTION	Seamless knit					
COLOR	Shell: ■ Blue / Coating: ■ Black					
WRIST STYLE	Knit wrist					
SIZES	6 -11					
PACKAGING	1 pair per bag, 12 pairs per dozen, 120 pairs per case					
CASE DIMENSIONS	19.7" x 11.8" x 12.6" / 50cm x 30cm x 32cm					
CASE WEIGHT	6	7	8	9	10	11
	9.3 lbs 4.2 kgs	9.9 lbs 4.5 kgss	10.1 lbs 4.6 kgs	10.8 lbs 4.9 kgs	11.5 lbs 5.2 kgs	12.8 lbs 5.8 kgs
COO	China					

### DIMENSIONS (in/cm)

	6	7	8	9	10	11
A	8.5 / 21.5	8.9 / 22.5	9.3 / 23.5	9.6 / 24.5	10 / 25.5	10.4 / 26.5
B	3.3 / 8.5	3.5 / 9	3.7 / 9.4	3.8 / 9.7	4 / 10.2	4.1 / 10.5
C	■ Purple	■ Red	■ Yellow	■ Brown	■ Black	■ Blue



### PERFORMANCE PROPERTIES

EN388: 4121

ABRASION	0	1	2	3	4	-
CUT (2003)	0	1	2	3	4	5
TEAR	0	1	2	3	4	-
PUNCTURE	0	1	2	3	4	-

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

PIP FRANCE SAS | 120 Grande Rue | 85570 L'Hermenault | Tel: +33 2 51 50 19 80 | [info@pipeurope.com](mailto:info@pipeurope.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.