



TECHNICAL SHEET

34-608



G-TEK® NEOFOAM® SEAMLESS KNIT NYLON GLOVE WITH NEOFOAM® COATED PALM, FINGERS & KNUCKLES – 15 GAUGE EARTH TONE

- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability
- Shell is made with a double strand for a tighter, stronger work glove
- Neofoam® coated palm and fingertips offers great abrasion resistance and outstanding wet/dry grip
- Touch screen compatible to allow the user to operate a touchscreen phone or device without removing gloves
- Knit wrist helps prevent dirt and debris from entering the glove
- Cotton color binding denotes sizing
- Launderable for extended life and to reduce replacement costs
- Complies with FDA food handling requirements 21 CFR 177.2600

APPLICATIONS

- Large Parts Handling
- Assembly
- Manufacturing
- Material Handling

CARE INSTRUCTIONS

Recommend washing gloves in slightly warm water not exceeding 40°C. A mild non-ionic detergent should be used. A 5-10 minute cycle time should be employed. Tumble dry on low - maximum temperature 140°F (60°C).




TECHNICAL DATA

MATERIAL	Nylon / Neofoam® Coating				
CONSTRUCTION	Seamless knit				
COLOR	Shell: ■ Earth tone / Coating: ■ Black				
WRIST STYLE	Knit wrist				
SIZES	6 -11				
PACKAGING	1 pair per bag, 12 pairs per dozen, 120 pairs per case				
CASE DIMENSIONS	19.7" x 11.8" x 13.8" / 50cm x 30cm x 35cm				
CASE WEIGHT	7	8	9	10	11
	15.7 lbs 7.1 kgs	16.1 lbs 7.3 kgs	16.3 lbs 7.4 kgs	16.5 lbs 7.5 kgs	17 lbs 7.7 kgs
COO	China				

DIMENSIONS (in/cm)

	7	8	9	10	11
A	8.7 / 22	9.1 / 23	9.4 / 24	9.8 / 25	10.2 / 26
B	3.5 / 9	3.7 / 9.5	4.1 / 10.4	4.2 / 10.7	4.3 / 11
C	■ Red	■ Yellow	■ Brown	■ Black	■ Blue



PERFORMANCE PROPERTIES

EN388: 4131

ABRASION	0	1	2	3	4	-
CUT (2003)	0	1	2	3	4	5
TEAR	0	1	2	3	4	-
PUNCTURE	0	1	2	3	4	-

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

PIP FRANCE SAS | 120 Grande Rue | 85570 L'Hermenault | Tel: +33 2 51 50 19 80 | info@pipeurope.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.