

SPECIFICATION SHEET

STYLE: 643410-200



Technical Data

| Color | Black |
|----------------------|---------|
| Sizes Available | 36-47 |
| Packaging | |
| Packed | |
| Case Dimensions (cm) | |
| Case Weight (kg) | 0.00 |
| Country of Origin | China |
| Material | Leather |
| Outsole | |
| Toe Type | |
| Tread Pattern | |
| Height | |
| Construction | |
| Certifications | |

Performance Data

ASTM F2413 Requirement

PUMA® Safety

Touring Black LOW S3 ESD SRC Composite Toe Electrostatic Dissipative Shoes, Slip Resistant, Safety Boots

- MOTO PROTECT SOLE The non-slip, cushioning dual density polyurethane sole is pure motorsport. As with a tire tread, fluids are drained and grip is optimized on every surface. The MTSP Torsion Control element provides additional stability.
- MTSP TORSION CONTROL ELEMENT The extra long and distinctive MTSP torsion control element increases the stability over the entire foot. It ensures an active drive and dynamic running
- PU MIDSOLE The direct attached lightweight PU midsole gives underfoot cushioning, shock absorption and insulation from uneven ground.
- DRIVERS HEEL The rounded and raised outsole in the heel area, inspired by motorsport, supports the natural rolling movement of the foot and protects against heavy abrasion, especially when driving a car or truck.
- UPPER We use high quality, durable materials (e.g. hydrophobic suede leather) that are both water and abrasion resistant.
- EVERCUSHION® PLUS This high performance footbed uses a combination of low density cellular Polyurethane and PORON® to protect the heel of the foot providing superior cushioning and shock absorption. The extra cushioning of PORON® brings long-lasting comfort and performance in a durable material that withstands even the toughest daily wear.