

# SPECIFICATION SHEET STYLE: 700SLCE



## G-Tek®

Economy Light Weight Seamless Knit Polyester Glove with Latex Coated Crinkle Grip on Palm & Fingers

- Seamless polyester knit shell is comfortable and flexible
- Latex crinkle coatings feature creases or wrinkles on the surface of
  the coating that are designed to channel fluids away allowing better
  contact on dry or wet surfaces a natural rubber that is flexible,
  tough and durable due to its high degree of resistance to snagging,
  puncture, and abrasion
- Breathable glove shell
- Ergonomic shaped curved finger pattern
- Knit Wrist helps prevent dirt and debris from entering the glove
- · Color coded hems for easy size identification

## **Applications**

- Secure Wet or Dry Grip, Tear and Puncture Resistant
- Handling and Cleanup of Abrasive Parts and Materials
- Demolition
- Masonry and Tile
- · Metal Fastening and Assembly



#### **Technical Data**

| Color                | Dark Gray             |
|----------------------|-----------------------|
| Sizes Available      |                       |
| Packaging            | Bulk Pack             |
| Packed               | 12/Case               |
| Case Dimensions (cm) | 45.00 x 29.00 x 46.00 |
| Case Weight (kg)     | 16.20                 |
| Country of Origin    | Viet Nam              |
| Liner Material       | Polyester             |
| Coating              | Latex                 |
| Coating Color        | Blue                  |
| Coating Coverage     | Palm & Fingers        |
| Grip                 | Crinkle               |
| Gauge                | 10                    |
| Cuff                 | Knit Wrist            |
| Impact Protection    |                       |
| Construction         | Coated Seamless Knit  |
| Certifications       |                       |

#### Performance Data

| EN 388            | 2131X |
|-------------------|-------|
| EN Abrasion Level | 2     |
| EN Cut Level      | 1     |
| EN Tear Level     | 3     |
| EN Puncture Level | 1     |
| FN 407            |       |

#### **Care Instructions**







40°C





Low Hea