



ESD

Technical Data

| | |
|----------------------|-----------------------|
| Color | Royal |
| Sizes Available | -- |
| Packaging | Case |
| Packed | 1/Case |
| Case Dimensions (cm) | 61.00 x 40.60 x 30.50 |
| Case Weight (kg) | 0.91 |
| Country of Origin | Mexico |
| Clothing Type | Lab Coats |
| Fabric | StatMaster |
| Closure | Snap |
| Construction | ESD Safe |
| Certifications | TAA Compliant |

Uniform Technology™ StatMaster Long ESD Labcoat

- StatMaster Fabric - 93% Polyester / 7% Carbon
- Lapel collar
- Three patch pockets
- Snaps at front opening
- Grounding snap on waist pocket
- Snap wrist closure
- Pass-throughs slits at waist for pocket access
- ESD safe compliance to ANSI/ESD S20.20-2014 - Groundable Static Control Garment

Performance Data

| | |
|-------------------------|--|
| ISO Cleanroom | -- |
| ANSI/ESD S20.20 | Groundable Static Control Garment < 1x10 ⁹ Ω Point to groundable point |
| Temperature Resistant | -- |
| Static Control Property | Static Dissipative |

Care Instructions

Our garments do not come wearer ready meaning they need to be laundered before an employee wears them in an ISO class cleanroom. Average wear and tear lifespan is 50-100 washes. Make sure all zippers and snaps are closed. Use less harsh soap (milk alkaline or neutral soaps) or detergents. Wash at 120°F for colors and 140°F for whites. Rinse cold. No bleach. Tumble dry moderate (140°F). After drying tumble dry cold for 5 minutes. No iron.