

# SPECIFICATION SHEET STYLE: 720DGUV



# G-Tek® PosiGrip®

Lightweight, Polykor Blend with Polyurethane palm and finger flat grip coating - Vend-Ready

- · Seamless construction offers increased comfort and breathability
- Polykor blended shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coated palm and fingertips provides a secure grip in dry and slightly wet/oily conditions and offers high dexterity and tactile sensitivity
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- 100% Silicone Free

# **Applications**

- Thin Coating, Good Grip for High Dexterity Handling
- Maintenance and Repair Operations
- Handling, Assembly and Sorting of Small to Medium Parts and Materials
- · Shipping, Receiving and Packaging



## **Technical Data**

| Color                | Salt & Pepper         |
|----------------------|-----------------------|
| Sizes Available      |                       |
| Packaging            | Vend Packed           |
| Packed               | 72/Case               |
| Case Dimensions (cm) | 38.00 x 30.00 x 22.00 |
| Case Weight (kg)     | 2.22                  |
| Country of Origin    | China                 |
| Liner Material       | PolyKor               |
| Coating              | Polyurethane          |
| Coating Color        | Gray                  |
| Coating Coverage     | Palm & Fingers        |
| Grip                 | Flat                  |
| Gauge                | 13                    |
| Cuff                 | Knit Wrist            |
| Impact Protection    |                       |
| Construction         | Seamless Knit         |
| Certifications       | Silicone Free         |

#### Performance Data

| EN 388                          | 4342 |
|---------------------------------|------|
| EN Abrasion Level               | 4    |
| EN Cut Level                    | 3    |
| EN Tear Level                   | 4    |
| EN Puncture Level               | 2    |
| EN TDM-100 Cut Level            |      |
| ASTM F1358 Vertical Flame Level |      |
| EN 407                          |      |

### Care Instructions











