




### G-Tek® VR-X™

Seamless Knit Nylon Glove with Polyurethane Advanced Barrier Protection Coating on Full Hand – Touchscreen

- Seamless construction offers increased comfort and breathability
- Nylon blended shell, featuring an ultra-thin 18 gauge liner for exceptional dexterity
- VR-X Polyurethane coatings provide advanced barrier protection, the treated coating takes on the surface properties of the glove liner providing a tactile grip in wet, dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Liquid proof, air leak tested - EN374-2
- Antibacterial and antiviral barrier protection per ISO 20743:2013 test method & EN374-5
- ESD Safe, Surface Resistance per ESD S11.11 Static dissipative range at 10^8 ohms, 12%RH, 48hrs @100Volts

### Applications

- Thin Coating, Good Grip for High Dexterity Handling
- Small Parts Handling
- Maintenance and Repair Operations
- Quality Control and Inspection



3111XX VIRUS FEN ESD

### Technical Data

Color	Black
Sizes Available	6-11
Packaging	Pair Bagged Retail Ready
Packed	12 Dozen/Case
Case Dimensions (cm)	48.00 x 31.00 x 29.00
Case Weight (kg)	5.40
Country of Origin	China
Liner Material	Nylon
Coating	Polyurethane
Coating Color	Black
Coating Coverage	Full Hand
Grip	Foam
Gauge	18
Cuff	Knit Wrist
Impact Protection	--
Construction	Coated Seamless Knit, Touchscreen Compatible, ESD Safe
Certifications	Silicone Free, ANSI/ESD S11.11, Fentanyl Protection

### Performance Data

EN 388	3111XX
EN Abrasion Level	3
EN Cut Level	1
EN Tear Level	1
EN Puncture Level	1
EN 407	--

### Care Instructions

