



G-Tek® 3GX®

Seamless Knit Dyneema® Diamond Blended Glove with Polyurethane Coated Flat Grip on Palm & Fingers

- Seamless construction offers increased comfort and breathability
- Dyneema®, Nylon & Spandex shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coatings take on the surface properties of the glove liner providing a tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light

Applications

- Thin Coating, Good Grip for High Dexterity Handling
- Maintenance and Repair Operations
- Handling, Assembly and Sorting of Small to Medium Parts and Materials
- Shipping, Receiving and Packaging



4442CX

Technical Data

Color	White
Sizes Available	--
Packaging	Pair Bagged Retail Ready
Packed	6/Case
Case Dimensions (cm)	30.00 x 32.00 x 36.00
Case Weight (kg)	5.20
Country of Origin	China
Liner Material	Dyneema Diamond Technology
Coating	Polyurethane
Coating Color	Gray
Coating Coverage	Palm & Fingers
Grip	Flat
Gauge	13
Cuff	Knit Wrist
Impact Protection	--
Construction	Coated Seamless Knit
Certifications	--

Performance Data

EN 388	4442CX
EN Abrasion Level	4
EN Cut Level	4
EN Tear Level	4
EN Puncture Level	2
EN TDM-100 Cut Level	C
ASTM F1358 Vertical Flame Level	--
EN 407	--

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat