

# SPECIFICATION SHEET

STYLE: 120-5200



## Maximum Safety®

Roustabout™ Synthetic Leather Palm w/ Silicone Grip and Fabric Back - TPR Impact Protection -DISCONTINUED

- Synthetic leather palm with silicone grip enhances grip in wet and dry applications while providing dexterity
- Thermo Plastic Rubber (TPR) molded fingers, thumb and back of the hand guards for maximum protection
- Kevlar® Stitched palm for added durability and gel padding for comfort
- Synthetic Leather forchettes enhance the natural contour of the glove for a better fit
- Kevlar® Fabric reinforced thumb crotch for extended glove life, enhanced comfort, increased abrasion resistance and added durability in high-wear areas
- Hi-Vis Spandex fabric back

#### **Applications**

- · Handling and Moving Heavy Materials
- Maintenance and Repair Operations
- · Operating Heavy Duty Machinery and Tools



### **Technical Data**

| Color                | Hi-Vis Yellow               |
|----------------------|-----------------------------|
| Sizes Available      |                             |
| Packaging            | Pair Bagged Plain           |
| Packed               |                             |
| Case Dimensions (cm) | 59.69 x 39.37 x 34.29       |
| Case Weight (kg)     | 21.90                       |
| Country of Origin    | Pakistan                    |
| Liner Material       |                             |
| Coating              | Silicone                    |
| Coating Color        |                             |
| Coating Coverage     |                             |
| Grip                 |                             |
| Gauge                |                             |
| Palm                 | Synthetic Leather           |
| Back                 | Spandex                     |
| Cuff                 | Slip-on                     |
| Impact Protection    | Finger, Thumb, Back of Hand |
| Construction         | Cut-and-Sewn                |
| Certifications       | <del></del>                 |

#### **Performance Data**

| PPE Category      |       |
|-------------------|-------|
| EN 388            | 3132X |
| EN Abrasion Level | 3     |
| EN Cut Level      | 1     |
| EN Tear Level     | 3     |
| EN Puncture Level | 2     |