



G-Tek® 3GX®

Seamless Knit Dyneema® Diamond Blended Glove with Polyurethane Coated Flat Grip on Palm & Fingers

- Seamless construction offers increased comfort and breathability
- Dyneema® Diamond & Spandex shell is lightweight and provides excellent dexterity, tactile sensitivity and cut resistance
- Polyurethane coatings take on the surface properties of the glove liner providing a tactile grip in dry and slightly oily conditions, ideal for applications that require dexterity for precise handling
- Knit Wrist helps prevent dirt and debris from entering the glove
- Color coded hems for easy size identification
- Washable, resistant to chemicals, water, and ultraviolet light

Applications

- Thin Coating, Good Grip for High Dexterity Handling
- Maintenance and Repair Operations
- Handling, Assembly and Sorting of Small to Medium Parts and Materials
- Shipping, Receiving and Packaging



4541CX

Technical Data

| | |
|----------------------|----------------------------|
| Color | White |
| Sizes Available | -- |
| Packaging | Pair Bagged Retail Ready |
| Packed | 6/Case |
| Case Dimensions (cm) | 30.00 x 32.00 x 36.00 |
| Case Weight (kg) | 5.20 |
| Country of Origin | Viet Nam |
| Liner Material | Dyneema Diamond Technology |
| Coating | Polyurethane |
| Coating Color | White |
| Coating Coverage | Palm & Fingers |
| Grip | Flat |
| Gauge | 13 |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | Coated Seamless Knit |
| Certifications | -- |

Performance Data

| | |
|---------------------------------|--------|
| EN 388 | 4541CX |
| EN Abrasion Level | 4 |
| EN Cut Level | 5 |
| EN Tear Level | 4 |
| EN Puncture Level | 1 |
| EN TDM-100 Cut Level | C |
| ASTM F1358 Vertical Flame Level | -- |
| EN 407 | -- |

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-06-06