



### G-Tek® NeoFoam®

Seamless Knit Nylon Glove with NeoFoam®  
Coated Palm, Fingers & Knuckles - Micro Dotted Grip

- Seamless knit nylon shell offers increased comfort, finger dexterity and breathability
- Shell is made with a double strand for a tighter, stronger work glove
- NeoFoam® offers an incredibly secure grip in dry conditions, a versatile and flexible coating that provides breathability and a high degree of dexterity, ideal for handling and the assembly of parts
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling
- Knit Wrist helps prevent dirt and debris from entering the glove

### Applications

- Secure Dry and Flexible Grip
- Handling, Assembly and Sorting of Small to Medium Parts and Materials
- Shipping, Receiving and Packaging
- Maintenance and Repair Operations



4131X

### Technical Data

|                      |   |
|----------------------|---|
| Color                | Brown   |
| Sizes Available      | 6-11  |
| Packaging            | Pair Bagged Retail Ready                        |
| Packed               | 12 Dozen/Case                                   |
| Case Dimensions (cm) | 50.00 x 30.00 x 35.00                           |
| Case Weight (kg)     | 7.20  |
| Country of Origin    | China   |
| Liner Material       | Nylon   |
| Coating              | Neofoam   |
| Coating Color        | Black   |
| Coating Coverage     | Palm & Fingers                                  |
| Grip                 | Foam  |
| Gauge                | 15  |
| Cuff                 | Knit Wrist                                      |
| Impact Protection    | --  |
| Construction         | Coated Seamless Knit,<br>Touchscreen Compatible |
| Certifications       | 21 CFR, Silicone Free                           |

### Performance Data

|                   |       |
|-------------------|-------|
| EN 388            | 4131X |
| EN Abrasion Level | 4     |
| EN Cut Level      | 1     |
| EN Tear Level     | 3     |
| EN Puncture Level | 1     |
| EN 407            | --    |