

SPECIFICATION SHEET

STYLE: 16-E540



G-Tek® PolyKor®

Seamless Knitted Glove In Hppe Spandex With Polyurethane Coating - Gauge 15

- Seamless knitted Polykor[™] backing provides maximum comfort and excellent breathability
- Polyurethane coating on palm and fingertips provides excellent abrasion resistance extending the life of the glove
- Tight 15 gauge mesh reduces dirt penetration and provides excellent tactile sensitivity
- Compatible with touch screens
- Biodegradable polybag packaging of 12 pairs
- The tight knit makes the glove perfectly sheathing, limits the penetration of dirt and gives a good tactility.



Technical Data

| Color | White |
|----------------------|----------------|
| Sizes Available | 6-11 |
| Packaging | |
| Packed | |
| Case Dimensions (cm) | |
| Case Weight (kg) | 0.00 |
| Country of Origin | China |
| Liner Material | PolyKor |
| Coating | Polyurethane |
| Coating Color | Gray |
| Coating Coverage | Palm & Fingers |
| Grip | |
| Gauge | 15 |
| Cuff | Safety |
| Impact Protection | |
| Construction | |
| Certifications | |

Performance Data

| EN 388 | 4X43C |
|---------------------------------|-------|
| EN Abrasion Level | 4 |
| EN Cut Level | X |
| EN Tear Level | 4 |
| EN Puncture Level | 3 |
| EN TDM-100 Cut Level | С |
| ASTM F1358 Vertical Flame Level | |
| EN 407 | |