



### Technical Data

Color	Black/Gray
Sizes Available	39-48
Packaging	--
Packed	--
Case Dimensions (cm)	--
Case Weight (kg)	0.00
Country of Origin	China
Material	Leather
Outsole	--
Toe Type	--
Tread Pattern	--
Height	--
Construction	--
Certifications	--

### Performance Data

ASTM F2413 Requirement --

### Care Instructions



Hand Wash

### PUMA® Safety

Cascades LOW S3 CI HI HRO SRC Composite  
Toe Cold Isolation, Heat Isolation, Heat Resistant,  
Slip Resistant, Safety Boots

- **RUBBER OUTSOLE** - It is obvious that the heavy duty pattern of this hard-wearing, up to 572°F heat resistant HRO rubber outsole has been designed for optimum safety and performance, even on unsecured grounds. A stabilizing shank is integrated in the midsole.
- **PU MIDSOLE** - The direct attached lightweight PU midsole gives underfoot cushioning, shock absorption and insulation from uneven ground.
- **SCUFF CAP** - Over-the-toe extra high scuff cap for wearers who kneel a lot in their job.
- **VOLUME PLUS** - The special shape of the last provides more space to the small toes and the ball of the foot.
- **EVERCUSHION® BA+** - Maximum performance for your work shoes. The contoured evercushion® BA+ footbed follows the shape of the foot and ensures a natural position, pressure relief and muscle stimulation. It is made of two layers of breathable foamed polyurethane in different densities with extra cushioning material in the critical heel and ball area for superior shock absorption. An odor-resistant, sweatwicking and non-slippery fabric covers the whole footbed. Excellent comfort and support to get your job done.

**PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®**

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | [www.pipglobalsafety.com](http://www.pipglobalsafety.com)

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-06-14